


WFSQ.C

Latitude: 30-21-31 N
Longitude: 084-36-38 W
ERP: 86.00 kW
Channel: 218
Frequency: 91.5 MHz
AMSL Height: 240.0 m
Elevation: 36.0 m
HAAT: 1.0 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: FCC

WVOB

BLED19881220KC
Latitude: 31-10-57 N
Longitude: 085-24-21 W
ERP: 2.50 kW
Channel: 217
Frequency: 91.3 MHz
AMSL Height: 178.0 m
Elevation: 91.87 m
HAAT: 100.0 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: FCC



10-21-2002 30 Sec. Terrain Data

WVOB BLED19881220KC
 Channel = 217A
 Max ERP = 2.5 kW
 RCAMSL = 178 M
 N. Lat = 31 10 57
 W. Lng = 85 24 21

WFSQ.C
 Channel = 218C1
 Max ERP = 86 kW
 RCAMSL = 240 M
 N. Lat = 302131
 W. Lng = 843638

Protected
 60 dBu

Interfering
 54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
110.0	002.5000	0105.7	023.9	327.4	086.0000	0204.1	099.0	52.2
111.0	002.5000	0105.5	023.8	327.2	086.0000	0204.1	098.8	52.3
112.0	002.5000	0105.4	023.8	327.0	086.0000	0204.1	098.6	52.3
113.0	002.5000	0105.5	023.8	326.8	086.0000	0204.1	098.3	52.4
114.0	002.5000	0105.9	023.9	326.6	086.0000	0204.1	098.1	52.5
115.0	002.5000	0106.7	024.0	326.4	086.0000	0204.6	097.8	52.6
116.0	002.5000	0107.5	024.0	326.2	086.0000	0204.6	097.5	52.6
117.0	002.5000	0107.6	024.1	326.0	086.0000	0204.6	097.3	52.7
118.0	002.5000	0106.9	024.0	325.8	086.0000	0204.6	097.1	52.8
119.0	002.5000	0105.8	023.9	325.6	086.0000	0204.6	097.1	52.8
120.0	002.5000	0105.0	023.8	325.3	086.0000	0205.2	097.0	52.8
121.0	002.5000	0104.5	023.7	325.1	086.0000	0205.2	096.8	52.9
122.0	002.5000	0104.2	023.7	324.8	086.0000	0205.2	096.7	52.9
123.0	002.5000	0104.2	023.7	324.6	086.0000	0205.2	096.6	52.9
124.0	002.5000	0104.3	023.7	324.4	086.0000	0205.8	096.4	53.0
125.0	002.5000	0104.8	023.8	324.2	086.0000	0205.8	096.2	53.1
126.0	002.5000	0105.4	023.8	323.9	086.0000	0205.8	096.0	53.1
127.0	002.5000	0106.1	023.9	323.7	086.0000	0205.8	095.8	53.2
128.0	002.5000	0106.6	024.0	323.5	086.0000	0206.3	095.7	53.2
129.0	002.5000	0106.9	024.0	323.2	086.0000	0206.3	095.5	53.3
130.0	002.5000	0106.9	024.0	323.0	086.0000	0206.3	095.4	53.3
131.0	002.5000	0106.9	024.0	322.8	086.0000	0206.3	095.3	53.3
132.0	002.5000	0106.8	024.0	322.5	086.0000	0206.3	095.3	53.4
133.0	002.5000	0106.8	024.0	322.3	086.0000	0206.6	095.2	53.4
134.0	002.5000	0106.7	024.0	322.0	086.0000	0206.6	095.2	53.4
135.0	002.5000	0106.5	023.9	321.8	086.0000	0206.6	095.1	53.4
136.0	002.5000	0106.5	023.9	321.5	086.0000	0206.6	095.1	53.4
137.0	002.5000	0106.9	024.0	321.3	086.0000	0206.9	095.0	53.5
138.0	002.5000	0107.9	024.1	321.0	086.0000	0206.9	094.9	53.5
139.0	002.5000	0109.2	024.2	320.8	086.0000	0206.9	094.7	53.5
140.0	002.5000	0110.3	024.3	320.5	086.0000	0206.9	094.6	53.6
141.0	002.5000	0110.9	024.4	320.2	086.0000	0207.1	094.6	53.6
142.0	002.5000	0111.2	024.4	320.0	086.0000	0207.1	094.5	53.6
143.0	002.5000	0111.3	024.4	319.7	086.0000	0207.1	094.6	53.6
144.0	002.5000	0111.4	024.4	319.5	086.0000	0207.1	094.6	53.6
145.0	002.5000	0111.7	024.5	319.2	086.0000	0207.1	094.6	53.6
146.0	002.5000	0112.2	024.5	319.0	086.0000	0207.1	094.6	53.6
147.0	002.5000	0112.6	024.6	318.7	086.0000	0207.1	094.6	53.6

148.0	002.5000	0113.0	024.6		318.4	086.0000	0207.0	094.6	53.6
149.0	002.5000	0113.2	024.6		318.2	086.0000	0207.0	094.7	53.6
150.0	002.5000	0113.2	024.6		317.9	086.0000	0207.0	094.8	53.5
151.0	002.5000	0113.1	024.6		317.7	086.0000	0207.0	094.9	53.5
152.0	002.5000	0113.1	024.6		317.4	086.0000	0206.7	095.0	53.5
153.0	002.5000	0113.3	024.6		317.2	086.0000	0206.7	095.1	53.4
154.0	002.5000	0113.7	024.7		316.9	086.0000	0206.7	095.2	53.4
155.0	002.5000	0114.2	024.7		316.7	086.0000	0206.7	095.3	53.4
156.0	002.5000	0114.6	024.8		316.4	086.0000	0206.4	095.4	53.3
157.0	002.5000	0115.2	024.8		316.2	086.0000	0206.4	095.5	53.3
158.0	002.5000	0116.0	024.9		315.9	086.0000	0206.4	095.6	53.3
159.0	002.5000	0116.8	024.9		315.6	086.0000	0206.4	095.7	53.2
160.0	002.5000	0117.3	025.0		315.4	086.0000	0206.4	095.8	53.2
161.0	002.5000	0117.7	025.0		315.2	086.0000	0206.4	096.0	53.2
162.0	002.5000	0117.7	025.0		314.9	086.0000	0206.4	096.2	53.1
163.0	002.5000	0117.4	025.0		314.7	086.0000	0206.4	096.4	53.0
164.0	002.5000	0116.9	025.0		314.5	086.0000	0206.6	096.7	53.0
165.0	002.5000	0116.2	024.9		314.3	086.0000	0206.6	096.9	52.9
166.0	002.5000	0115.8	024.9		314.1	086.0000	0206.6	097.2	52.8
167.0	002.5000	0115.4	024.8		313.9	086.0000	0206.6	097.5	52.7
168.0	002.5000	0114.7	024.8		313.7	086.0000	0206.6	097.8	52.6
169.0	002.5000	0113.9	024.7		313.5	086.0000	0206.6	098.1	52.5
170.0	002.5000	0113.3	024.6		313.3	086.0000	0207.0	098.4	52.5