

CHANDLER AZ
CHANNEL 41

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type	Status
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D/M	Interf
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M	Interf
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D	Interf
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D	Short
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D/M	Interf
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M	Interf
KPDF-CA	73764	BPTTA20040726ADX	PHOENIX	A	APP	51.3	C/M	Interf
KPSW-LP	73764	BLTTA20020104AAJ	PHOENIX	A	LIC	45.9	C/M	Interf
KAZT-CA	72618	BLTTA20031104ACS	PHOENIX	A	LIC	34	C	Clean
KYMA-DT	74449	BDSTA20020520ABO	YUMA	D-STA	LIC	5.33	D/M	N/C
KYMA*	74449	DTV ALLOTMENT	YUMA	DTV	LIC	962.3	D/M	N/C
KUAS-TV	2722	BLET20030103AAV	TUCSON	NTSC	LIC	30.2	D/M	N/C
KHRR-DT	30601	BMDSTA20030501ACW	TUCSON	D-STA	LIC	12.7	D/M	N/C
KHRR-DT	30601	BDSTA20021223ABW	TUCSON	D-STA	LIC	10.59	D/M	N/C
KHRR*	30601	DTV ALLOTMENT	TUCSON	DTV	LIC	50	D/M	N/C
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D/M	N/C
K40AC*	35704	DTV ALLOTMENT	TUCSON	DTV	LIC	50	D/M	N/C
KYMA-DT	74449	BPCDT19991029AAZ	YUMA	DTV	CP	926	D/M	N/C
KHRR-DT	30601	BPCDT19991028AFS	TUCSON	DTV	CP	411.5	D/M	N/C
K27EC	36318	BLTTL19951128JD	LAKE HAVASU CITY	A	LIC	1.3	C	Clear

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
168.52	30.7	32	-1.3	-29	0	6	2	UHF	43 Z	T+2	LR	F(50,50)	64
282.99	30.7	32	-1.3	-26	0	6	2	UHF	39 Z	T-2	LR	F(50,50)	64
283.13	30.4	32	-1.6	-	-	-	2	UHF	45 Z	T+4	LR	-	-
283.09	30.8	32	-1.2	-	-	-	2	UHF	45 Z	T+4	LR	-	-
168.3	30.5	32	-1.5	-29	0	6	2	UHF	43 Z	T+2	LR	F(50,50)	64
282.92	30.7	32	-1.3	-32	0	6	2	UHF	33 Z	T-8	LR	F(50,50)	64
283.17	30.6	-	-69.4	28	0	6	0	UHF	41 +	Co	LR	F(50,50)	74
282.93	30.7	-	-66.9	28	0	6	0	UHF	41 +	Co	LR	F(50,50)	74
283.08	30.6	-	-4.7	-	-	-	0	UHF	27 +	T-14	LR	F(50,50)	74
266	288.4	194	94.4	2	10	14	0	UHF	41	Co	LR	F(50,90)	41
266	288.4	194	94.4	2	10	14	2	UHF	41	Co	LR	F(50,90)	41
149.5	136.1	96	40.1	-25	0	6	2	UHF	27 -	T-14	LR	F(50,50)	64
152.66	127.9	106	21.9	-48	10	14	0	UHF	42	A+1	LR	F(50,90)	41
152.66	127.9	106	21.9	-48	10	14	0	UHF	42	A+1	LR	F(50,90)	41
152.67	127.9	106	21.9	-48	10	14	2	UHF	42	A+1	LR	F(50,90)	41
152.67	127.9	88	39.9	-13	0	6	2	UHF	40 Z	A-1	LR	F(50,50)	64
152.67	127.9	106	21.9	-48	10	14	0	UHF	42	A+1	LR	F(50,90)	41
266	288.4	194	94.4	2	10	14	2	UHF	41	Co	LR	F(50,90)	41
152.67	127.8	106	21.8	-48	10	14	2	UHF	42	A+1	LR	F(50,90)	41
302.11	284.2	-	277	-	-	-	0	UHF	27	T-14	LR	F(50,50)	74

Int Contour	Int dBU	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
-	-	64.10%	64.10%	2139646	767991	767887	1371759	64.11
-	-	56.70%	56.70%	2185217	945874	945874	1239343	56.71
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
-	-	97.30%	97.30%	2167280	59374	59374	2107906	97.26
F(50,10)	46	0.00%	52.50%	1896881	1896881	901589	995292	52.47
F(50,10)	46	96.90%	97.50%	1848909	56726	46429	1802480	97.49
F(50,50)	97	97.80%	97.80%	1847063	40051	40051	1807012	97.83
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	97	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 42

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep	Type	Status
KHRR*	30601	DTV ALLOTMENT	TUCSON	DTV	LIC	50	D/M		Short
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D/M		Interf
KHRR-DT	30601	BDSTA20021223ABW	TUCSON	D-STA	LIC	10.59	D/M		Interf
KHRR-DT	30601	BPCDT19991028AFS	TUCSON	DTV	CP	411.5	D/M		Interf
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D/M		Interf
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M		Interf
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D/M		Interf
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D/M		Interf
K28FV	8988	BLTTL19990325JD	PHOENIX	A	LIC	63	C		Interf
K40AC*	35704	DTV ALLOTMENT	TUCSON	DTV	LIC	50	D/M		Interf
KHRR-DT	30601	BMDSTA20030501ACW	TUCSON	D-STA	LIC	12.7	D/M		Interf
KUAS-TV	2722	BLET20030103AAV	TUCSON	NTSC	LIC	30.2	D/M		N/C
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D/M		N/C
KPSW-LP	73764	BLTTA20020104AAJ	PHOENIX	A	LIC	45.9	C/M		Clean
KPDF-CA	73764	BPTTA20040726ADX	PHOENIX	A	APP	51.3	C/M		Clean
KAZT-CA	72618	BLTTA20031104ACS	PHOENIX	A	LIC	34	C		Clean
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D		Clear
K27EC	36318	BLTTL19951128JD	LAKE HAVASU CITY	A	LIC	1.3	C		Clear

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
152.67	127.9	194	-66.1	2	10	14	2	UHF	42	Co	LR	F(50,90)	41
168.52	30.7	88	-57.3	-3	0	6	2	UHF	43	Z A+1	LR	F(50,50)	64
152.66	127.9	194	-66.1	2	10	14	0	UHF	42	Co	LR	F(50,90)	41
152.67	127.8	194	-66.2	2	10	14	2	UHF	42	Co	LR	F(50,90)	41
283.09	30.8	32	-1.2	-34	0	6	2	UHF	45	Z T+3	LR	F(50,50)	64
282.99	30.7	32	-1.3	-33	0	6	2	UHF	39	Z T-3	LR	F(50,50)	64
283.13	30.4	32	-1.6	-34	0	6	2	UHF	45	Z T+3	LR	F(50,50)	64
168.3	30.5	88	-57.5	-3	0	6	2	UHF	43	Z A+1	LR	F(50,50)	64
20.41	26.4	-	-10.2	-	-	-	0	UHF	28	- T-14	LR	F(50,50)	74
152.67	127.9	194	-66.1	2	10	14	0	UHF	42	Co	LR	F(50,90)	41
152.66	127.9	194	-66.1	2	10	14	0	UHF	42	Co	LR	F(50,90)	41
149.5	136.1	120	16.1	-9	0	6	2	UHF	27	- T-15	LR	F(50,50)	64
152.67	127.9	32	95.9	-26	0	6	2	UHF	40	Z T-2	LR	F(50,50)	64
282.93	30.7	-	-14.7	-15	0	6	0	UHF	41	+ A-1	LR	F(50,50)	74
283.17	30.6	-	-17.2	-15	0	6	0	UHF	41	+ A-1	LR	F(50,50)	74
283.08	30.6	-	-10.8	-	-	-	0	UHF	27	+ T-15	LR	F(50,50)	74
134.59	135.1	32	103.1	-	-	-	2	UHF	46	Z T+4	LR	-	-
302.11	284.2	-	271.1	-	-	-	0	UHF	27	T-15	LR	F(50,50)	74

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
-	-	97.50%	98.90%	670592	17056	7355	663237	98.9
-	-	96.40%	98.60%	728187	26157	10497	717690	98.56
-	-	56.00%	56.00%	2124746	935284	935284	1189462	55.98
-	-	64.10%	64.10%	2139646	767991	767887	1371759	64.11
-	-	56.70%	56.70%	2185217	945874	945874	1239343	56.71
-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
F(50,50)	97	92.30%	92.90%	799846	61383	57139	742707	92.86
-	-	96.90%	98.50%	676390	20902	10293	666097	98.48
-	-	97.50%	98.90%	671214	17016	7363	663851	98.9
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	89	96.60%	96.60%	1860781	63031	63031	1797750	96.61
F(50,50)	89	97.80%	97.80%	1889979	41332	41332	1848647	97.81
F(50,50)	80	97.80%	97.80%	1847063	40051	40051	1807012	97.83
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	80	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 43

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep	Type	Status
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D/M		Interf
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M		Interf
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D/M		Interf
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D/M		Interf
KPPX	26655	BLCT19990226KH	TOLLESON	NTSC	LIC	4900	D/M		Interf
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D/M		Interf
K28FV	8988	BLTTL19990325JD	PHOENIX	A	LIC	63	C		Interf
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D/M		N/C
NEW-DT	162520	BPFS	CANANEA	DTV	APP	300	D/M		N/C
KWBA*	35095	DTV ALLOTMENT	SIERRA VISTA	DTV	LIC	148.2	D/M		N/C
KWBA-DT	35095	BMPCDT20040206ABF	SIERRA VISTA	DTV	APP	1000	D/M		N/C
KWBA-DT	35095	BPCDT19991029ABW	SIERRA VISTA	DTV	CP	1000	D/M		N/C
KWBA-DT	35095	BDSTA20030806AEK	SIERRA VISTA	D-STA	LIC	680	D/M		N/C
KHRR-DT	30601	BDSTA20021223ABW	TUCSON	D-STA	LIC	10.59	D/M		N/C
KHRR-DT	30601	BPCDT19991028AFS	TUCSON	DTV	CP	411.5	D/M		N/C
KHRR-DT	30601	BMDSTA20030501ACW	TUCSON	D-STA	LIC	12.7	D/M		N/C
K40AC*	35704	DTV ALLOTMENT	TUCSON	DTV	LIC	50	D/M		N/C
KHRR*	30601	DTV ALLOTMENT	TUCSON	DTV	LIC	50	D/M		N/C
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D/M		N/C
NEW	127337	BPRM20000717ACQ	BRAWLEY	NTSC	LIC	5000	D/M		N/C
KWBA	35095	BLCT19990111KH	SIERRA VISTA	NTSC	LIC	5000	D		Clear
K43FO	14302	BLTTA20040511ABI	LAS VEGAS	A	LIC	10.2	C/M		Clear

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
168.52	30.7	249	-218.3	28	0	6	2	UHF	43 Z	Co	LR	F(50,50)	64
282.99	30.7	32	-1.3	-23	0	6	2	UHF	39 Z	T-4	LR	F(50,50)	64
283.09	30.8	32	-1.2	-29	0	6	2	UHF	45 Z	T+2	LR	F(50,50)	64
283.13	30.4	32	-1.6	-29	0	6	2	UHF	45 Z	T+2	LR	F(50,50)	64
283.17	30.6	32	-1.4	-41	0	6	2	UHF	51 Z	T+8	LR	F(50,50)	64
168.3	30.5	249	-218.5	28	0	6	2	UHF	43 Z	Co	LR	F(50,50)	64
20.41	26.4	-	-15.2	-	-	-	0	UHF	28 -	T-15	LR	F(50,50)	74
152.67	127.9	32	95.9	-33	0	6	2	UHF	40 Z	T-3	LR	F(50,50)	64
151.71	288.7	194	94.7	2	10	14	2	UHF	43	Co	LR	F(50,90)	41
152.1	189.9	106	83.9	-48	10	14	2	UHF	44	A+1	LR	F(50,90)	41
152.11	189.9	106	83.9	-48	10	14	2	UHF	44	A+1	LR	F(50,90)	41
152.11	189.9	106	83.9	-48	10	14	2	UHF	44	A+1	LR	F(50,90)	41
152.11	189.9	106	83.9	-48	10	14	0	UHF	44	A+1	LR	F(50,90)	41
152.66	127.9	106	21.9	-49	10	14	0	UHF	42	A-1	LR	F(50,90)	41
152.67	127.8	106	21.8	-49	10	14	2	UHF	42	A-1	LR	F(50,90)	41
152.66	127.9	106	21.9	-49	10	14	0	UHF	42	A-1	LR	F(50,90)	41
152.67	127.9	106	21.9	-49	10	14	0	UHF	42	A-1	LR	F(50,90)	41
152.67	127.9	106	21.9	-49	10	14	2	UHF	42	A-1	LR	F(50,90)	41
134.59	135.1	32	103.1	-34	0	6	2	UHF	46 Z	T+3	LR	F(50,50)	64
267.64	353.6	249	104.6	11	0	6	2	UHF	43 -	Co	LR	F(50,50)	64
152.11	189.9	120	69.9	-	-	-	2	UHF	58 Z	T+15	LR	-	-
316.46	426.4	-	289.2	45	0	6	0	UHF	43 Z	Co	LR	F(50,50)	74

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	96.50%	98.40%	1738262	60962	27938	1710324	98.39
-	-	64.10%	64.10%	2139646	767991	767887	1371759	64.11
-	-	56.00%	56.00%	2124746	935284	935066	1189680	55.99
-	-	56.70%	56.70%	2185217	945874	945874	1239343	56.71
-	-	97.90%	97.90%	2195350	46790	46790	2148560	97.87
-	-	98.10%	98.60%	719702	13499	10246	709456	98.58
F(50,50)	80	92.30%	92.90%	799846	61383	57139	742707	92.86
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	663237	98.9
-	-	N/C	N/C	N/C	N/C	N/C	717690	98.56
-	-	N/C	N/C	N/C	N/C	N/C	663851	98.9
-	-	N/C	N/C	N/C	N/C	N/C	666097	98.48
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,10)	29	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 44

Callsign	Fac ID	ARN	City	Class	Type	ERP
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934
KWBA-DT	35095	BDSTA20030806AEK	SIERRA VISTA	D-STA	LIC	680
KWBA-DT	35095	BPCDT19991029ABW	SIERRA VISTA	DTV	CP	1000
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750
KWBA-DT	35095	BMPCDT20040206ABF	SIERRA VISTA	DTV	APP	1000
KPPX	26655	BLCT19990226KH	TOLLESON	NTSC	LIC	4900
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000
KWBA*	35095	DTV ALLOTMENT	SIERRA VISTA	DTV	LIC	148.2
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550
*		0 MEX-ANALOG-ALLOTMENT	SAN LUIS RIO COLORADO	NTSC	RSV	0
KWBA	35095	BLCT19990111KH	SIERRA VISTA	NTSC	LIC	5000

Sep Type	Status	Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix
D/M	Short	283.09	30.8	88	-57.2	-3	0	6	2	UHF	45 Z	A+1	LR
D/M	Interf	152.11	189.9	194	-4.1	2	10	14	0	UHF	44 Co		LR
D/M	Interf	152.11	189.9	194	-4.1	2	10	14	2	UHF	44 Co		LR
D/M	Interf	283.13	30.4	88	-57.6	-3	0	6	2	UHF	45 Z	A+1	LR
D/M	Interf	152.11	189.9	194	-4.1	2	10	14	2	UHF	44 Co		LR
D/M	Interf	283.17	30.6	96	-65.4	-30	0	6	2	UHF	51 Z	T+7	LR
D/M	Interf	168.3	30.5	88	-57.5	-13	0	6	2	UHF	43 Z	A-1	LR
D/M	Interf	168.52	30.7	88	-57.3	-13	0	6	2	UHF	43 Z	A-1	LR
D/M	Interf	152.1	189.9	194	-4.1	2	10	14	2	UHF	44 Co		LR
D/M	N/C	134.59	135.1	32	103.1	-29	0	6	2	UHF	46 Z	T+2	LR
D/M	N/C	152.67	127.9	32	95.9	-23	0	6	2	UHF	40 Z	T-4	LR
D/M	N/C	253.45	297.7	249	48.7	28	0	6	0	UHF	44 Co		LR
D	Clear	152.11	189.9	96	93.9	-	-	-	2	UHF	58 Z	T+14	LR

Svc Contour	Svc dBu	Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop
F(50,50)	64 -	-	-	N/C	N/C	N/C	N/C	N/C	1189680
F(50,90)	41 -	-	-	95.00%	95.50%	712237	35396	31743	680494
F(50,90)	41 -	-	-	94.30%	95.00%	720154	40843	36290	683864
F(50,50)	64 -	-	-	56.70%	56.80%	2185217	945874	945058	1240159
F(50,90)	41 -	-	-	94.50%	95.10%	716896	39396	34961	681935
F(50,50)	64 -	-	-	97.90%	97.90%	2195350	46790	46790	2148560
F(50,50)	64 -	-	-	98.10%	98.10%	719702	13499	13499	706203
F(50,50)	64 -	-	-	96.50%	96.50%	1738262	60962	60962	1677300
F(50,90)	41 -	-	-	95.70%	96.00%	687114	29764	27423	659691
F(50,50)	64 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	64 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	64 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C
-	-	-	-	N/C	N/C	N/C	N/C	N/C	N/C

Ovl Pop%

55.99

95.54

94.96

56.75

95.12

97.87

98.12

96.49

96.01

N/C

N/C

N/C

N/C

CHANDLER AZ
CHANNEL 45

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep	Type	Status
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D/M		Interf
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D/M		Interf
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D/M		Interf
KSAZ-DT	35587	BXPCT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M		Interf
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D/M		Interf
KWBA-DT	35095	BDSTA20030806AEK	SIERRA VISTA	D-STA	LIC	680	D/M		N/C
KWBA-DT	35095	BPCDT19991029ABW	SIERRA VISTA	DTV	CP	1000	D/M		N/C
KWBA*	35095	DTV ALLOTMENT	SIERRA VISTA	DTV	LIC	148.2	D/M		N/C
NEW-DT	162556	BPFS	CANANEA	DTV	APP	1000	D/M		N/C
KWBA-DT	35095	BMPCDT20040206ABF	SIERRA VISTA	DTV	APP	1000	D/M		N/C
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D/M		N/C
KLHU-CA	30932	BLTTA20020326ABF	LAKE HAVASU CITY	A	LIC	1.4	C/M		Clear
KNBX-LP	33819	BPTTL20010116ADG	LAS VEGAS	A	CP	2.1	C		Clear

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
168.52	30.7	32	-1.3	-26	0	6	2	UHF	43 Z	T-2	LR	F(50,50)	64
283.13	30.4	249	-218.6	28	0	6	2	UHF	45 Z	Co	LR	F(50,50)	64
283.09	30.8	249	-218.2	28	0	6	2	UHF	45 Z	Co	LR	F(50,50)	64
283.07	30.6	96	-65.4	-25	0	6	2	UHF	31	T-14	LR	F(50,50)	64
168.3	30.5	32	-1.5	-26	0	6	2	UHF	43 Z	T-2	LR	F(50,50)	64
152.11	189.9	106	83.9	-49	10	14	0	UHF	44	A-1	LR	F(50,90)	41
152.11	189.9	106	83.9	-49	10	14	2	UHF	44	A-1	LR	F(50,90)	41
152.1	189.9	106	83.9	-49	10	14	2	UHF	44	A-1	LR	F(50,90)	41
151.76	289.4	194	95.4	2	10	14	2	UHF	45	Co	LR	F(50,90)	41
152.11	189.9	106	83.9	-49	10	14	2	UHF	44	A-1	LR	F(50,90)	41
134.59	135.1	88	47.1	-3	0	6	2	UHF	46 Z	A+1	LR	F(50,50)	64
302.1	284.1	-	146.1	45	0	6	0	UHF	45	Co	LR	F(50,50)	74
315.46	423.8	-	418.4	-	-	-	0	UHF	31 +	T-14	LR	F(50,50)	74

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
-	-	56.70%	67.70%	2185217	945874	706079	1479138	67.69
-	-	56.00%	71.30%	2124746	935284	609925	1514821	71.29
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
-	-	N/C	N/C	N/C	N/C	N/C	680494	95.54
-	-	N/C	N/C	N/C	N/C	N/C	683864	94.96
-	-	N/C	N/C	N/C	N/C	N/C	659691	96.01
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	681935	95.12
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,10)	29	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	97	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 46

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep	Type	Status
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D/M		Interf
KSAZ-DT	35587	BXPCT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M		Interf
KASW	7143	BLCT19951013KF	PHOENIX	NTSC	LIC	2510	D		Clean
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D/M		Interf
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D/M		Interf
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D/M		Short
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M		Interf
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D/M		Interf
KXGR*	63927	DTV ALLOTMENT	GREEN VALLEY	DTV	LIC	72	D/M		N/C
KUVE-DT	63927	BMDSTA20040415AGD	GREEN VALLEY	D-STA	LIC	15	D/M		N/C
KXGR-DT	63927	BPCDT20000501AEM	GREEN VALLEY	DTV	CP	660	D/M		N/C
*		0 MEX-DTV-ALLOTMENT	MEXICALI	DTV	RSV	0	D/M		N/C
NEW-DT	164324	BPFS20041202AAK	MEXICALI	DTV	APP	0	D/M		N/C
KNBX-LP	33819	BPTTL20010116ADG	LAS VEGAS	A	CP	2.1	C		Clear

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
134.59	135.1	249	-113.9	28	0	6	2 UHF	46 Z	Co	LR	F(50,50)		64
283.07	30.6	120	-89.4	-9	0	6	2 UHF	31	T-15	LR	F(50,50)		64
283	30.7	120	-89.3	-	-	-	2 UHF	61 Z	T+15	LR	-	-	
168.3	30.5	32	-1.5	-33	0	6	2 UHF	43 Z	T-3	LR	F(50,50)		64
168.52	30.7	32	-1.3	-33	0	6	2 UHF	43 Z	T-3	LR	F(50,50)		64
283.09	30.8	88	-57.2	-13	0	6	2 UHF	45 Z	A-1	LR	F(50,50)		64
282.99	30.7	96	-65.3	-33	0	6	2 UHF	39 Z	T-7	LR	F(50,50)		64
283.13	30.4	88	-57.6	-13	0	6	2 UHF	45 Z	A-1	LR	F(50,50)		64
134.59	135.1	106	29.1	-48	10	14	2 UHF	47	A+1	LR	F(50,90)		41
134.59	135.1	106	29.1	-48	10	14	0 UHF	47	A+1	LR	F(50,90)		41
134.59	135.1	106	29.1	-48	10	14	2 UHF	47	A+1	LR	F(50,90)		41
259.97	355.9	194	161.9	2	10	14	0 UHF	46	Co	LR	F(50,90)		41
259.97	355.9	194	161.9	2	10	14	2 UHF	46 Z	Co	LR	F(50,90)		41
315.46	423.8	-	412.5	-	-	-	0 UHF	31 +	T-15	LR	F(50,50)		74

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	94.60%	95.80%	544565	29165	22652	521913	95.84
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
-	-	N/C	N/C	N/C	N/C	N/C	1514821	71.29
-	-	64.10%	64.10%	2139646	767991	767887	1371759	64.11
-	-	56.70%	56.80%	2185217	945874	945058	1240159	56.75
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	80	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 47

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep	Type	Status
KXGR-DT	63927	BPCDT20000501AEM	GREEN VALLEY	DTV	CP	660	D/M		Interf
KXGR*	63927	DTV ALLOTMENT	GREEN VALLEY	DTV	LIC	72	D/M		Interf
KUVE-DT	63927	BMDSTA20040415AGD	GREEN VALLEY	D-STA	LIC	15	D/M		Interf
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M		Interf
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D/M		Interf
KASW	7143	BLCT19951013KF	PHOENIX	NTSC	LIC	2510	D		Interf
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D/M		Interf
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M		Interf
KPPX	26655	BLCT19990226KH	TOLLESON	NTSC	LIC	4900	D		Interf
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D/M		Interf
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D/M		Interf
KDRX-LP	27272	BLTTA20030617AAL	PHOENIX	A	LIC	52.6	C/M		Clean
NEW-DT	164325	BPFS20041202AAL	MEXICALI	DTV	APP	0	D/M		N/C
*		0 MEX-DTV-ALLOTMENT	MEXICALI	DTV	RSV	0	D/M		N/C
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D/M		N/C
NEW-DT	162047	BPFS	MEXICALI	DTV	APP	1000	D/M		N/C
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D/M		N/C

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
134.59	135.1	194	-58.9	2	10	14	2	UHF	47	Co	LR	F(50,90)	41
134.59	135.1	194	-58.9	2	10	14	2	UHF	47	Co	LR	F(50,90)	41
134.59	135.1	194	-58.9	2	10	14	0	UHF	47	Co	LR	F(50,90)	41
282.92	30.7	96	-65.3	-25	0	6	2	UHF	33	Z T-14	LR	F(50,50)	64
168.3	30.5	32	-1.5	-23	0	6	2	UHF	43	Z T-4	LR	F(50,50)	64
283	30.7	96	-65.3	-	-	-	2	UHF	61	Z T+14	LR	-	-
283.09	30.8	32	-1.2	-26	0	6	2	UHF	45	Z T-2	LR	F(50,50)	64
282.99	30.7	32	-1.3	-32	0	6	2	UHF	39	Z T-8	LR	F(50,50)	64
283.17	30.6	32	-1.4	-	-	-	2	UHF	51	Z T+4	LR	-	-
283.13	30.4	32	-1.6	-26	0	6	2	UHF	45	Z T-2	LR	F(50,50)	64
168.52	30.7	32	-1.3	-23	0	6	2	UHF	43	Z T-4	LR	F(50,50)	64
283.17	30.6	-	-16.9	-15	0	6	0	UHF	48	+ A+1	LR	F(50,50)	74
259.18	357.9	194	163.9	2	10	14	2	UHF	47	Z Co	LR	F(50,90)	41
259.18	357.9	194	163.9	2	10	14	0	UHF	47	Z Co	LR	F(50,90)	41
134.59	135.1	88	47.1	-13	0	6	2	UHF	46	Z A-1	LR	F(50,50)	64
259.18	357.9	194	163.9	2	10	14	2	UHF	47	Z Co	LR	F(50,90)	41
152.67	127.9	96	31.9	-33	0	6	2	UHF	40	Z T-7	LR	F(50,50)	64

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	92.70%	94.10%	707276	51831	41535	665741	94.13
-	-	94.50%	95.80%	611138	33783	25924	585214	95.76
-	-	96.10%	97.30%	565546	22059	14988	550558	97.35
-	-	97.30%	97.30%	2167280	59374	59374	2107906	97.26
-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
-	-	52.90%	52.90%	2136995	1007319	1006904	1130091	52.88
-	-	56.00%	56.00%	2124746	935284	935066	1189680	55.99
-	-	64.10%	64.10%	2139646	767991	767887	1371759	64.11
-	-	97.90%	97.90%	2195350	46790	46790	2148560	97.87
-	-	56.70%	56.70%	2185217	945874	945874	1239343	56.71
-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
F(50,90)	89	97.20%	97.20%	1863557	51310	51310	1812247	97.25
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	521913	95.84
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 48

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type
KASW*	7143	DTV ALLOTMENT	PHOENIX	DTV	LIC	61.4	D/M
KPPX	26655	BLCT19990226KH	TOLLESON	NTSC	LIC	4900	D/M
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D/M
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D/M
KASW-DT	7143	BDSTA20020404ABE	PHOENIX	D-STA	LIC	66	D/M
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M
KASW-DT	7143	BMPCDT20020531AAR	PHOENIX	DTV	CP MOD	531	D/M
KDRX-LP	27272	BLTTA20030617AAL	PHOENIX	A	LIC	52.6	C/M
KUVE-DT	63927	BMDSTA20040415AGD	GREEN VALLEY	D-STA	LIC	15	D/M
KXGR*	63927	DTV ALLOTMENT	GREEN VALLEY	DTV	LIC	72	D/M
KXGR-DT	63927	BPCDT20000501AEM	GREEN VALLEY	DTV	CP	660	D/M
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D/M
*		0 MEX-ANALOG-ALLOTMENT	NACO	NTSC	RSV	0	D/M
NEW-DT	159686	BPFS	CANANEA	DTV	APP	750	D/M
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D/M
NEW-DT	164502	BPFS20041216ADB	PUERTO PENASCO	DTV	APP	0	D/M
*		0 MEX-DTV-ALLOTMENT	PUERTO PENASCO	DTV	RSV	0	D/M
KEYY-TV*	51208	DTV ALLOTMENT	EL CENTRO	DTV	LIC	997.9	D/M
KEYY-DT	51208	BMPCDT20041028AFC	EL CENTRO	DTV	CP MOD	950	D/M
KEYY-TV*	51208	DTV ALLOTMENT	EL CENTRO	DTV	LIC	997.9	D/M
KTAZ-CA	53004	BLTTA20021223AAK	TUCSON	A	LIC	9.9	C
KTAZ-LP	53004	BPTTL20010116AIF	TUCSON	A	CP	9.9	C

Status	Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour
Interf	283	30.7	106	-75.3	-48	10	14	2	UHF	49	A+1	LR	F(50,90)
Interf	283.17	30.6	32	-1.4	-34	0	6	2	UHF	51	Z T+3	LR	F(50,50)
Interf	283.09	30.8	32	-1.2	-33	0	6	2	UHF	45	Z T-3	LR	F(50,50)
Interf	283.13	30.4	32	-1.6	-33	0	6	2	UHF	45	Z T-3	LR	F(50,50)
Interf	283.05	30.7	106	-75.3	-48	10	14	0	UHF	49	A+1	LR	F(50,90)
Interf	282.92	30.7	120	-89.3	-9	0	6	2	UHF	33	Z T-15	LR	F(50,50)
Interf	283.05	30.7	106	-75.3	-48	10	14	2	UHF	49	A+1	LR	F(50,90)
Interf	283.17	30.6	-	-69	28	0	6	0	UHF	48	+ Co	LR	F(50,50)
N/C	134.59	135.1	106	29.1	-49	10	14	0	UHF	47	A-1	LR	F(50,90)
N/C	134.59	135.1	106	29.1	-49	10	14	2	UHF	47	A-1	LR	F(50,90)
N/C	134.59	135.1	106	29.1	-49	10	14	2	UHF	47	A-1	LR	F(50,90)
N/C	134.59	135.1	32	103.1	-26	0	6	2	UHF	46	Z T-2	LR	F(50,50)
N/C	141.59	273.5	249	24.5	28	0	6	0	UHF	48	Co	LR	F(50,50)
N/C	151.76	289.4	194	95.4	2	10	14	3	UHF	48	Co	LR	F(50,90)
N/C	152.67	127.9	32	95.9	-32	0	6	2	UHF	40	Z T-8	LR	F(50,50)
N/C	218.31	277.2	194	83.2	2	10	14	2	UHF	48	Z Co	LR	F(50,90)
N/C	218.31	277.2	194	83.2	2	10	14	0	UHF	48	Co	LR	F(50,90)
N/C	266.05	288.3	194	94.3	2	10	14	2	UHF	48	Co	LR	F(50,90)
N/C	266.06	288.5	194	94.5	2	10	14	2	UHF	48	Co	LR	F(50,90)
N/C	266.05	288.3	194	94.3	2	10	14	2	UHF	48	Co	LR	F(50,90)
Clear	134.59	135.1	-	125.3	-	-	-	0	UHF	34	- T-14	LR	F(50,50)
Clear	134.59	135.1	-	131.4	-	-	-	0	UHF	34	Z T-14	LR	F(50,50)

Svc dBu	Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
41 -	-	-	98.00%	98.00%	2205864	43144	43144	2162720	98.04
64 -	-	-	97.90%	97.90%	2195350	46790	46790	2148560	97.87
64 -	-	-	56.00%	56.00%	2124746	935284	935141	1189605	55.99
64 -	-	-	56.70%	56.70%	2185217	945874	945874	1239343	56.71
41 -	-	-	97.90%	97.90%	2205724	46210	46210	2159514	97.9
64 -	-	-	97.30%	97.30%	2167280	59374	59374	2107906	97.26
41 -	-	-	97.90%	97.90%	2219394	47363	47363	2172031	97.87
74 F(50,10)		46	97.10%	98.10%	1863709	53737	35577	1828132	98.09
41 -	-	-	N/C	N/C	N/C	N/C	N/C	550558	97.35
41 -	-	-	N/C	N/C	N/C	N/C	N/C	585214	95.76
41 -	-	-	N/C	N/C	N/C	N/C	N/C	665741	94.13
64 -	-	-	N/C	N/C	N/C	N/C	N/C	521913	95.84
64 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
64 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
74 F(50,50)		97	N/C	N/C	N/C	N/C	N/C	N/C	N/C
74 F(50,50)		97	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AX
CHANNEL 49

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep	Type	Status
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D/M		Short
KASW*	7143	DTV ALLOTMENT	PHOENIX	DTV	LIC	61.4	D/M		Interf
KASW-DT	7143	BDSTA20020404ABE	PHOENIX	D-STA	LIC	66	D/M		Interf
KPPX	26655	BLCT19990226KH	TOLLESON	NTSC	LIC	4900	D/M		Interf
KASW-DT	7143	BMPCDT20020531AAR	PHOENIX	DTV	CP MOD	531	D/M		Interf
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D/M		Interf
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D/M		N/C
KFPH-CA	2739	BLTTA20030122ADP	PHOENIX	A	LIC	50	C		Clean
KDTP-LP	2739	BPTTL19991104AAX	PHOENIX	A	CP	24.6	C		Clean
KFPH-CA	2739	BPTTA20030227AAW	PHOENIX	A	APP	150	C		Clean
KDRX-LP	27272	BLTTA20030617AAL	PHOENIX	A	LIC	52.6	C/M		Clean
KTAZ-LP	53004	BPTTL20010116AIF	TUCSON	A	CP	9.9	C		Clear
KTAZ-CA	53004	BLTTA20021223AAK	TUCSON	A	LIC	9.9	C		Clear

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
283.09	30.8	32	-1.2	-23	0	6	2	UHF	45 Z	T-4	LR	F(50,50)	64
283	30.7	194	-163.3	2	10	14	2	UHF	49 Co	LR	F(50,90)	41	41
283.05	30.7	194	-163.3	2	10	14	0	UHF	49 Co	LR	F(50,90)	41	41
283.17	30.6	32	-1.4	-29	0	6	2	UHF	51 Z	T+2	LR	F(50,50)	64
283.05	30.7	194	-163.3	2	10	14	2	UHF	49 Co	LR	F(50,90)	41	41
283.13	30.4	32	-1.6	-23	0	6	2	UHF	45 Z	T-4	LR	F(50,50)	64
134.59	135.1	32	103.1	-33	0	6	2	UHF	46 Z	T-3	LR	F(50,50)	64
282.95	30.8	-	-0.2	-	-	-	0	UHF	35 Z	T-14	LR	F(50,50)	74
282.95	30.8	-	-4.1	-	-	-	0	UHF	35 Z	T-14	LR	F(50,50)	74
282.92	30.7	-	-12.9	-	-	-	0	UHF	35 Z	T-14	LR	F(50,50)	74
283.17	30.6	-	-16.9	-15	0	6	0	UHF	48 +	A-1	LR	F(50,50)	74
134.59	135.1	-	128	-	-	-	0	UHF	34 Z	T-15	LR	F(50,50)	74
134.59	135.1	-	121.9	-	-	-	0	UHF	34 -	T-15	LR	F(50,50)	74

Int Contour	Int dBU	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	N/C	N/C	N/C	N/C	N/C	1189605	55.99
-	-	98.00%	99.00%	2205864	43144	21817	2184047	99.01
-	-	97.90%	98.90%	2205724	46210	24505	2181219	98.89
-	-	97.90%	97.90%	2195350	46790	46790	2148560	97.87
-	-	97.90%	98.90%	2219394	47363	24888	2194506	98.88
-	-	56.70%	56.70%	2185217	945874	945874	1239343	56.71
-	-	N/C	N/C	N/C	N/C	N/C	521913	95.84
F(50,50)	97	96.80%	96.80%	1800054	57305	57305	1742749	96.82
F(50,50)	97	96.70%	96.70%	1715674	56024	56024	1659650	96.73
F(50,50)	97	97.80%	97.80%	1944904	43079	43079	1901825	97.79
F(50,50)	89	97.20%	97.20%	1863557	51310	51310	1812247	97.25
F(50,50)	80	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	80	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 50

Callsign	Fac ID	ARN	City	Class	Type	ERP
*		0 MEX-ANALOG-ALLOTMENT	NOGALES	NTSC	RSV	0
KPPX	26655	BLCT19990226KH	TOLLESON	NTSC	LIC	4900
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6
KASW-DT	7143	BMPCDT20020531AAR	PHOENIX	DTV	CP MOD	531
KASW*	7143	DTV ALLOTMENT	PHOENIX	DTV	LIC	61.4
KASW-DT	7143	BDSTA20020404ABE	PHOENIX	D-STA	LIC	66
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679
KAJB*	40517	DTV ALLOTMENT	CALIPATRIA	DTV	LIC	185.2
KAJB-DT	40517	BPCDT19991101AEM	CALIPATRIA	DTV	APP	201
KWBA	35095	BLCT19990111KH	SIERRA VISTA	NTSC	LIC	5000
KFPH-CA	2739	BLTTA20030122ADP	PHOENIX	A	LIC	50
KFPH-CA	2739	BPTTA20030227AAW	PHOENIX	A	APP	150
KDTP-LP	2739	BPTTL19991104AAX	PHOENIX	A	CP	24.6
K36DU	56171	BLTTL19960308IA	LAKE HAVASU CITY, ET	A	LIC	1.53

Sep Type	Status	Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix
D/M	Short	160.88	228.5	249	-20.5	28	0	6	0	UHF	50	Co	LR
D/M	Interf	283.17	30.6	88	-57.4	-3	0	6	2	UHF	51	Z A+1	LR
D/M	Interf	168.52	30.7	96	-65.3	-33	0	6	2	UHF	43	Z T-7	LR
D/M	Interf	168.3	30.5	96	-65.5	-33	0	6	2	UHF	43	Z T-7	LR
D/M	Interf	283.05	30.7	106	-75.3	-49	10	14	2	UHF	49	A-1	LR
D/M	Interf	283	30.7	106	-75.3	-49	10	14	2	UHF	49	A-1	LR
D/M	Interf	283.05	30.7	106	-75.3	-49	10	14	0	UHF	49	A-1	LR
D/M	N/C	134.59	135.1	32	103.1	-23	0	6	2	UHF	46	Z T-4	LR
D/M	N/C	266.05	288.3	194	94.3	2	10	14	2	UHF	50	Co	LR
D/M	N/C	265.95	288.4	194	94.4	2	10	14	2	UHF	50	Co	LR
D/M	N/C	152.11	189.9	32	157.9	-41	0	6	2	UHF	58	Z T+8	LR
C	Clean	282.95	30.8	-	-6.3	-	-	-	0	UHF	35	Z T-15	LR
C	Clean	282.92	30.7	-	-19	-	-	-	0	UHF	35	Z T-15	LR
C	Clean	282.95	30.8	-	-10.2	-	-	-	0	UHF	35	Z T-15	LR
C	Clear	302.11	284.2	-	278.6	-	-	-	0	UHF	36	T-14	LR

Svc Contour	Svc dBu	Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop
F(50,50)	64 -	-		N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	64 -	-		97.90%	97.90%	2195350	46790	46790	2148560
F(50,50)	64 -	-		96.50%	96.50%	1738262	60962	60962	1677300
F(50,50)	64 -	-		98.10%	98.10%	719702	13499	13499	706203
F(50,90)	41 -	-		97.90%	97.90%	2219394	47363	47363	2172031
F(50,90)	41 -	-		98.00%	98.00%	2205864	43144	43144	2162720
F(50,90)	41 -	-		97.90%	97.90%	2205724	46210	46210	2159514
F(50,50)	64 -	-		N/C	N/C	N/C	N/C	N/C	521913
F(50,90)	41 -	-		N/C	N/C	N/C	N/C	N/C	N/C
F(50,90)	41 -	-		N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	64 -	-		N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	74 F(50,50)		80	96.80%	96.80%	1800054	57305	57305	1742749
F(50,50)	74 F(50,50)		80	97.80%	97.80%	1944904	43079	43079	1901825
F(50,50)	74 F(50,50)		80	96.70%	96.70%	1715674	56024	56024	1659650
F(50,50)	74 F(50,50)		97	N/C	N/C	N/C	N/C	N/C	N/C

OvI Pop%

N/C

97.87

96.49

98.12

97.87

98.04

97.9

95.84

N/C

N/C

N/C

96.82

97.79

96.73

N/C

CHANDLER AZ
CHANNEL 51

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D/M
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D/M
KPPX*	26655	DTV ALLOTMENT	TOLLESON	DTV	LIC	203.8	D/M
KPPX	26655	BLCT19990226KH	TOLLESON	NTSC	LIC	4900	D/M
KPPX-DT	26655	BLC DT20021108AAZ	TOLLESON	DTV	LIC	200	D/M
KWBA	35095	BLCT19990111KH	SIERRA VISTA	NTSC	LIC	5000	D/M
+		0 MEX-DTV-ALLOTMENT	SAN FELIPE	DTV	RSV	0	D/M
NEW-DT	104330	BPFS20041202AAQ	SAN FELIPE	DTV	APP	0	D/M
K36DU	56171	BLTT1 19960308IA	LAKE HAVASU CITY, FT	A	LIC	1.53	C

Status	Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour
Interf	168.3	30.5	32	-1.5	-32	0	6	2	UHF	43 Z	T-8	LR	F(50,50)
Interf	168.52	30.7	32	-1.3	-32	0	6	2	UHF	43 Z	T-8	LR	F(50,50)
Interf	283.17	30.6	106	-75.4	-48	10	14	2	UHF	52	A+1	LR	F(50,90)
Interf	283.17	30.6	249	-218.4	28	0	6	2	UHF	51 Z	Co	LR	F(50,50)
Interf	283.17	30.6	106	-75.4	-48	10	14	2	UHF	52	A+1	LR	F(50,90)
N/C	152.11	189.9	96	93.9	-30	0	6	2	UHF	58 Z	T+7	LR	F(50,50)
N/C	230.13	383.2	194	189.2	2	10	14	0	UHF	51	Co	LR	F(50,90)
N/C	230.18	383.2	194	189.2	2	10	14	2	UHF	51 Z	Co	LR	F(50,90)
Clear	302.11	284.2	-	272.6	-	-	-	0	UHF	36	T-15	LR	F(50,50)

Svc dBu	Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
64 -	-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
64 -	-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
41 -	-	-	35.80%	35.80%	2218906	1425276	1424263	794643	35.81
64 -	-	-	97.90%	98.90%	2195350	46790	24292	2171058	98.89
41 -	-	-	35.80%	35.80%	2219282	1425595	1424220	795062	35.83
64 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
74 F(50,50)		80	N/C	N/C	N/C	N/C	N/C	N/C	N/C