

Exhibit 9 Page 1
Christian Ministries of the Valley, Inc.
Environmental Assessment
Big Spring, Texas

The proposed antenna construction does not require any action covered by FCC R&R 1.1307(a).

The proposed facility will not be located in an officially designated wilderness area, nor will it be located in an officially designated wildlife preserve.

The proposed facility will not affect listed threatened or endangered species or designated critical habitats; nor is it likely to jeopardize the continued existence of any proposed endangered or threatened species or likely to result in the destruction or adverse modification of proposed critical habitats, as determined by the Secretary of the Interior pursuant to the Endangered Species Act of 1973.

The proposed facility will not affect districts, sites, buildings, structures or objects, significant in American history, architecture, archeology, engineering or culture, that are listed, or are eligible for listing, in the National Register of Historic Places. (See 16 USC 470w(5); 36 CFR Parts 60 and 800.)

The proposed facility will not:

- (1) Affect Indian religious sites;
- (2) Be located in a flood plain;
- (3) Involve significant change in surface features (e.g., wetland fill, deforestation or water diversion);
- (4) be equipped with high intensity white lights which are to be located in residential neighborhoods.

Exhibit 9 Page 2
Christian Ministries of the Valley, Inc.
Environmental Assessment
Big Spring, Texas

The following environmental assessment has been prepared as required by FCC R&R 1.1307(b).


The applicant proposes facilities of 590 watts effective radiated power circular with an antenna center of radiation 12.0 meters above ground.

The highest power density for 590 watts at 12.0 meters occurs at a distance of 10.4 meters from the base of the structure. At this location the power density is calculated to be 108.43 $\mu\text{W}/\text{cm}^2$. This is 54.2% of the FCC uncontrolled environment maximum of 200 $\mu\text{W}/\text{cm}^2$, and 10.8% of the controlled environment of 1000 $\mu\text{W}/\text{cm}^2$. The exposure limit has been calculated out to a distance of 400 meters from the base of the tower. Radiation at this location is within ANSI/FCC standards (see Figure 1). The FCC uncontrolled environment maximum of 200 $\mu\text{W}/\text{cm}^2$ is reached at a height of 2.6 meters (8.7') above ground level. This occurs at a distance of 8 meters from the base of the structure (see Figure 2).

The permittee/licensee has posted two signs warning of the potential for RF exposure (see Figure 3) and is denying any roof access. The Antenna pole is located approximately 2 meters from a maintenance room entrance with no general entry or access (see Figure 4).


The proper Nicom BKG77 antenna has been mounted to correct the accidental mounting of an incorrect antenna due to an oversight (see Figure 5).

The permittee/licensee will reduce power or cease operation as necessary to protect persons having access to the roof, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.



[View Tabular Results +](#)

Channel Selection	Channel 265 (100.9 MHz) ▼		
Antenna Type +	EPA Type 2: Opposed V Dipole ▼		
Height (m)	12	Distance (m)	400
ERP-H (W)	590	ERP-V (W)	590
Num of Elements	1	Element Spacing (λ)	1
Num of Points	500	Apply	



[View Tabular Results +](#)

Channel Selection	Channel 265 (100.9 MHz) ▼		
Antenna Type +	EPA Type 2: Opposed V Dipole ▼		
Height (m)	9.355	Distance (m)	400
ERP-H (W)	590	ERP-V (W)	590
Num of Elements	1	Element Spacing (λ)	1
Num of Points	500	Apply	

Exhibit 9 Figure 3
Christian Ministries of the Valley, Inc.
Posted Radio Frequency Hazard
Big Spring, Texas



Exhibit 9 Figure 4
Christian Ministries of the Valley, Inc.
Maintenance/Supply Room Entrance
Big Spring, Texas



Exhibit 9 Figure 5
Christian Ministries of the Valley, Inc.
Mounted Nicom BKG77
Big Spring, Texas

Before



Now

