

WCME\_Daytime\_contours.txt

James B. Bleikamp  
WCME, 900 kHz, Brunswick, ME -- Facility ID 56570  
December 2011 Application for Minor Change Construction Permit

Exhibit 13 -- Contour Distance Tabulation

Call: WCME Proposed

Coordinates: 43 54 41.70 -70 -1 -29.80

Frequency: 900 kHz Day Power: 0.7 kw

Estimated Contour distances based on FCC M3 data, generalized as shown  
in the map of Exhibit 15A

Distance to the 1 V/m contour: 0.23 km at all azimuths

Distance to the 25 mV/m contour: 4.96 km at all azimuths

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers:				
		Contour levels in mV/m.				
		5.000	2.000	0.500	0.250	0.025
0.0	252.70	12.72	19.95	37.40	50.95	129.83
1.0	252.70	12.72	19.95	37.40	50.95	129.99
2.0	252.70	12.72	19.95	37.40	50.95	130.17
3.0	252.70	12.72	19.95	37.40	50.95	130.34
4.0	252.70	12.72	19.95	37.40	50.95	130.53
5.0	252.70	12.72	19.95	37.40	50.95	130.74
6.0	252.70	12.72	19.95	37.40	50.95	130.95
7.0	252.70	12.72	19.95	37.40	50.95	131.17
8.0	252.70	12.72	19.95	37.40	50.95	131.40
9.0	252.70	12.72	19.95	37.40	50.95	131.64
10.0	252.70	12.72	19.95	37.40	50.95	131.88
11.0	252.70	12.72	19.95	37.40	50.95	132.12
12.0	252.70	12.72	19.95	37.40	50.95	132.36
13.0	252.70	12.72	19.95	37.40	50.95	132.62
14.0	252.70	12.72	19.95	37.40	50.95	132.88
15.0	252.70	12.72	19.95	37.40	50.95	133.14
16.0	252.70	12.72	19.95	37.40	50.95	133.43
17.0	252.70	12.72	19.95	37.40	50.95	133.75
18.0	252.70	12.72	19.95	37.40	50.95	134.09
19.0	252.70	12.72	19.95	37.40	50.95	134.42
20.0	252.70	12.72	19.95	37.40	50.95	134.78
21.0	252.70	12.72	19.95	37.40	50.95	135.16
22.0	252.70	12.72	19.95	37.40	50.95	135.60
23.0	252.70	12.72	19.95	37.40	50.95	136.13
24.0	252.70	12.72	19.95	37.40	50.95	136.72
25.0	252.70	12.72	19.95	37.40	50.95	137.31
26.0	252.70	12.72	19.95	37.40	50.95	137.58
27.0	252.70	12.72	19.95	37.40	50.95	137.58
28.0	252.70	12.72	19.95	37.40	50.95	137.58
29.0	252.70	12.72	19.95	37.40	50.95	137.58
30.0	252.70	12.72	19.95	37.40	50.95	137.58
31.0	252.70	12.72	19.95	37.40	50.95	137.58
32.0	252.70	12.72	19.95	37.40	50.95	137.58
33.0	252.70	12.72	19.95	37.40	50.95	137.58
34.0	252.70	12.72	19.95	37.40	50.95	137.58
35.0	252.70	12.72	19.95	37.40	50.95	137.58
36.0	252.70	12.72	19.95	37.40	50.95	137.58
37.0	252.70	12.72	19.95	37.40	50.95	137.58
38.0	252.70	12.72	19.95	37.40	50.95	137.58
39.0	252.70	12.72	19.95	37.40	50.95	137.58

## WCME\_Daytime\_contours.txt

40.0	252.70	12.72	19.95	37.48	51.03	137.67
41.0	252.70	12.72	19.95	38.42	51.97	138.61
42.0	252.70	12.72	19.95	39.23	52.78	139.41
43.0	252.70	12.72	19.95	39.91	53.46	140.10
44.0	252.70	12.72	19.95	40.49	54.04	140.68
45.0	252.70	12.72	19.95	41.00	54.55	141.19
46.0	252.70	12.72	19.95	41.43	54.98	141.62
47.0	252.70	12.72	19.95	42.04	55.59	142.23
48.0	252.70	12.72	19.95	43.14	56.69	143.33
49.0	252.70	12.72	26.57	44.02	57.57	144.21
50.0	252.70	12.72	27.27	44.72	58.27	144.91
51.0	252.70	12.72	27.84	45.28	58.83	145.47
52.0	252.70	12.72	28.15	45.60	59.15	146.74
53.0	252.70	12.72	27.97	45.42	58.97	148.16
54.0	252.70	12.72	27.78	45.23	58.78	149.60
55.0	252.70	12.72	27.60	45.04	58.59	152.87
56.0	252.70	14.34	27.41	44.86	58.41	160.36
57.0	252.70	17.50	27.22	44.67	58.22	160.46
58.0	252.70	19.81	27.03	44.48	58.03	158.10
59.0	252.70	19.64	26.86	44.31	57.86	157.00
60.0	252.70	19.91	27.13	44.58	58.13	160.95
61.0	252.70	20.15	27.37	44.82	58.37	162.22
62.0	252.70	20.38	27.60	45.05	58.60	159.33
63.0	252.70	20.58	27.80	45.25	58.80	162.31
64.0	252.70	20.77	27.99	45.44	58.99	169.29
65.0	252.70	20.94	28.16	45.61	59.16	188.38
66.0	252.70	21.10	28.33	45.78	59.33	201.74
67.0	252.70	21.26	28.48	46.09	59.64	209.48
68.0	252.70	21.40	28.62	46.78	60.33	224.40
69.0	252.70	21.53	28.76	47.42	60.97	296.83
70.0	252.70	21.66	28.89	48.02	61.57	345.54
71.0	252.70	21.79	29.01	48.73	62.40	381.97
72.0	252.70	19.40	26.62	47.29	62.57	387.27
73.0	252.70	13.22	22.03	43.60	60.43	372.82
74.0	252.70	12.72	21.64	44.04	62.29	381.71
75.0	252.70	12.72	21.73	44.92	63.81	361.60
76.0	252.70	12.72	21.83	45.67	65.13	355.10
77.0	252.70	12.72	21.93	46.05	65.89	359.37
78.0	252.70	12.72	22.03	46.41	68.28	365.76
79.0	252.70	12.72	22.12	46.76	69.47	363.14
80.0	252.70	12.72	22.22	48.10	81.61	361.97
81.0	252.70	12.72	22.32	53.85	141.42	371.77
82.0	252.70	12.72	22.43	59.30	147.53	371.70
83.0	252.70	12.72	22.53	63.06	153.20	371.63
84.0	252.70	12.72	24.04	62.98	158.74	371.59
85.0	252.70	12.72	28.32	62.91	164.19	372.30
86.0	252.70	12.72	28.96	62.83	169.39	373.90
87.0	252.70	12.72	29.24	83.92	203.30	380.12
88.0	252.70	12.72	29.51	90.24	209.62	382.02
89.0	252.70	12.72	29.78	96.70	216.08	384.02
90.0	252.70	12.72	30.05	103.02	222.40	388.72
91.0	252.70	12.72	30.10	106.98	226.37	469.13
92.0	252.70	12.72	30.01	109.28	228.66	510.40
93.0	252.70	12.72	29.93	111.44	230.83	528.99
94.0	252.70	12.72	29.84	120.19	239.58	553.85
95.0	252.70	12.72	29.86	133.45	252.84	680.65
96.0	252.70	12.72	30.41	152.09	271.47	718.51
97.0	252.70	12.72	30.99	170.54	289.92	736.96
98.0	252.70	12.72	31.61	183.95	303.33	750.37
99.0	252.70	12.72	32.26	195.98	315.36	762.40
100.0	252.70	12.72	32.96	208.06	327.44	774.48
101.0	252.70	12.72	38.71	220.10	339.48	786.52
102.0	252.70	12.72	44.26	225.65	345.03	792.07

WCME\_Daytime\_contours.txt

103.0	252.70	12.72	43.64	225.03	344.41	791.45
104.0	252.70	12.72	42.97	224.36	343.74	790.78
105.0	252.70	12.72	42.25	223.64	343.02	790.06
106.0	252.70	12.72	41.47	222.86	342.24	789.28
107.0	252.70	12.72	40.64	222.03	341.41	788.44
108.0	252.70	12.72	39.76	221.15	340.53	787.57
109.0	252.70	12.72	38.83	220.22	339.60	786.64
110.0	252.70	12.72	37.82	219.21	338.59	785.63
111.0	252.70	12.72	36.74	218.13	337.51	784.54
112.0	252.70	12.86	36.85	218.24	337.63	784.66
113.0	252.70	13.24	39.22	220.61	340.00	787.03
114.0	252.70	13.61	41.35	222.74	342.13	789.16
115.0	252.70	13.97	43.30	224.69	344.07	791.11
116.0	252.70	14.31	45.09	226.48	345.86	792.90
117.0	252.70	14.65	46.73	228.12	347.50	794.54
118.0	252.70	14.98	48.20	229.59	348.98	796.01
119.0	252.70	15.31	49.53	230.92	350.30	797.34
120.0	252.70	15.63	50.74	232.13	351.51	798.54
121.0	252.70	15.95	51.83	233.22	352.60	799.64
122.0	252.70	16.26	52.82	234.21	353.59	800.63
123.0	252.70	16.58	53.70	235.09	354.48	801.51
124.0	252.70	16.89	54.50	235.89	355.27	802.31
125.0	252.70	17.21	55.21	236.60	355.98	803.02
126.0	252.70	17.53	55.83	237.22	356.60	803.64
127.0	252.70	17.85	56.37	237.76	357.15	804.18
128.0	252.70	18.18	56.85	238.24	357.63	804.66
129.0	252.70	18.51	57.27	238.66	358.04	805.08
130.0	252.70	18.86	57.62	239.01	358.40	805.43
131.0	252.70	19.21	57.91	239.30	358.68	805.72
132.0	252.70	19.57	58.15	239.54	358.92	805.96
133.0	252.70	19.94	58.34	239.73	359.11	806.15
134.0	252.70	20.33	58.48	239.87	359.26	806.29
135.0	252.70	20.73	58.59	239.98	359.36	806.40
136.0	252.70	21.15	58.65	240.04	359.42	806.46
137.0	252.70	21.59	58.68	240.07	359.45	806.48
138.0	252.70	22.05	58.67	240.06	359.45	806.48
139.0	252.70	22.53	58.65	240.04	359.42	806.46
140.0	252.70	23.04	61.97	243.36	362.74	809.78
141.0	252.70	23.58	67.80	249.19	368.58	815.61
142.0	252.70	24.16	73.60	254.99	374.37	821.40
143.0	252.70	24.77	79.35	260.74	380.12	827.16
144.0	252.70	25.42	85.08	266.47	385.85	832.89
145.0	252.70	28.63	90.74	272.13	391.52	838.55
146.0	252.70	34.23	96.34	277.73	397.11	844.15
147.0	252.70	37.39	99.50	280.89	400.28	847.31
148.0	252.70	37.55	99.66	281.05	400.43	847.47
149.0	252.70	37.69	99.81	281.20	400.58	847.61
150.0	252.70	37.83	99.94	281.33	400.71	847.75
151.0	252.70	37.96	100.07	281.46	400.84	847.88
152.0	252.70	38.08	100.19	281.58	400.96	848.00
153.0	252.70	38.19	100.30	281.69	401.07	848.11
154.0	252.70	38.29	100.40	281.79	401.17	848.21
155.0	252.70	38.38	100.49	281.88	401.26	848.30
156.0	252.70	38.47	100.58	281.97	401.35	848.38
157.0	252.70	38.54	100.65	282.04	401.43	848.46
158.0	252.70	38.61	100.73	282.11	401.50	848.53
159.0	252.70	38.68	100.79	282.18	401.56	848.60
160.0	252.70	38.74	100.85	282.24	401.62	848.65
161.0	252.70	38.79	100.90	282.29	401.67	848.71
162.0	252.70	38.83	100.94	282.33	401.71	848.75
163.0	252.70	38.87	100.98	282.37	401.75	848.79
164.0	252.70	38.90	101.01	282.40	401.78	848.82
165.0	252.70	38.93	101.04	282.43	401.81	848.85

WCME\_Daytime\_contours.txt

166.0	252.70	38.95	101.06	282.45	401.83	848.87
167.0	252.70	38.96	101.07	282.46	401.84	848.88
168.0	252.70	38.97	101.08	282.47	401.85	848.89
169.0	252.70	38.97	101.08	282.47	401.85	848.89
170.0	252.70	38.96	101.08	282.47	401.85	848.88
171.0	252.70	38.95	101.07	282.45	401.84	848.87
172.0	252.70	38.94	101.05	282.44	401.82	848.86
173.0	252.70	38.91	101.03	282.42	401.80	848.83
174.0	252.70	38.89	101.00	282.39	401.77	848.81
175.0	252.70	38.85	100.96	282.35	401.74	848.77
176.0	252.70	38.81	100.92	282.31	401.69	848.73
177.0	252.70	38.76	100.87	282.26	401.65	848.68
178.0	252.70	38.71	100.82	282.21	401.59	848.63
179.0	252.70	38.65	100.76	229.21	247.67	679.19
180.0	252.70	38.58	100.69	220.88	244.31	656.75
181.0	252.70	38.51	100.62	216.44	243.81	646.25
182.0	252.70	38.43	100.54	240.47	269.59	716.63
183.0	252.70	38.34	100.45	242.43	276.61	723.65
184.0	252.70	38.24	100.35	242.55	269.29	716.32
185.0	252.70	38.14	100.25	248.19	317.44	764.48
186.0	252.70	38.02	100.13	246.45	301.50	748.53
187.0	252.70	37.90	100.01	246.13	297.45	744.49
188.0	252.70	37.77	99.88	245.88	259.43	697.72
189.0	252.70	37.63	99.74	244.78	258.33	665.74
190.0	252.70	37.48	99.59	242.52	256.07	638.01
191.0	252.70	37.32	99.43	230.71	244.26	549.55
192.0	252.70	37.15	99.26	229.34	242.89	664.83
193.0	252.70	36.97	99.08	228.04	241.59	649.06
194.0	252.70	36.77	98.88	224.59	238.14	555.63
195.0	252.70	36.56	98.67	214.41	227.96	486.22
196.0	252.70	36.34	98.45	210.93	224.48	459.35
197.0	252.70	36.10	98.22	207.64	221.19	398.49
198.0	252.70	35.85	97.97	204.50	218.05	391.15
199.0	252.70	35.59	97.70	203.73	217.28	364.81
200.0	252.70	35.31	95.98	203.77	217.32	354.91
201.0	252.70	35.01	86.57	197.65	211.20	367.58
202.0	252.70	34.69	76.54	166.46	209.18	404.64
203.0	252.70	34.35	65.91	161.34	207.64	365.83
204.0	252.70	33.98	54.76	159.46	187.04	300.44
205.0	252.70	33.59	43.16	157.00	172.30	273.14
206.0	252.70	33.18	41.50	153.03	166.58	253.22
207.0	252.70	32.74	40.90	149.10	162.65	249.29
208.0	252.70	32.28	40.32	144.20	157.75	244.38
209.0	252.70	31.77	39.77	112.50	147.96	234.60
210.0	252.70	31.23	39.23	66.04	105.06	208.33
211.0	252.70	30.65	38.71	64.53	92.77	181.74
212.0	252.70	30.04	38.21	63.00	87.55	176.01
213.0	252.70	29.38	37.72	55.17	68.72	164.57
214.0	252.70	26.04	36.88	54.33	67.88	158.47
215.0	252.70	20.47	35.77	53.22	66.77	154.94
216.0	252.70	12.72	34.42	51.87	65.42	155.49
217.0	252.70	12.72	32.70	50.15	63.70	155.61
218.0	252.70	12.72	30.41	47.86	61.41	154.03
219.0	252.70	12.72	19.95	44.62	58.17	143.55
220.0	252.70	12.72	19.95	39.79	53.34	137.88
221.0	252.70	12.72	19.95	37.40	50.95	135.45
222.0	252.70	12.72	19.95	37.40	50.95	135.01
223.0	252.70	12.72	19.95	37.40	50.95	134.60
224.0	252.70	12.72	19.95	37.40	50.95	134.23
225.0	252.70	12.72	19.95	37.40	50.95	134.00
226.0	252.70	12.72	19.95	37.40	50.95	133.80
227.0	252.70	12.72	19.95	37.40	50.95	133.60
228.0	252.70	12.72	19.95	37.40	50.95	133.41

## WCME\_Daytime\_contours.txt

229.0	252.70	12.72	19.95	37.40	50.95	133.23
230.0	252.70	12.72	19.95	37.40	50.95	133.08
231.0	252.70	12.72	19.95	37.40	50.95	132.93
232.0	252.70	12.72	19.95	37.40	50.95	132.80
233.0	252.70	12.72	19.95	37.40	50.95	132.68
234.0	252.70	12.72	19.95	37.40	50.95	132.58
235.0	252.70	12.72	19.95	37.40	50.95	132.49
236.0	252.70	12.72	19.95	37.40	50.95	132.40
237.0	252.70	12.72	19.95	37.40	50.95	132.32
238.0	252.70	12.72	19.95	37.40	50.95	132.25
239.0	252.70	12.72	19.95	37.40	50.95	132.18
240.0	252.70	12.72	19.95	37.40	50.95	132.12
241.0	252.70	12.72	19.95	37.40	50.95	132.06
242.0	252.70	12.72	19.95	37.40	50.95	132.01
243.0	252.70	12.72	19.95	37.40	50.95	131.97
244.0	252.70	12.72	19.95	37.40	50.95	131.93
245.0	252.70	12.72	19.95	37.40	50.95	131.89
246.0	252.70	12.72	19.95	37.40	50.95	131.86
247.0	252.70	12.72	19.95	37.40	50.95	131.84
248.0	252.70	12.72	19.95	37.40	50.95	131.83
249.0	252.70	12.72	19.95	37.40	50.95	131.82
250.0	252.70	12.72	19.95	37.40	50.95	131.81
251.0	252.70	12.72	19.95	37.40	50.95	131.81
252.0	252.70	12.72	19.95	37.40	50.95	131.82
253.0	252.70	12.72	19.95	37.40	50.95	131.83
254.0	252.70	12.72	19.95	37.40	50.95	131.80
255.0	252.70	12.72	19.95	37.40	50.95	131.72
256.0	252.70	12.72	19.95	37.40	50.95	131.65
257.0	252.70	12.72	19.95	37.40	50.95	131.58
258.0	252.70	12.72	19.95	37.40	50.95	131.52
259.0	252.70	12.72	19.95	37.40	50.95	131.47
260.0	252.70	12.72	19.95	37.40	50.95	131.42
261.0	252.70	12.72	19.95	37.40	50.95	131.38
262.0	252.70	12.72	19.95	37.40	50.95	131.34
263.0	252.70	12.72	19.95	37.40	50.95	131.22
264.0	252.70	12.72	19.95	37.40	50.95	131.09
265.0	252.70	12.72	19.95	37.40	50.95	130.96
266.0	252.70	12.72	19.95	37.40	50.95	130.84
267.0	252.70	12.72	19.95	37.40	50.95	130.73
268.0	252.70	12.72	19.95	37.40	50.95	130.63
269.0	252.70	12.72	19.95	37.40	50.95	130.53
270.0	252.70	12.72	19.95	37.40	50.95	130.44
271.0	252.70	12.72	19.95	37.40	50.95	130.36
272.0	252.70	12.72	19.95	37.40	50.95	130.29
273.0	252.70	12.72	19.95	37.40	50.95	130.22
274.0	252.70	12.72	19.95	37.40	50.95	130.16
275.0	252.70	12.72	19.95	37.40	50.95	130.10
276.0	252.70	12.72	19.95	37.40	50.95	129.96
277.0	252.70	12.72	19.95	37.40	50.95	129.83
278.0	252.70	12.72	19.95	37.40	50.95	129.70
279.0	252.70	12.72	19.95	37.40	50.95	129.58
280.0	252.70	12.72	19.95	37.40	50.95	129.47
281.0	252.70	12.72	19.95	37.40	50.95	129.36
282.0	252.70	12.72	19.95	37.40	50.95	129.26
283.0	252.70	12.72	19.95	37.40	50.95	129.17
284.0	252.70	12.72	19.95	37.40	50.95	129.08
285.0	252.70	12.72	19.95	37.40	50.95	129.00
286.0	252.70	12.72	19.95	37.40	50.95	128.93
287.0	252.70	12.72	19.95	37.40	50.95	128.86
288.0	252.70	12.72	19.95	37.40	50.95	128.80
289.0	252.70	12.72	19.95	37.40	50.95	128.67
290.0	252.70	12.72	19.95	37.40	50.95	128.46
291.0	252.70	12.72	19.95	37.40	50.95	128.25

## WCME\_Daytime\_contours.txt

292.0	252.70	12.72	19.95	37.40	50.95	128.05
293.0	252.70	12.72	19.95	37.40	50.95	127.86
294.0	252.70	12.72	19.95	37.40	50.95	127.68
295.0	252.70	12.72	19.95	37.40	50.95	127.51
296.0	252.70	12.72	19.95	37.40	50.95	127.35
297.0	252.70	12.72	19.95	37.40	50.95	127.21
298.0	252.70	12.72	19.95	37.40	50.95	127.07
299.0	252.70	12.72	19.95	37.40	50.95	126.95
300.0	252.70	12.72	19.95	37.40	50.95	126.84
301.0	252.70	12.72	19.95	37.40	50.95	126.77
302.0	252.70	12.72	19.95	37.40	50.95	126.71
303.0	252.70	12.72	19.95	37.40	50.95	126.66
304.0	252.70	12.72	19.95	37.40	50.95	126.61
305.0	252.70	12.72	19.95	37.40	50.95	126.57
306.0	252.70	12.72	19.95	37.40	50.95	126.54
307.0	252.70	12.72	19.95	37.40	50.95	126.49
308.0	252.70	12.72	19.95	37.40	50.95	126.44
309.0	252.70	12.72	19.95	37.40	50.95	126.40
310.0	252.70	12.72	19.95	37.40	50.95	126.36
311.0	252.70	12.72	19.95	37.40	50.95	126.34
312.0	252.70	12.72	19.95	37.40	50.95	126.32
313.0	252.70	12.72	19.95	37.40	50.95	126.32
314.0	252.70	12.72	19.95	37.40	50.95	126.37
315.0	252.70	12.72	19.95	37.40	50.95	126.43
316.0	252.70	12.72	19.95	37.40	50.95	126.51
317.0	252.70	12.72	19.95	37.40	50.95	126.59
318.0	252.70	12.72	19.95	37.40	50.95	126.68
319.0	252.70	12.72	19.95	37.40	50.95	126.79
320.0	252.70	12.72	19.95	37.40	50.95	126.90
321.0	252.70	12.72	19.95	37.40	50.95	127.02
322.0	252.70	12.72	19.95	37.40	50.95	127.14
323.0	252.70	12.72	19.95	37.40	50.95	127.16
324.0	252.70	12.72	19.95	37.40	50.95	127.18
325.0	252.70	12.72	19.95	37.40	50.95	127.21
326.0	252.70	12.72	19.95	37.40	50.95	127.21
327.0	252.70	12.72	19.95	37.40	50.95	127.22
328.0	252.70	12.72	19.95	37.40	50.95	127.22
329.0	252.70	12.72	19.95	37.40	50.95	127.23
330.0	252.70	12.72	19.95	37.40	50.95	127.25
331.0	252.70	12.72	19.95	37.40	50.95	127.27
332.0	252.70	12.72	19.95	37.40	50.95	127.30
333.0	252.70	12.72	19.95	37.40	50.95	127.33
334.0	252.70	12.72	19.95	37.40	50.95	127.37
335.0	252.70	12.72	19.95	37.40	50.95	127.41
336.0	252.70	12.72	19.95	37.40	50.95	127.45
337.0	252.70	12.72	19.95	37.40	50.95	127.51
338.0	252.70	12.72	19.95	37.40	50.95	127.56
339.0	252.70	12.72	19.95	37.40	50.95	127.63
340.0	252.70	12.72	19.95	37.40	50.95	127.70
341.0	252.70	12.72	19.95	37.40	50.95	127.77
342.0	252.70	12.72	19.95	37.40	50.95	127.85
343.0	252.70	12.72	19.95	37.40	50.95	127.94
344.0	252.70	12.72	19.95	37.40	50.95	128.04
345.0	252.70	12.72	19.95	37.40	50.95	128.14
346.0	252.70	12.72	19.95	37.40	50.95	128.23
347.0	252.70	12.72	19.95	37.40	50.95	128.30
348.0	252.70	12.72	19.95	37.40	50.95	128.39
349.0	252.70	12.72	19.95	37.40	50.95	128.47
350.0	252.70	12.72	19.95	37.40	50.95	128.57
351.0	252.70	12.72	19.95	37.40	50.95	128.67
352.0	252.70	12.72	19.95	37.40	50.95	128.78
353.0	252.70	12.72	19.95	37.40	50.95	128.88
354.0	252.70	12.72	19.95	37.40	50.95	129.00

WCME_Daytime_contours.txt						
355.0	252.70	12.72	19.95	37.40	50.95	129.12
356.0	252.70	12.72	19.95	37.40	50.95	129.24
357.0	252.70	12.72	19.95	37.40	50.95	129.38
358.0	252.70	12.72	19.95	37.40	50.95	129.52
359.0	252.70	12.72	19.95	37.40	50.95	129.67