


MODIFY BNPFT-20030828AGD
MILLER COMMUNICATIONS, INC.
W290AY FM TRANSLATOR STATION
CH 290D - 105.9 MHZ - 0.25 KW
SUMTER, SOUTH CAROLINA
May 2007

EXHIBIT B1

Interference Review for W290AY, Sumter, South Carolina
Using Proposed Site as Reference

REFERENCE 33 54 52.0 N. 80 17 39.0 W.		CH# 290D - 105.9 MHZ, Pwr= 0.25 kW, HAAT=0.0M, COR= 224 M Average Protected F(50-50)= 7.1 km						DISPLAY DATES DATA 05-19-07 SEARCH 05-21-07		
CH CITY	CALL	TYPE ANT STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr (kW) HAAT (M)	INT (km) COR (M)	PRO (km) LICENSEE	*IN* (Overlap in km)	*OUT*
290D W290AY Sumter		CP C SC	0.0 0.0	0.00 BNPFT20030828AGD	33 54 52.0 80 17 39.0	0.250	55.2 220	17.4 Miller Communications, Inc	-72.87*	-73.16*
291A WTUA St. Stephen		LIC CN SC	141.2 321.4	59.93 BLH19900606KC	33 29 36.0 79 53 21.0	6.000 100	43.1 115	27.9 Praise Communications, Inc	-1.01	5.52
290D AP1977 Columbia		APP DC SC	295.0 114.7	62.66 BNPFT20030314BVE	34 09 04.0 80 54 37.0	0.250	18.1 211	5.5 Capstar Tx Limited Partner	27.39	2.46
290D AP1071 Columbia		APP C SC	284.4 104.0	65.03 BNPFT20030314BRS	34 03 27.0 80 58 36.0	0.013	22.1 216	6.6 Capstar Tx Limited Partner	25.59	3.44
290D AP4883 Columbia		APP C SC	282.7 102.3	66.56 BNPFT20030311AUT	34 02 38.0 80 59 51.0	0.027	17.4 146	5.3 Community Public Radio, In	31.85	6.28
288C3 WDAR-FM Darlington		LIC NCN SC	39.8 220.0	58.21 BLH199601115K	34 18 58.0 79 53 17.0	17.000 122	3.9 166	38.2 Qantum Of Florence License	36.45	18.87
290C3 WEZV North Myrtle Beach		LIC NCN SC	92.2 273.1	146.09 BLH19940503KA	33 51 16.0 78 43 00.0	17.000 110	106.8 114	37.6 Fidelity Broadcasting Corp	21.29	51.75
289C WIBL Augusta		LIC NCN GA	249.4 68.6	153.35 BLH19981209KA	33 25 15.0 81 50 19.0	100.000 371	110.6 454	75.7 Capstar Tx Limited Partner	25.13	51.52
292A WYNN-FM Florence		LIC CN SC	52.8 233.1	56.09 BLH19941001KB	34 13 05.0 79 48 30.0	6.000 100	2.7 137	28.2 Cumulus Licensing Llc	35.45	26.77
291C2 WNMX-FM Waxhaw		LIC NC NC	337.1 156.8	116.90 BLH20000314ABS	34 53 01.0 80 47 37.0	32.000 111	67.1 281	44.2 Ghb Of Waxhaw, Inc	32.21	46.60
237D W237AS Florence		LIC CN SC	56.9 237.2	57.80 BLFT19940203TD	34 11 49.0 79 46 05.0	0.080 42	2.4 75	24.3 Qantum Of Florence License	3.0R	54.8M
237A AL6498 Quinby		VAC SC	65.0 245.4	68.57 RM10713*	34 10 23.0 79 37 11.0	6.000 100	2.4 121	24.3 Miller Communications, Inc	10.0R	58.6M

Terrain database is NGDC 30 SEC
ERP and HAAT on direct-line with reference station.
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
**"affixed to 'IN' or 'OUT' values = site inside protected contour.



MODIFY BNPFT-20030828AGD
MILLER COMMUNICATIONS, INC.
W290AY FM TRANSLATOR STATION
CH 290D - 105.9 MHZ - 0.25 KW
SUMTER, SOUTH CAROLINA
May 2007

EXHIBIT B3

North Latitude = 33 54 52 - Protected and Interfering Contour Data
West Longitude = 80 17 39 - W290AY FM Translator, Sumter, South Carolina

HAAT and Distance to Contour - FCC Method - NGDC 30 SEC									
Azi.	AV EL	HAAT	ERP kW	dBk	Field	100-F1	60-F5	54-F1	40-F1
000	43.7	180.3	0.2500	-6.02	1.000	1.11	17.64	26.26	55.71
010	42.5	181.5	0.2500	-6.02	1.000	1.11	17.70	26.34	55.85
020	42.2	181.8	0.2500	-6.02	1.000	1.11	17.71	26.36	55.89
030	41.4	182.6	0.2500	-6.02	1.000	1.11	17.75	26.41	55.98
040	38.9	185.1	0.2500	-6.02	1.000	1.11	17.86	26.58	56.28
050	38.4	185.6	0.2500	-6.02	1.000	1.11	17.88	26.61	56.34
060	37.9	186.1	0.2500	-6.02	1.000	1.11	17.91	26.64	56.39
070	37.6	186.4	0.2500	-6.02	1.000	1.11	17.92	26.66	56.43
080	36.2	187.8	0.2500	-6.02	1.000	1.11	17.98	26.75	56.59
090	35.3	188.7	0.2500	-6.02	1.000	1.11	18.02	26.81	56.69
100	33.1	190.9	0.2500	-6.02	1.000	1.11	18.12	26.95	56.95
110	33.5	190.5	0.2500	-6.02	1.000	1.11	18.10	26.93	56.91
120	36.4	187.6	0.2500	-6.02	1.000	1.11	17.97	26.74	56.57
130	36.9	187.1	0.2500	-6.02	1.000	1.11	17.95	26.70	56.51
140	39.5	184.5	0.2500	-6.02	1.000	1.11	17.83	26.54	56.21
150	40.7	183.3	0.2500	-6.02	1.000	1.11	17.78	26.46	56.07
160	40.8	183.2	0.2500	-6.02	1.000	1.11	17.77	26.45	56.05
170	38.0	186.0	0.2500	-6.02	1.000	1.11	17.90	26.63	56.38
180	38.6	185.4	0.2500	-6.02	1.000	1.11	17.87	26.59	56.31
190	38.8	185.2	0.2500	-6.02	1.000	1.11	17.87	26.58	56.29
200	41.2	182.8	0.2500	-6.02	1.000	1.11	17.76	26.42	56.00
210	44.9	179.1	0.2500	-6.02	1.000	1.11	17.58	26.17	55.56
220	44.9	179.1	0.2500	-6.02	1.000	1.11	17.58	26.18	55.57
230	43.9	180.1	0.2500	-6.02	1.000	1.11	17.63	26.24	55.69
240	44.5	179.5	0.2500	-6.02	1.000	1.11	17.60	26.20	55.61
250	44.9	179.1	0.2500	-6.02	1.000	1.11	17.58	26.17	55.56
260	47.0	177.0	0.2500	-6.02	1.000	1.11	17.48	26.03	55.31
270	48.3	175.7	0.2500	-6.02	1.000	1.11	17.41	25.93	55.15
280	49.7	174.3	0.2500	-6.02	1.000	1.11	17.34	25.84	54.98
290	50.2	173.8	0.2500	-6.02	1.000	1.11	17.32	25.80	54.92
300	53.7	170.3	0.2500	-6.02	1.000	1.11	17.13	25.53	54.47
310	53.0	171.0	0.2500	-6.02	1.000	1.11	17.17	25.59	54.56
320	52.3	171.7	0.2500	-6.02	1.000	1.11	17.20	25.64	54.65
330	48.5	175.5	0.2500	-6.02	1.000	1.11	17.40	25.92	55.13
340	45.4	178.6	0.2500	-6.02	1.000	1.11	17.56	26.14	55.51
350	43.9	180.1	0.2500	-6.02	1.000	1.11	17.63	26.24	55.68

AMSL= 224