

Table 1

K265EK Minor Change To Licensed Facility, June 1, 2009
Channel Study

Chan	Class	Call Letters	Type	Status	City	State	Country	Owner	Distance (km)	Bearing TO (deg)	Req. Dist. (km)	Clearance (km)	
211	A	NEW	FM	APP	GLENDALE	NV	US	CENTRO DE INTERCESION Y ADORA	46.7	262.0	10.0	36.7	
212	C2	KSGU	FM	LIC	ST. GEORGE	UT	US	NEVADA PUBLIC RADIO	47.7	87.7	15.0	32.7	
262	D	K262BX	FX	LIC	LAS VEGAS	NV	US	ONDAS DE VIDA NETWORK, INC.	36.4	254.5	7.8	28.6	
263	D	K215CF	FX	APP	ST. GEORGE	UT	US	UTAH STATE UNIVERSITY OF AGRICL	48.0	57.3	12.8	35.2	
263	C	KKJJ	FM	LIC	HENDERSON	NV	US	CBS RADIO STATIONS INC.	126.6	224.0	86.6	40.0	
264	D	NEW	FX	APP	IVINS	UT	US	BRIGHAM YOUNG UNIVERSITY	38.3	19.6	34.9	3.4	
265	D	K262BX	FX	APP	LAS VEGAS	NV	US	ONDAS DE VIDA NETWORK, INC.	21.4	254.1	46.5	-25.1	(same as applicant)
266	C	KPLD	FM	LIC	KANAB	UT	US	MARATHON MEDIA GROUP, L.L.C.	117.1	63.5	104.6	12.5	
268	D	K268BH	FX	LIC	MESQUITE	NV	US	CANYON MEDIA GROUP, LLC	8.1	175.0	7.7	0.4	
268	D	K268BT	FX	CP	SHIVWITS	UT	US	WOODS COVE, LTD	38.1	21.8	6.1	32.0	




Figure 1

K265EK LAS VEGAS, NV: MINOR CHANGE TO LICENSED FACILITY
 Minor change showing overlap of 60 dBu contours and contour protection

Radiofrequency Electromagnetic Exposure Analysis

Source	Height AGL(m)	Antenna type	Bays	Horizontal ERP (kw)	Vertical ERP (kw)	Power Density $\mu\text{W}/\text{cm}^2$ at 2 meters AGL				
						within 10 meters distance	% controlled environment limit (1000 $\mu\text{W}/\text{cm}^2$)	Max. PD	% uncontrolled environment limit (200 $\mu\text{W}/\text{cm}^2$)	Distance to maximum PD (m)
PROPOSED	9	SHI 6812B	1	0.140	0.140	40.7	4.1%	40.7	20.4%	7.2
						40.7	4.1%	40.7	20.4%	7.2

The proposed facility is excluded from environmental processing under 47. C.F.R. Section 1.1306 (i.e., The facility will not have a significant environmental impact and complies with the maximum permissible radiofrequency electromagnetic exposure limits for controlled and uncontrolled environments).

Calculations made using Equation 10 from OET Bulletin 65 and elevation pattern provided by antenna manufacturer