

EXHIBIT #30

RF EMISSIONS COMPLIANCE STATEMENT

Vermont Public Radio

Brighton, Vermont
Long Form BSFH-20050811AFD

CH 295A

1.42 kW H & V DA

The proposed two-bay, circularly polarized directional antenna will be energized such that it produces 1.42 kW effective radiated power from a center of radiation of 14.2 meters above ground. Using the formulas expressed in the OET Bulletin, No. 65, August 1997, "Evaluating Compliance with F.C.C. Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields", published by the Federal Communication Commission's Office of Science and Engineering, and then by applying a combination of the element and array pattern as defined in E.P.A. study PB85-245868 (**"Engineering Assessment of the Potential Impact of the Federal Radiation Protection Guidance on the AM, FM and TV Broadcast Services"**) the predicted level of RF non-ionization emissions at a position of 2 meters above ground (head-height) at the base of the tower for the proposed 2-bay Shively 6800 series (Type #6) antenna is 3.187 microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$), which is 0.3187 percent of the maximum for a controlled area and 1.5937 percent of maximum for an uncontrolled area.

Since the predicted level of emissions is less than 5% of maximum, no further calculations were deemed necessary.

The applicant will protect workers on the tower by either reducing ERP or terminating transmission. The applicant also certifies that it, in coordination with other users of the site, will reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic exposure in excess of FCC guidelines.

Consequently, it appears that the proposed FM station will be in full compliance with the Commission's human exposure to radiofrequency electromagnetic field rules and regulations.