


KNOW Aux 3 RFR Statement  
 Environment = Uncontrolled, Maximum = 200  $\mu\text{W}/\text{sq cm}$   
 ERI/JAMPRO JBCP "Roto" (EPA)-Type 3, 8 Bays, Spac=1, H=100 kW, V=100 kW, 124 MA



HORZ. DISTANCE FROM FM RADIATOR VS POWER DENSITY (Microwatt/Square cm)  
 Dist(Meters) PD (H) PD (V) Total( $\mu\text{W}/\text{cm}^2$ ) Percent Max.

0	6.52	6.52	13.04	6.5
1	6.52	6.52	13.04	6.5
2	6.52	6.52	13.03	6.5
3	6.51	6.51	13.03	6.5
4	6.51	6.51	13.02	6.5
5	6.51	6.51	13.01	6.5
6	6.50	6.50	13.00	6.5
7	6.49	6.49	12.99	6.5
8	6.49	6.49	12.97	6.5
9	6.47	6.47	12.95	6.5
10	6.46	6.46	12.92	6.5
11	6.50	6.50	13.00	6.5
12	6.83	6.83	13.66	6.8
13	7.16	7.16	14.33	7.2
14	7.50	7.50	15.00	7.5
15	7.84	7.84	15.67	7.8
16	8.17	8.17	16.34	8.2
17	8.51	8.51	17.01	8.5
18	8.84	8.84	17.67	8.8
19	9.16	9.16	18.32	9.2
20	9.48	9.48	18.95	9.5
21	9.78	9.78	19.57	9.8
22	10.11	10.07	20.18	10.1
23	10.60	10.28	20.88	10.4
24	11.09	10.47	21.55	10.8
25	11.55	10.64	22.19	11.1

Dist (Meters)	PD (H)	PD (V)	Total (uW/cm2)	Percent Max.
26	12.00	10.79	22.78	11.4
27	12.42	10.91	23.33	11.7
28	12.81	11.02	23.83	11.9
29	13.17	11.09	24.27	12.1
30	13.50	11.14	24.64	12.3
31	13.78	11.16	24.95	12.5
32	14.03	11.15	25.17	12.6
33	14.22	11.10	25.32	12.7
34	14.17	11.17	25.34	12.7
35	14.02	11.23	25.26	12.6
36	13.83	11.25	25.09	12.5
37	13.59	11.23	24.82	12.4
38	13.31	11.16	24.47	12.2
39	12.99	11.04	24.02	12.0
40	12.62	10.87	23.48	11.7
41	12.20	10.65	22.85	11.4
42	11.75	10.39	22.14	11.1
43	11.26	10.08	21.34	10.7
44	10.74	9.72	20.46	10.2
45	10.19	9.33	19.51	9.8
46	9.64	8.90	18.53	9.3
47	9.06	8.44	17.50	8.7
48	8.47	7.94	16.41	8.2
49	7.86	7.43	15.29	7.6
50	7.24	6.89	14.13	7.1
51	6.61	6.34	12.95	6.5
52	5.98	5.78	11.76	5.9
53	5.37	5.21	10.58	5.3
54	4.76	4.65	9.41	4.7
55	4.17	4.10	8.28	4.1
56	3.61	3.57	7.18	3.6
57	3.07	3.06	6.13	3.1
58	2.58	2.57	5.15	2.6
59	2.13	2.11	4.25	2.1
60	1.72	1.69	3.42	1.7
61	1.35	1.32	2.67	1.3
62	1.02	0.99	2.00	1.0
63	0.73	0.70	1.43	0.7
64	0.49	0.47	0.96	0.5
65	0.30	0.28	0.58	0.3
66	0.15	0.14	0.30	0.1
67	0.06	0.05	0.11	0.1
68	0.01	0.01	0.02	0.0
69	0.00	0.00	0.01	0.0
70	0.04	0.04	0.08	0.0
71	0.12	0.11	0.22	0.1
72	0.22	0.20	0.43	0.2
73	0.36	0.33	0.69	0.3
74	0.52	0.48	1.00	0.5
75	0.71	0.64	1.34	0.7
76	0.90	0.81	1.71	0.9
77	1.10	0.99	2.09	1.0

Dist (Meters)	PD (H)	PD (V)	Total (uW/cm2)	Percent Max.
78	1.31	1.17	2.47	1.2
79	1.51	1.34	2.85	1.4
80	1.70	1.51	3.21	1.6
81	1.87	1.66	3.54	1.8
82	2.03	1.80	3.83	1.9
83	2.17	1.92	4.09	2.0
84	2.28	2.01	4.29	2.1
85	2.37	2.08	4.45	2.2
86	2.42	2.13	4.55	2.3
87	2.45	2.14	4.59	2.3
88	2.44	2.13	4.56	2.3
89	2.39	2.09	4.48	2.2
90	2.33	2.02	4.35	2.2
91	2.23	1.94	4.17	2.1
92	2.12	1.84	3.95	2.0
93	1.98	1.72	3.70	1.9
94	1.84	1.58	3.42	1.7
95	1.67	1.44	3.12	1.6
96	1.50	1.29	2.80	1.4
97	1.33	1.14	2.47	1.2
98	1.16	0.99	2.15	1.1
99	0.98	0.84	1.83	0.9
100	0.82	0.70	1.52	0.8