

EXHIBIT 16

INTERFERENCE ANALYSIS

GRANGEVILLE, ID CHANNEL 202C2

BNPED-20071017AEK

Minor Amendment

Calvary Chapel Grangeville

November 17, 2007

Contour Overlap Requirements / Allocation Study

**All terrain and contour data in this exhibit uses V-Soft FCC method 03
arc sec engineering**

This allocation study for the minor amendment to the above referenced NEW-FM application is to show that the Mutual Exclusive prohibited contour overlap between applicants AP6460, 202C2 Grangeville, ID BNPED-20071017AEK and AP6376, 202C3 McCall, ID BNPED-20071022BMO has been resolved. The Proposed amended directional contour of BNPED-20071017AEK Grangeville is contained 100% inside the original application and is the first MAP shown in this study. Only the two referenced applications will be shown in this study. A new FM InterDLG Map, with closeup maps and FMOVER proofs are attached in this exhibit as well.

GRANGEVILLE, ID NEW-T
BNPED-20071017AEK


REFERENCE
45 51 42.0 N.
116 07 25.0 W.

CH# 202C2 - 88.3 MHz, Pwr= 0.485 kW, HAAT= 717.5 M, COR= 1892 M
Average Protected F(50-50)= 41.79 km

DISPLAY DATES
DATA 11-14-07
SEARCH 11-17-07


CH CITY	CALL	TYPE STATE	ANT STATE	AZI <--	DIST FILE #	LAT LNG	PWR(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
202C2	AP6460 Grangeville	APP	_VX ID	0.0 0.0	0.00 BNPED20071017AEK	45 51 42.0 116 07 25.0	0.495 718	115.1 1892	46.1 Calvary Chapel	-161.04*	-160.90*
06-2C	KHQT Spokane	LI	_HY WA	335.4 154.5	211.13 BMLCT19860805KF	47 34 52.0 117 17 47.0	87.100 653	1373	128.1 Khq, Incorporated	206.6R	4.6M
204C1	AP0647 Kamiah	APP	DCX ID	352.8 172.8	56.93 BNPED20071015AKO	46 22 11.0 116 12 59.0	13.000 323	4.5 1102	44.2 Nez Perce Tribe	6.52	11.16
201A	970910MC Clarkston	CP	_CN WA	305.9 125.3	87.05 BPED19970910MC	46 18 59.0 117 02 24.0	0.450 62	11.7 608	8.3 Upper Columbia Media Assoc	29.47	10.47
202C3	AP9596 Plummer	APP	_VX ID	344.7 164.3	169.08 BNPED20071018ATG	47 19 37.0 116 42 55.0	2.000 288	85.4 1164	30.4 Coeur D' alene Tribe	37.73	23.93
203A	KRLF Puliman	LIC	_VN WA	319.6 138.9	113.50 BLED19910702KB	46 38 01.0 117 05 13.0	0.420 242	31.5 1063	21.2 Living Faith Fellowship Ed	36.51	24.56
202C2	KJCG Missoula	CP	_VX MT	56.9 238.4	195.89 BPED19970716MA	46 48 09.0 113 58 21.0	1.000 636	123.1 1902	50.7 The Moody Bible Institute	25.32	28.02
202C3	AP6376 Mccall	APP	_VX ID	180.5 0.5	95.21 BNPED20071022BMO	45 00 18.0 116 08 01.0	0.400 590	53.5 2331	16.3 Idaho Conference Of Sevent	27.14	27.23
202C2	AP0306 Post Falls	APP	DVX ID	347.5 167.1	195.99 BNPED20071019AEG	47 34 53.2 116 41 18.1	2.000 528	120.7 1361	48.1 Spokane Public Radio, Inc.	29.26	33.07
205A	KLCZ Lewiston	LIC	_CX ID	311.7 131.1	92.75 BLED20061108AAQ	46 24 45.0 117 01 31.0	0.230 -256	1.1 278	6.9 Lewis - Clark State Colleg	46.25	84.27
201C1	KDJC Baker	CP	_VX OR	238.2 57.0	153.26 BPED20070131AJP	45 07 26.0 117 46 48.0	6.000 552	64.8 1745	43.7 Calvary Chapel Of Twin Fal	59.70	64.73
06Z2C	KIVI Nampa	LI	_HN ID	179.5 359.5	234.02 BLCT20011217AAZ	43 45 21.0 116 05 54.0	56.000 857	2240	124.5 Journal Broadcast Corporat	151.4R	82.6M

Terrain database is USGS 03 SEC Distance + R = FCC Required Spacings in KM, Distance + M = Margin in KM
ERP and HAAT are on direct line to and from reference station.
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
***affixed to 'IN' or 'OUT' values = site inside protected contour.



1:773,438

Scale in km





PROP 202C2 .485kW 1892M AMSL

N. Lat. 45 51 42 W. Lng. 116 07 25

60 dBu F(50,50) Contour-NEW

CCG - 11/07



PROP 202C2 .485kW 1892M AMSL
AP6376 202C3 .4kW 2331M AMSL

PROP vs AP6376
CCG - 11/07




60 dBu

.5

1





11-17-2007 03 Sec. Terrain Data

PROP

Channel = 202C2

Max ERP = 0.485 kW

RCAMSL = 1892 M

N. Lat = 455142.0

W. Lng = 1160725.0

AP6376 BNPED20071022BMO

Channel = 202C3

Max ERP = 0.4 kW

RCAMSL = 2331 M

N. Lat = 45 00 18

W. Lng = 116 08 01

Protected
60 dBuInterfering
40 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)		Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
150.0	000.0394	0352.5	015.4		005.8	000.4000	0260.2	082.3	35.9
151.0	000.0378	0352.7	015.2		005.6	000.4000	0260.2	082.3	35.9
152.0	000.0362	0353.8	015.1		005.4	000.4000	0249.7	082.3	35.6
153.0	000.0347	0353.0	014.9		005.2	000.4000	0249.7	082.3	35.6
154.0	000.0331	0350.3	014.7		005.0	000.4000	0249.7	082.3	35.6
155.0	000.0317	0348.4	014.5		004.8	000.4000	0249.7	082.4	35.6
156.0	000.0302	0344.8	014.2		004.5	000.4000	0249.7	082.5	35.6
157.0	000.0288	0339.1	013.9		004.3	000.4000	0229.6	082.6	34.8
158.0	000.0274	0336.1	013.7		004.1	000.4000	0229.6	082.7	34.8
159.0	000.0261	0337.0	013.6		003.9	000.4000	0229.6	082.7	34.8
160.0	000.0248	0335.5	013.4		003.7	000.4000	0229.6	082.8	34.8
161.0	000.0242	0327.3	013.1		003.5	000.4000	0201.3	082.9	33.7
162.0	000.0237	0323.6	013.0		003.3	000.4000	0201.3	083.0	33.7
163.0	000.0232	0331.8	013.1		003.2	000.4000	0201.3	082.8	33.7
164.0	000.0227	0341.5	013.2		003.0	000.4000	0201.3	082.6	33.8
165.0	000.0222	0351.5	013.3		002.9	000.4000	0201.3	082.4	33.8
166.0	000.0217	0362.9	013.5		002.8	000.4000	0201.3	082.2	33.9
167.0	000.0212	0368.7	013.5		002.6	000.4000	0201.3	082.2	33.9
168.0	000.0207	0375.1	013.5		002.5	000.4000	0168.0	082.1	32.6
169.0	000.0203	0380.3	013.5		002.3	000.4000	0168.0	082.0	32.6
170.0	000.0198	0388.6	013.6		002.2	000.4000	0168.0	081.9	32.6
171.0	000.0195	0399.3	013.7		002.0	000.4000	0168.0	081.8	32.7
172.0	000.0192	0411.8	013.8		001.9	000.4000	0168.0	081.6	32.7
173.0	000.0190	0422.4	013.9		001.7	000.4000	0168.0	081.4	32.8
174.0	000.0187	0433.5	014.0		001.6	000.4000	0168.0	081.3	32.8
175.0	000.0184	0440.9	014.1		001.4	000.4000	0138.6	081.2	31.6
176.0	000.0182	0446.6	014.1		001.2	000.4000	0138.6	081.1	31.6
177.0	000.0179	0456.0	014.2		001.1	000.4000	0138.6	081.0	31.6
178.0	000.0177	0474.0	014.4		000.9	000.4000	0138.6	080.8	31.7
179.0	000.0174	0491.5	014.5		000.7	000.4000	0138.6	080.7	31.7
180.0	000.0171	0497.7	014.6		000.6	000.4000	0138.6	080.6	31.7
181.0	000.0170	0505.4	014.6		000.4	000.4000	0112.9	080.6	30.6
182.0	000.0169	0515.0	014.7		000.2	000.4000	0112.9	080.5	30.6
183.0	000.0167	0525.3	014.8		000.0	000.4000	0112.9	080.4	30.6
184.0	000.0166	0536.7	015.0		359.8	000.4000	0112.9	080.3	30.7
185.0	000.0164	0535.2	014.9		359.6	000.4000	0112.9	080.3	30.6

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)		Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
186.0	000.0163	0538.0	014.9		359.5	000.4000	0095.3	080.4	29.8
187.0	000.0161	0546.0	015.0		359.3	000.4000	0095.3	080.3	29.8
188.0	000.0160	0553.6	015.1		359.1	000.4000	0095.3	080.3	29.8
189.0	000.0159	0553.0	015.0		358.9	000.4000	0095.3	080.4	29.8
190.0	000.0157	0552.6	015.0		358.7	000.4000	0095.3	080.5	29.7
191.0	000.0157	0552.6	015.0		358.5	000.4000	0095.3	080.5	29.7
192.0	000.0157	0556.1	015.1		358.3	000.4000	0087.6	080.5	29.3
193.0	000.0157	0555.4	015.0		358.2	000.4000	0087.6	080.6	29.3
194.0	000.0157	0561.6	015.1		358.0	000.4000	0087.6	080.6	29.3
195.0	000.0157	0580.9	015.5		357.7	000.4000	0087.6	080.3	29.4
196.0	000.0157	0593.8	015.7		357.5	000.4000	0091.6	080.2	29.6
197.0	000.0157	0603.3	015.8		357.3	000.4000	0091.6	080.2	29.6
198.0	000.0157	0615.6	016.0		357.0	000.4000	0091.6	080.1	29.7
199.0	000.0157	0621.6	016.1		356.8	000.4000	0091.6	080.1	29.6
200.0	000.0157	0625.2	016.2		356.6	000.4000	0091.6	080.1	29.6
201.0	000.0165	0632.7	016.5		356.3	000.4000	0111.3	079.9	30.7
202.0	000.0174	0638.6	016.9		356.1	000.4000	0111.3	079.7	30.7
203.0	000.0182	0642.0	017.2		355.8	000.4000	0111.3	079.6	30.8
204.0	000.0191	0647.9	017.5		355.5	000.4000	0137.4	079.5	32.0
205.0	000.0200	0660.8	017.9		355.1	000.4000	0137.4	079.2	32.1
206.0	000.0209	0677.8	018.4		354.8	000.4000	0137.4	079.0	32.2
207.0	000.0218	0696.4	018.9		354.4	000.4000	0168.0	078.7	33.6
208.0	000.0228	0706.5	019.3		354.0	000.4000	0168.0	078.6	33.7
209.0	000.0238	0707.0	019.5		353.7	000.4000	0168.0	078.6	33.7
210.0	000.0248	0708.7	019.8		353.4	000.4000	0198.4	078.6	34.9