

**MINOR CHANGE APPLICATION**  
**CORRECTION OF COORDINATES**  
**STANLY COMMUNICATIONS, INC.**  
**WSPC AM RADIO STATION**  
**1010 kHz - 0.064/1.0 kW - NDU**  
**ALBEMARLE, NORTH CAROLINA**  
**January 2015**

**EXHIBIT #3A**

**Nighttime Interference Free Calculations**

**Current License**

WSPC 1010 kHz ALBEMARLE, NC, US  
 North Latitude: 35° 22' 40" West Longitude: 80° 11' 38"  
 Power: 0.064 kW Theo RMS: 307.38 mV/m @ 1km @ 1kW

Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

**Contributors:**

Call	Freq (kHz)	City	St	Ct	Dist (km)	Azi (deg)	Theta		Max V-Rad (mV/m)	SW Mult (uV/m)	Limit (mV/m)	Limit (%)	RSS Limit (mV/m)
							Min (deg)	Max (deg)					
KDKA	1020	PITTSBURGH	PA	US	576.5	182.2	12.7	21.2	2585.88	94.75	4.900	100.0	4.900
CFRB/A	1010	TORONTO	ON	CA	905.0	183.2	7.0	12.7	455.05	45.40	4.132	84.3	6.410
WINS	1010	NEW YORK	NY	US	804.3	223.4	8.3	14.7	335.81	57.12	3.836	59.9	7.470
50 %													
WMVP	1000	CHICAGO	IL	US	984.7	134.1	6.1	11.4	3504.20	40.75	2.856	38.2	7.997
KXEN	1010	ST. LOUIS	MO	US	952.1	110.3	6.4	11.9	314.17	45.12	2.835	35.4	8.485
25 %													
ZYH-625-1010		FORTALEZA 1		BR	6141.6	318.7	0.0	0.0	3887.01	2.71	2.107	24.8	8.743
OAX4U-A	1010	AMERICA		PE	5292.4	356.6	0.0	0.0	2188.21	4.22	1.849	21.1	8.936
WPMH	1010	PORTSMOUTH	VA	US	373.2	245.6	20.2	31.8	49.86	168.77	1.683	18.8	9.093
WHFS	1010	SEFFNER	FL	US	844.0	12.8	7.8	13.9	141.24	59.46	1.680	18.5	9.247
HJIX-A	1010	B BERMEJA 4		CO	3215.0	349.3	0.0	0.0	978.60	8.34	1.632	17.6	9.390
HJOP-A	1010	BARRANQUILLA		CO	3314.5	351.3	0.0	0.0	978.60	8.02	1.570	16.7	9.520
WJXL	1010	JACKSONVILLE BEAC	FL	US	589.5	16.2	12.4	20.7	77.30	97.90	1.514	15.9	9.640
HJCC-A	1010	BOGOTA 6		CO	3478.9	350.4	0.0	0.0	978.60	7.49	1.465	15.2	9.751

**Corrected Coordinates**

WSPC 1010 kHz ALBEMARLE, NC, US  
 North Latitude: 35° 23' 13" West Longitude: 80° 11' 32"  
 Power: 0.064 kW Theo RMS: 307.33 mV/m @ 1km @ 1kW

Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

**Contributors:**

Call	Freq (kHz)	City	St	Ct	Dist (km)	Azi (deg)	Theta		Max V-Rad (mV/m)	SW Mult (uV/m)	Limit (mV/m)	Limit (%)	RSS Limit (mV/m)
							Min (deg)	Max (deg)					
KDKA	1020	PITTSBURGH	PA	US	575.4	182.2	12.7	21.2	2585.88	94.98	4.912	100.0	4.912
CFRB/A	1010	TORONTO	ON	CA	904.0	183.2	7.0	12.8	454.82	45.48	4.137	84.2	6.422
WINS	1010	NEW YORK	NY	US	803.4	223.4	8.3	14.7	335.77	57.21	3.842	59.8	7.484 *
50 %													
WMVP	1000	CHICAGO	IL	US	984.1	134.1	6.1	11.4	3505.61	40.79	2.860	38.2	8.011
KXEN	1010	ST. LOUIS	MO	US	951.8	110.2	6.5	11.9	313.68	45.14	2.832	35.3	8.497
25 %													
ZYH-625-1010		FORTALEZA 1		BR	6142.1	318.7	0.0	0.0	3886.94	2.71	2.106	24.8	8.754
OAX4U-A	1010	AMERICA		PE	5293.4	356.6	0.0	0.0	2188.21	4.22	1.848	21.1	8.947
WPMH	1010	PORTSMOUTH	VA	US	372.6	245.8	20.3	31.8	49.72	169.07	1.681	18.8	9.104
WHFS	1010	SEFFNER	FL	US	845.1	12.8	7.8	13.9	141.21	59.35	1.676	18.4	9.257
HJIX-A	1010	B BERMEJA 4		CO	3216.0	349.3	0.0	0.0	978.60	8.33	1.631	17.6	9.399
HJOP-A	1010	BARRANQUILLA		CO	3315.5	351.3	0.0	0.0	978.60	8.02	1.569	16.7	9.530
WJXL	1010	JACKSONVILLE BEAC	FL	US	590.5	16.2	12.4	20.7	77.30	97.68	1.510	15.8	9.648
HJCC-A	1010	BOGOTA 6		CO	3479.9	350.4	0.0	0.0	978.60	7.48	1.464	15.2	9.759

\* - Nighttime Interference Free Contour

**MINOR CHANGE APPLICATION**  
**CORRECTION OF COORDINATES**  
**STANLY COMMUNICATIONS, INC.**  
**WSPC AM RADIO STATION**  
**1010 kHz - 0.064/1.0 kW - NDU**  
**ALBEMARLE, NORTH CAROLINA**  
**January 2015**

**EXHIBIT #3B**

Night Radiation Limit Report for WSPC

Frequency: 1010 kHz

Latitude: 35-23-13 N

Longitude: 080-11-32 W

Radiation limits above 150.0 mV/m@1km are not shown.

	Ct	St	City	Azimuth (Deg)	Min Theta (Deg)	Max Theta (Deg)	Limit (mV/m @ 1km)
CFRB/A (200)	CA	ON	TORONTO	0.1	12.1	12.1	121.7
CFRB/ (200)	CA	ON	TORONTO	0.1	12.1	12.1	121.8
CFRB/A (195)	CA	ON	TORONTO	1.0	12.0	12.0	125.0
CFRB/ (195)	CA	ON	TORONTO	1.0	12.0	12.0	125.0
CFRB/A (190)	CA	ON	TORONTO	1.9	11.9	11.9	127.9
CFRB/ (190)	CA	ON	TORONTO	1.9	11.9	11.9	127.9
CFRB/A (185)	CA	ON	TORONTO	2.6	11.8	11.8	130.1
CFRB/ (185)	CA	ON	TORONTO	2.6	11.8	11.8	130.1
CFRB/A (175)	CA	ON	TORONTO	3.9	11.6	11.6	133.4
CFRB/ (175)	CA	ON	TORONTO	3.9	11.6	11.6	133.4
CFRB/A (165)	CA	ON	TORONTO	5.0	11.4	11.4	134.9
CFRB/ (165)	CA	ON	TORONTO	5.0	11.4	11.4	134.9
CFRB/A (125)	CA	ON	TORONTO	6.1	10.4	10.4	114.3
CFRB/A (130)	CA	ON	TORONTO	6.2	10.5	10.5	117.4
CFRB/ (130)	CA	ON	TORONTO	6.2	10.5	10.5	117.4
CFRB/A (135)	CA	ON	TORONTO	6.5	10.7	10.7	122.2
CFRB/ (140)	CA	ON	TORONTO	7.1	11.0	11.0	131.5
CFRB/A (240)	CA	ON	TORONTO	341.8	12.2	12.2	92.1
CFRB/A (235)	CA	ON	TORONTO	342.7	12.7	12.7	89.7
CFRB/A (230)	CA	ON	TORONTO	344.8	13.1	13.1	84.2
CFRB/A (250)	CA	ON	TORONTO	347.0	11.0	11.0	91.5
CFRB/A (250)	CA	ON	TORONTO	347.0	11.0	11.0	91.5
CFRB/A (255)	CA	ON	TORONTO	347.6	10.6	10.6	94.5
CFRB/A (265)	CA	ON	TORONTO	349.2	10.0	10.0	99.8
CFRB/A (295)	CA	ON	TORONTO	350.5	8.4	8.4	97.3
CFRB/A (305)	CA	ON	TORONTO	350.6	7.7	7.7	117.3
CFRB/A (225)	CA	ON	TORONTO	351.6	12.6	12.6	95.9
CFRB/A (220)	CA	ON	TORONTO	354.7	12.3	12.3	105.1
CFRB/A (290)	CA	ON	TORONTO	356.5	9.4	9.4	100.8
CFRB/A (285)	CA	ON	TORONTO	356.4	9.5	9.5	102.1
CFRB/A (215)	CA	ON	TORONTO	356.4	12.3	12.3	110.0
CFRB/ (305)	CA	ON	TORONTO	357.2	9.0	9.0	98.5
CFRB/A (305)	CA	ON	TORONTO	357.1	9.0	9.0	98.7
CFRB/A (315)	CA	ON	TORONTO	357.8	8.8	8.8	99.5
CFRB/A (210)	CA	ON	TORONTO	357.8	12.2	12.2	114.5
CFRB/A (205)	CA	ON	TORONTO	359.0	12.1	12.1	118.4
CFRB/ (205)	CA	ON	TORONTO	359.0	12.1	12.1	118.4
WPMH	US	VA	PORTSMOUTH	63.5	20.3	31.8	94.6
WJXL	US	FL	JACKSONVILLE BE	197.2	12.4	20.7	116.7
WMOX	US	MS	MERIDIAN	249.3	7.7	13.8	137.1

**MINOR CHANGE APPLICATION**  
**CORRECTION OF COORDINATES**  
**STANLY COMMUNICATIONS, INC.**  
**WSPC AM RADIO STATION**  
**1010 kHz - 0.064/1.0 kW - NDU**  
**ALBEMARLE, NORTH CAROLINA**  
**January 2015**

**EXHIBIT #3C**

**Night Allocation Protection Report**

Clearance Greater Than 50 mV/m Not Shown

WSPC 1010 kHz ALBEMARLE, NC, US  
North Latitude: 35° 23' 13" West Longitude: 80° 11' 32"  
Power: 0.064 kW Theo RMS: 307.33 mV/m @ 1km @ 1kW

#	Field Ratio	Phase Spacing (deg)	Orient (deg)	Height (deg)	Ref Switch	TL Switch	A (deg)	B (deg)	C (deg)	D (deg)
1	1.000	0.0	0.0	0.0	92.4	0	0	0.0	0.0	0.0

Call Letters	Ct	St	City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)
CFRB/A (125)	CA	ON	TORONTO	6.05	10.37	10.37	48.65	1.112	114.27P	75.86	38.42
50% = 2.224, 25% = 2.562; WINS=2.22 WPMH=0.81 WSPC=0.74 KXEN=0.64											
CFRB/A (130)	CA	ON	TORONTO	6.19	10.49	10.49	49.30	1.157	117.32P	75.82	41.50
50% = 2.314, 25% = 2.646; WINS=2.31 WPMH=0.82 WSPC=0.75 KXEN=0.64											
CFRB/A (135)	CA	ON	TORONTO	6.47	10.66	10.66	50.23	1.228	122.21P	75.75	46.46
50% = 2.455, 25% = 2.703; WINS=2.46 WPMH=0.84 WSPC=0.76											
CFRB/A (195)	CA	ON	TORONTO	1.01	12.01	12.01	56.98	1.424	124.96P	75.24	49.72
50% = 2.848, 25% = 3.07; WINS=2.85 WSPC=0.86 WPMH=0.76											
CFRB/A (200)	CA	ON	TORONTO	0.05	12.09	12.09	57.38	1.397	121.74P	75.20	46.55
50% = 2.794, 25% = 3.021; WINS=2.79 WSPC=0.86 KXEN=0.76											
CFRB/A (205)	CA	ON	TORONTO	359.00	12.15	12.15	57.65	1.365	118.39P	75.20	43.19
50% = 2.73, 25% = 2.968; WINS=2.73 WSPC=0.87 KXEN=0.78											
CFRB/A (210)	CA	ON	TORONTO	357.80	12.21	12.21	57.93	1.326	114.49P	75.15	39.33
50% = 2.653, 25% = 2.904; WINS=2.65 WSPC=0.87 KXEN=0.80											
CFRB/A (215)	CA	ON	TORONTO	356.39	12.27	12.27	58.21	1.281	110.03P	75.11	34.92
50% = 2.562, 25% = 2.831; WINS=2.56 WSPC=0.87 KXEN=0.83											
CFRB/A (220)	CA	ON	TORONTO	354.68	12.32	12.32	58.48	1.230	105.14P	75.11	30.03
50% = 2.459, 25% = 2.75; WINS=2.46 WSPC=0.88 KXEN=0.86											
CFRB/A (225)	CA	ON	TORONTO	351.58	12.57	12.57	59.67	1.145	95.94P	74.98	20.96
50% = 2.29, 25% = 2.624; WINS=2.29 KXEN=0.92 WSPC=0.89											
CFRB/A (230)	CA	ON	TORONTO	344.81	13.12	13.12	62.19	1.047	84.18P	74.77	9.41
50% = 2.094, 25% = 2.511; WINS=2.09 KXEN=1.03 WSPC=0.93											
CFRB/A (235)	CA	ON	TORONTO	342.69	12.72	12.72	60.33	1.082	89.69P	74.94	14.75
50% = 2.233, 25% = 2.488; WINS=1.95 KXEN=1.08 WSPC=0.90 CBR/A=0.62											
CFRB/A (240)	CA	ON	TORONTO	341.77	12.18	12.18	57.80	1.065	92.12P	75.15	16.97
50% = 2.13, 25% = 2.387; WINS=1.83 KXEN=1.08 WSPC=0.87 CBR/A=0.64											
CFRB/A (245)	CA	ON	TORONTO	342.46	11.60	11.60	55.01	1.017	92.42P	75.40	17.02
50% = 2.047, 25% = 2.303; WINS=1.78 KXEN=1.02 WSPC=0.83 CBR/A=0.65											
CFRB/A (250)	CA	ON	TORONTO	346.98	11.00	11.00	52.03	0.952	91.46P	75.63	15.83
50% = 1.903, 25% = 2.335; WINS=1.90 KXEN=0.89 WSPC=0.79 CBR/A=0.65											
CFRB/A (255)	CA	ON	TORONTO	347.56	10.63	10.63	50.08	0.946	94.47P	75.78	18.69
50% = 1.893, 25% = 2.294; WINS=1.89 KXEN=0.82 WSPC=0.76 CBR/A=0.66											
CFRB/A (260)	CA	ON	TORONTO	348.44	10.30	10.30	48.26	0.943	97.65P	75.89	21.76
50% = 1.885, 25% = 2.258; WINS=1.89 KXEN=0.76 WSPC=0.73 CBR/A=0.66											
CFRB/A (265)	CA	ON	TORONTO	349.21	10.01	10.01	46.67	0.931	99.78P	76.00	23.78
50% = 1.862, 25% = 2.214; WINS=1.86 WSPC=0.71 KXEN=0.70 CBR/A=0.67											
CFRB/A (270)	CA	ON	TORONTO	349.88	9.75	9.75	45.33	0.913	100.72P	76.07	24.65
50% = 1.826, 25% = 2.162; WINS=1.83 WSPC=0.69 CBR/A=0.67 KXEN=0.64											
CFRB/A (275)	CA	ON	TORONTO	350.32	9.51	9.51	44.07	0.888	100.69P	76.17	24.52
50% = 1.775, 25% = 2.098; WINS=1.78 CBR/A=0.68 WSPC=0.67 KXEN=0.59											
CFRB/A (280)	CA	ON	TORONTO	350.35	9.25	9.25	42.72	0.853	99.84P	76.26	23.58
50% = 1.706, 25% = 2.018; WINS=1.71 CBR/A=0.68 WSPC=0.65 KXEN=0.52											
CFRB/A (285)	CA	ON	TORONTO	350.39	8.98	8.98	41.27	0.816	98.90P	76.33	22.57
50% = 1.633, 25% = 1.882; WINS=1.63 CBR/A=0.69 WSPC=0.63											
CFRB/A (290)	CA	ON	TORONTO	350.42	8.70	8.70	39.77	0.779	97.98P	76.42	21.56
50% = 1.559, 25% = 1.815; WINS=1.56 CBR/A=0.70 WSPC=0.61											

CFRB/A (295)	CA ON TORONTO	350.46	8.40	8.40	38.17	0.743	97.29P	76.51	20.78
50% = 1.485, 25% = 1.82; WINS=1.49 CBR/A=0.72 WSPC=0.58									
NEW THUNDER BAY/A=0.50									
CFRB/A (300)	CA ON TORONTO	350.50	8.09	8.09	36.42	0.735	100.94P	76.60	24.35
50% = 1.6, 25% = 1.811; WINS=1.42 CBR/A=0.74 NEW THUNDER BAY/A=0.64 WSPC=0.56									
CFRB/A (305)	CA ON TORONTO	350.55	7.74	7.74	34.53	0.810	117.29P	76.71	40.58
50% = 1.62, 25% = 1.864; WINS=1.38 NEW THUNDER BAY/A=0.85 CBR/A=0.75									
WSPC=0.53									
CFRB/A (310)	CA ON TORONTO	350.61	7.35	7.35	32.43	0.906	139.72P	76.78	62.94
50% = 1.812, 25% = 2.034; WINS=1.36 NEW THUNDER BAY/A=1.20 CBR/A=0.78									
WSPC=0.50									
CFRB/ (130)	CA ON TORONTO	6.19	10.49	10.49	49.31	1.158	117.37P	75.82	41.55
50% = 2.315, 25% = 2.647; WINS=2.32 WPMH=0.82 WSPC=0.75 KXEN=0.64									
CFRB/ (135)	CA ON TORONTO	6.47	10.66	10.66	50.24	1.229	122.26P	75.75	46.51
50% = 2.457, 25% = 2.705; WINS=2.46 WPMH=0.84 WSPC=0.76									
CFRB/ (195)	CA ON TORONTO	1.01	12.01	12.01	56.98	1.424	124.97P	75.24	49.73
50% = 2.848, 25% = 3.07; WINS=2.85 WSPC=0.86 WPMH=0.76									
CFRB/ (200)	CA ON TORONTO	0.05	12.09	12.09	57.38	1.397	121.75P	75.20	46.56
50% = 2.794, 25% = 3.021; WINS=2.79 WSPC=0.86 KXEN=0.76									
CFRB/ (205)	CA ON TORONTO	359.01	12.15	12.15	57.65	1.365	118.40P	75.20	43.21
50% = 2.73, 25% = 2.968; WINS=2.73 WSPC=0.87 KXEN=0.78									
CFRB/ (210)	CA ON TORONTO	358.44	11.93	11.93	56.61	1.329	117.35S	75.28	42.07
50% = 2.658, 25% = 2.901; WINS=2.66 WSPC=0.85 KXEN=0.79									
CFRB/ (215)	CA ON TORONTO	358.02	11.71	11.71	55.54	1.296	116.70S	75.36	41.34
50% = 2.592, 25% = 2.839; WINS=2.59 WSPC=0.84 KXEN=0.80									
CFRB/ (220)	CA ON TORONTO	357.63	11.51	11.51	54.57	1.265	115.94S	75.44	40.50
50% = 2.531, 25% = 2.779; WINS=2.53 WSPC=0.82 KXEN=0.80									
CFRB/ (225)	CA ON TORONTO	357.29	11.33	11.33	53.66	1.236	115.14S	75.52	39.63
50% = 2.471, 25% = 2.722; WINS=2.47 WSPC=0.81 KXEN=0.80									
CFRB/ (230)	CA ON TORONTO	357.14	11.13	11.13	52.65	1.207	114.67S	75.60	39.08
50% = 2.415, 25% = 2.664; WINS=2.41 KXEN=0.80 WSPC=0.79									
CFRB/ (235)	CA ON TORONTO	357.22	10.91	10.91	51.58	1.179	114.32S	75.67	38.65
50% = 2.358, 25% = 2.604; WINS=2.36 KXEN=0.78 WSPC=0.78									
CFRB/ (240)	CA ON TORONTO	357.42	10.71	10.71	50.53	1.150	113.76S	75.75	38.01
50% = 2.299, 25% = 2.622; WINS=2.30 KXEN=0.77 WSPC=0.76 WPMH=0.64									
CFRB/ (245)	CA ON TORONTO	356.89	10.61	10.61	50.00	1.123	112.34S	75.78	36.56
50% = 2.247, 25% = 2.569; WINS=2.25 KXEN=0.77 WSPC=0.76 WPMH=0.63									
CFRB/ (250)	CA ON TORONTO	356.29	10.51	10.51	49.41	1.095	110.78S	75.82	34.96
50% = 2.19, 25% = 2.511; WINS=2.19 KXEN=0.76 WSPC=0.75 WPMH=0.61									
CFRB/ (255)	CA ON TORONTO	355.61	10.39	10.39	48.74	1.064	109.11S	75.86	33.25
50% = 2.127, 25% = 2.452; WINS=2.13 KXEN=0.75 WSPC=0.74 CBR/A=0.61									
CFRB/ (260)	CA ON TORONTO	355.53	10.23	10.23	47.86	1.034	108.05S	75.93	32.12
50% = 2.069, 25% = 2.393; WINS=2.07 KXEN=0.73 WSPC=0.73 CBR/A=0.62									
CFRB/ (265)	CA ON TORONTO	355.88	10.07	10.07	46.98	1.008	107.29S	75.96	31.33
50% = 2.016, 25% = 2.411; WINS=2.02 KXEN=0.71 WSPC=0.71 CBR/A=0.62 WPMH=0.59									
CFRB/ (270)	CA ON TORONTO	356.26	9.93	9.93	46.23	0.983	106.31S	76.03	30.27
50% = 1.966, 25% = 2.362; WINS=1.97 WSPC=0.70 KXEN=0.69 CBR/A=0.62 WPMH=0.60									
CFRB/ (275)	CA ON TORONTO	356.30	9.79	9.79	45.52	0.955	104.91S	76.07	28.84
50% = 1.91, 25% = 2.308; WINS=1.91 WSPC=0.69 KXEN=0.67 CBR/A=0.62 WPMH=0.60									
CFRB/ (280)	CA ON TORONTO	356.33	9.65	9.65	44.82	0.927	103.46S	76.10	27.36
50% = 1.855, 25% = 2.253; WINS=1.85 WSPC=0.68 KXEN=0.65 CBR/A=0.63 WPMH=0.59									
CFRB/ (285)	CA ON TORONTO	356.42	9.52	9.52	44.13	0.901	102.05S	76.17	25.89
50% = 1.801, 25% = 2.2; WINS=1.80 WSPC=0.67 KXEN=0.63 CBR/A=0.63 WPMH=0.59									
CFRB/ (290)	CA ON TORONTO	356.55	9.39	9.39	43.45	0.876	100.81S	76.20	24.61
50% = 1.752, 25% = 2.151; WINS=1.75 WSPC=0.66 CBR/A=0.63 KXEN=0.61 WPMH=0.59									
CFRB/ (295)	CA ON TORONTO	356.71	9.26	9.26	42.77	0.854	99.79S	76.23	23.56
50% = 1.707, 25% = 2.106; WINS=1.71 WSPC=0.65 CBR/A=0.64 KXEN=0.59 WPMH=0.59									
CFRB/ (300)	CA ON TORONTO	356.93	9.13	9.13	42.10	0.834	98.99S	76.30	22.70
50% = 1.667, 25% = 2.066; WINS=1.67 WSPC=0.64 CBR/A=0.64 WPMH=0.59 KXEN=0.57									
CFRB/ (305)	CA ON TORONTO	357.18	9.01	9.01	41.44	0.817	98.54S	76.33	22.22
50% = 1.633, 25% = 2.031; WINS=1.63 CBR/A=0.64 WSPC=0.63 WPMH=0.59 KXEN=0.55									
CFRB/ (310)	CA ON TORONTO	357.50	8.90	8.90	40.83	0.807	98.83S	76.36	22.47
50% = 1.614, 25% = 2.081; WINS=1.61 CBR/A=0.64 WSPC=0.62 WPMH=0.59									
NEW THUNDER BAY/A=0.54 KXEN=0.53									
CFRB/ (315)	CA ON TORONTO	357.85	8.79	8.79	40.24	0.801	99.54S	76.39	23.15
50% = 1.602, 25% = 2.084; WINS=1.60 CBR/A=0.64 WSPC=0.61									
NEW THUNDER BAY/A=0.61 WPMH=0.59 KXEN=0.52									
WPMH	US VA PORTSMOUTH	63.55	20.28	31.83	169.07	3.200	94.63	70.77	23.87
50% = 11.621, 25% = 12.799; WINS=11.62 KDKA=5.36									
WJXL	US FL JACKSONVILLE BE	197.18	12.37	20.70	97.68	2.279	116.66	75.07	41.58
50% = 7.2, 25% = 9.375; WHFS=7.20 CFRB/ =2.87 ZYH-625-A=2.44 OAX4U-A=2.40 HJIX-A=2.37 WINS=2.30									
HJOP-A=2.28									