



2xCa@-FM/CP/CV Array w/ reduced rear
 One Antenna skewed 0° w/ 50% Power
 Mechan. .25 wl forward and delayed 90°
 One Antenna skewed 0° w/ 50% Power
 Vertically stacked @ .87 wl
 Max gain: 3.5 dBd / power-x:2.24
 Circular polarization
 Horizontal Plane Pattern



2xCa@-FM/CP/CV Array w/ reduced rear
 One Antenna skewed 0° w/ 50% Power
 Mechan. .25 wl forward and delayed 90°
 One Antenna skewed 0° w/ 50% Power

Vertically stacked @ .87 wl
 Max gain: 3.5 dBd / power-x:2.24
 Circular polarization
 Horizontal Plane Pattern

Angle	Field	Rel.dB	dBd	PwrMult	Angle	Field	Rel.dB	dBd	PwrMult
0	1.000	0.00	3.50	2.24	180	0.010	-40.00	-36.50	0.00
10	0.979	-0.18	3.32	2.15	190	0.010	-40.00	-36.50	0.00
20	0.919	-0.73	2.77	1.89	200	0.011	-39.10	-35.60	0.00
30	0.825	-1.68	1.82	1.52	210	0.021	-33.44	-29.94	0.00
40	0.703	-3.06	0.44	1.11	220	0.026	-31.74	-28.24	0.00
50	0.548	-5.23	-1.73	0.67	230	0.018	-34.90	-31.40	0.00
60	0.359	-8.90	-5.40	0.29	240	0.018	-35.12	-31.62	0.00
70	0.162	-15.79	-12.29	0.06	250	0.018	-34.84	-31.34	0.00
80	0.036	-28.91	-25.41	0.00	260	0.019	-34.36	-30.86	0.00
90	0.021	-33.47	-29.97	0.00	270	0.021	-33.47	-29.97	0.00
100	0.019	-34.36	-30.86	0.00	280	0.036	-28.91	-25.41	0.00
110	0.018	-34.84	-31.34	0.00	290	0.162	-15.79	-12.29	0.06
120	0.018	-35.12	-31.62	0.00	300	0.359	-8.90	-5.40	0.29
130	0.018	-34.90	-31.40	0.00	310	0.548	-5.23	-1.73	0.67
140	0.026	-31.74	-28.24	0.00	320	0.703	-3.06	0.44	1.11
150	0.021	-33.44	-29.94	0.00	330	0.825	-1.68	1.82	1.52
160	0.011	-39.10	-35.60	0.00	340	0.919	-0.73	2.77	1.89
170	0.010	-40.00	-36.50	0.00	350	0.979	-0.18	3.32	2.15