

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20160920ADJ
RADIO LICENSE HOLDING CBC, LLC
WIBR AM RADIO STATION
1300 kHz - .011/0.3 kW - NDU
BATON ROUGE, LOUISIANA
December 2016

EXHIBIT #2A

AM Broadcast Allocation Study

NORTH LATITUDE 30° 28' 26" WEST LONGITUDE 91° 13' 35"

FACTORS AFFECTING 1300 kHz

*** 1280 kHz (-2) ***
134.0 km WODT L 29-53-43 N 090-00-16 W 5.0 kW DA1 - 701.7 mV/m@1km
83.3 mi Azi: 118.9 Class: B Sched: U File #: BL
Location: NEW ORLEANS, LA, US

*** 1290 kHz (-1) ***
127.2 km WTYL L 31-07-50 N 090-08-13 W 1.0 kW NDD - 305.8 mV/m@1km
79.0 mi Azi: 55.4 Class: D Sched: D File #: BL
Location: TYLERTOWN, MS, US
141.4 km KJEF L 30-12-38 N 092-39-55 W 1.0 kW ND1 - 315.4 mV/m@1km
87.9 mi Azi: 257.7 Class: B Sched: U File #: BL
Location: JENNINGS, LA, US

*** 1300 kHz (CO) ***
234.9 km WOAD C 32-23-12 N 090-09-47 W 3.6 kW ND2 - 409.6 mV/m@1km
146.0 mi Azi: 25.8 Class: B Sched: U File #: BP20160627AAN
Location: JACKSON, MS, US
234.9 km WOAD L 32-23-12 N 090-09-47 W 5.0 kW ND1 - 350.8 mV/m@1km
146.0 mi Azi: 25.8 Class: B Sched: U File #: BL19810515AA
Location: JACKSON, MS, US
288.2 km KLLS L 30-13-56 N 094-12-41 W 2.0 kW DA2 - 454.4 mV/m@1km
179.1 mi Azi: 263.9 Class: B Sched: U File #: BMML20090622AGP
Location: LUMBERTON, TX, US
334.6 km KSYB L 32-31-48 N 093-48-16 W 5.0 kW ND1 - 305.8 mV/m@1km
207.9 mi Azi: 312.3 Class: D Sched: U File #: BL19831003AC
Location: SHREVEPORT, LA, US

*** 1310 kHz (+1) ***
208.8 km KEZM L 30-13-27 N 093-22-44 W 0.5 kW DA2 - 201.2 mV/m@1km
129.7 mi Azi: 261.8 Class: D Sched: U File #: BL
Location: SULPHUR, LA, US
239.6 km KMBS L 32-29-02 N 092-09-10 W 5.0 kW ND1 - 337.8 mV/m@1km
148.9 mi Azi: 338.2 Class: D Sched: U File #: BL19880301AB
Location: WEST MONROE, LA, US

*** 1320 kHz (+2) ***
151.9 km WRJW L 30-31-06 N 089-38-41 W 5.0 kW ND1 - 310.6 mV/m@1km
94.4 mi Azi: 88.5 Class: D Sched: U File #: BL
Location: PICAYUNE, MS, US

*** 1330 kHz (+3) ***
84.1 km KVOL L 30-14-29 N 092-03-31 W 5.0 kW DAN - 321.9 mV/m@1km
52.2 mi Azi: 251.9 Class: B Sched: U File #: BL
Location: LAFAYETTE, LA, US

DAYTIME CO-CHANNEL ALLOCATION CLERANCE

WIBR - BATON ROUGE, LA - Licensed - Dashed Lines

Freq: 1300 kHz - Class: B
Latitude: 30-28-25 N / Longitude: 091-13-34 W
Power: 5 kW - RMS: 724.2 mV/m @1km
Towers: 3 - # AUs: 1

WIBR - BATON ROUGE, LA - Proposed - Solid Lines

Freq: 1300 kHz - Class: B
Latitude: 30-28-26 N / Longitude: 091-13-35 W
Power: 0.3 kW - RMS: 307.903 mV/m @1km
Towers: 1

KLLS - LUMBERTON, TX

Freq: 1300 kHz - Class: B
Latitude: 30-13-56 N / Longitude: 094-12-41 W
Power: 2 kW - RMS: 454.39 mV/m @1km
Towers: 3

GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS

WOAD - JACKSON, MS - License - Dashed Lines

Freq: 1300 kHz - Class: B
Latitude: 32-23-12 N / Longitude: 090-09-47 W
Power: 5 kW - RMS: 350.84 mV/m @1km
Towers: [[Transmitter(4).NumberOfTowers]]

WOAD - JACKSON, MS - C.P. - Solid Lines

Freq: 1300 kHz - Class: B
Latitude: 32-23-12 N / Longitude: 090-09-47 W
Power: 3.6 kW - RMS: 409.6 mV/m @1km
Towers: 1

Interference FROM WOAD Reduced
With This Application

Interference TO & FROM KLLS Over Land
Eliminated with this Application

EXHIBIT #2B
MINOR CHANGE APPLICATION
AMENDMENT TO BP-20160920ADJ
RADIO LICENSE HOLDING CBC, LLC
WIBR AM RADIO STATION
1300 kHz - .011/0.3 kW - NDU
BATON ROUGE, LOUISIANA
December 2016

0.5 mV/m
0.025 mV/m

Scale 1:5,000,000

0 70 140 210 km

MAP : FCC M-3

V-Soft Communications LLC ©

DAYTIME CO-CHANNEL ALLOCATION CLERANCE WOAD DETAIL

WIBR - BATON ROUGE, LA - Licensed - Dashed Lines
Freq: 1300 kHz - Class: B
Latitude: 30-28-25 N / Longitude: 091-13-34 W
Power: 5 kW - RMS: 724.2 mV/m @1km
Towers: 3 - # AUs: 1

WIBR - BATON ROUGE, LA - Proposed - Solid Lines
Freq: 1300 kHz - Class: B
Latitude: 30-28-26 N / Longitude: 091-13-35 W
Power: 0.3 kW - RMS: 307.903 mV/m @1km
Towers: 1

GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS

WOAD - JACKSON, MS - License - Dashed Lines
Freq: 1300 kHz - Class: B
Latitude: 32-23-12 N / Longitude: 090-09-47 W
Power: 5 kW - RMS: 350.84 mV/m @1km
Towers: [[Transmitter(4).NumberOfTowers]]

WOAD - JACKSON, MS - C.P. - Solid Lines
Freq: 1300 kHz - Class: B
Latitude: 32-23-12 N / Longitude: 090-09-47 W
Power: 3.6 kW - RMS: 409.6 mV/m @1km
Towers: 1

WOAD

Interference FROM WOAD Reduced
With This Application

4

8

WIBR

EXHIBIT #2C
MINOR CHANGE APPLICATION
AMENDMENT TO BP-20160920ADJ
RADIO LICENSE HOLDING CBC, LLC
WIBR AM RADIO STATION
1300 kHz - .011/0.3 kW - NDU
BATON ROUGE, LOUISIANA
December 2016

MAP : FCC M-3

0.5 mV/m
0.025 mV/m

Scale 1:1,500,000

0 20 40 60 km

V-Soft Communications LLC ©

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20160920ADJ
RADIO LICENSE HOLDING CBC, LLC
WIBR AM RADIO STATION
1300 kHz - .011/0.3 kW - NDU
BATON ROUGE, LOUISIANA
December 2016

EXHIBIT #2D

Proposed Allocation Contour Tabulation

North Latitude: 30° 28' 26"

West Longitude: 91° 13' 35"

| Azimuth | Radiation (mV/m at one km) | Distances to Contours in Kilometers : | | | | |
|---------|----------------------------------|---------------------------------------|-------|-------|-------|--------|
| | | Contour levels in mV/m. | | | | |
| | | 25.000 | 5.000 | .500 | .250 | .025 |
| 0.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 5.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 10.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 15.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 20.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 25.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 30.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 35.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 146.86 |
| 40.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 133.92 |
| 45.0 | 168.65 | 4.83 | 14.51 | 44.49 | 57.69 | 127.48 |
| 50.0 | 168.65 | 4.83 | 14.51 | 43.28 | 53.99 | 123.78 |
| 55.0 | 168.65 | 4.83 | 14.51 | 40.92 | 51.63 | 121.41 |
| 60.0 | 168.65 | 4.83 | 14.51 | 39.59 | 50.30 | 120.08 |
| 65.0 | 168.65 | 4.83 | 14.51 | 38.57 | 49.28 | 119.07 |
| 70.0 | 168.65 | 4.83 | 14.51 | 37.79 | 48.50 | 118.29 |
| 75.0 | 168.65 | 4.83 | 14.51 | 37.18 | 47.89 | 117.68 |
| 80.0 | 168.65 | 4.83 | 14.51 | 36.70 | 47.41 | 117.20 |
| 85.0 | 168.65 | 4.83 | 14.51 | 36.32 | 47.03 | 116.82 |
| 90.0 | 168.65 | 4.83 | 14.51 | 36.03 | 46.74 | 116.53 |
| 95.0 | 168.65 | 4.83 | 14.51 | 35.81 | 46.52 | 128.65 |
| 100.0 | 168.65 | 4.83 | 14.51 | 35.72 | 46.43 | 157.55 |
| 105.0 | 168.65 | 4.83 | 14.51 | 35.85 | 46.56 | 231.58 |
| 110.0 | 168.65 | 4.83 | 14.51 | 36.04 | 48.05 | 243.29 |
| 115.0 | 168.65 | 4.83 | 14.51 | 36.29 | 51.23 | 184.13 |
| 120.0 | 168.65 | 4.83 | 14.51 | 36.62 | 54.10 | 167.59 |
| 125.0 | 168.65 | 4.83 | 14.51 | 37.04 | 56.38 | 169.87 |
| 130.0 | 168.65 | 4.83 | 14.51 | 38.09 | 59.20 | 176.32 |
| 135.0 | 168.65 | 4.83 | 14.51 | 42.33 | 63.43 | 239.36 |
| 140.0 | 168.65 | 4.83 | 14.51 | 48.13 | 69.23 | 208.30 |
| 145.0 | 168.65 | 4.83 | 14.51 | 47.87 | 68.97 | 182.46 |
| 150.0 | 168.65 | 4.83 | 14.51 | 47.47 | 68.58 | 242.82 |
| 155.0 | 168.65 | 4.83 | 14.51 | 46.91 | 68.01 | 248.48 |
| 160.0 | 168.65 | 4.83 | 14.51 | 46.18 | 67.28 | 224.59 |
| 165.0 | 168.65 | 4.83 | 14.51 | 45.68 | 66.79 | 245.47 |
| 170.0 | 168.65 | 4.83 | 14.51 | 45.22 | 66.33 | 276.26 |
| 175.0 | 168.65 | 4.83 | 14.51 | 44.76 | 65.86 | 273.36 |

Ground Conductivity : FCC M-3

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20160920ADJ
RADIO LICENSE HOLDING CBC, LLC
WIBR AM RADIO STATION
1300 kHz - .011/0.3 kW - NDU
BATON ROUGE, LOUISIANA
December 2016

EXHIBIT #2D (Continued)

North Latitude: 30° 28' 26"
West Longitude: 91° 13' 35"

| Azimuth | Radiation (mV/m at one km) | Distances to Contours in Kilometers : | | | | |
|---------|----------------------------------|---------------------------------------|-------|-------|-------|--------|
| | | Contour levels in mV/m. | | | | |
| | | 25.000 | 5.000 | .500 | .250 | .025 |
| 180.0 | 168.65 | 4.83 | 14.51 | 44.92 | 66.03 | 305.13 |
| 185.0 | 168.65 | 4.83 | 14.51 | 44.94 | 66.04 | 323.18 |
| 190.0 | 168.65 | 4.83 | 14.51 | 44.80 | 65.90 | 332.89 |
| 195.0 | 168.65 | 4.83 | 14.51 | 44.50 | 65.60 | 322.40 |
| 200.0 | 168.65 | 4.83 | 14.51 | 44.49 | 65.14 | 343.93 |
| 205.0 | 168.65 | 4.83 | 14.51 | 44.49 | 64.50 | 369.07 |
| 210.0 | 168.65 | 4.83 | 14.51 | 44.49 | 63.66 | 353.74 |
| 215.0 | 168.65 | 4.83 | 14.51 | 44.49 | 62.60 | 321.32 |
| 220.0 | 168.65 | 4.83 | 14.51 | 44.49 | 61.29 | 329.64 |
| 225.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.68 | 251.95 |
| 230.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 209.22 |
| 235.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 188.75 |
| 240.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 173.74 |
| 245.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 166.26 |
| 250.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 156.29 |
| 255.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 153.72 |
| 260.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 151.13 |
| 265.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 160.97 |
| 270.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 163.68 |
| 275.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 162.56 |
| 280.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 160.42 |
| 285.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 157.55 |
| 290.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 154.10 |
| 295.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 151.11 |
| 300.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 305.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 310.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 315.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 147.10 |
| 320.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 147.01 |
| 325.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 148.82 |
| 330.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 335.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 340.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 345.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 350.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |
| 355.0 | 168.65 | 4.83 | 14.51 | 44.49 | 59.38 | 149.48 |

Ground Conductivity : FCC M-3

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20160920ADJ
RADIO LICENSE HOLDING CBC, LLC
WIBR AM RADIO STATION
1300 kHz - .011/0.3 kW - NDU
BATON ROUGE, LOUISIANA
December 2016

EXHIBIT #2E

Licensed Allocation Contour Tabulation

North Latitude: 30° 28' 25"
West Longitude: 91° 13' 34"

| Azimuth | Radiation (mV/m at one km) | Distances to Contours in Kilometers : | | | | |
|---------|----------------------------------|---------------------------------------|-------|--------|--------|--------|
| | | Contour levels in mV/m. | | | | |
| | | 25.000 | 5.000 | .500 | .250 | .025 |
| 0.0 | 180.93 | 5.10 | 15.11 | 45.83 | 61.13 | 153.45 |
| 5.0 | 172.18 | 4.91 | 14.68 | 44.88 | 59.89 | 150.64 |
| 10.0 | 163.59 | 4.72 | 14.25 | 43.92 | 58.64 | 147.80 |
| 15.0 | 155.70 | 4.54 | 13.84 | 43.01 | 57.45 | 145.10 |
| 20.0 | 149.14 | 4.39 | 13.49 | 42.23 | 56.44 | 142.76 |
| 25.0 | 145.07 | 4.29 | 13.27 | 41.74 | 55.80 | 141.26 |
| 30.0 | 145.57 | 4.30 | 13.29 | 41.80 | 55.88 | 141.45 |
| 35.0 | 153.79 | 4.49 | 13.74 | 42.79 | 57.16 | 142.73 |
| 40.0 | 173.09 | 4.93 | 14.73 | 44.98 | 60.02 | 135.05 |
| 45.0 | 205.52 | 5.63 | 16.25 | 48.35 | 61.37 | 136.65 |
| 50.0 | 251.24 | 6.54 | 18.16 | 49.00 | 61.80 | 142.88 |
| 55.0 | 309.02 | 7.59 | 20.28 | 50.06 | 64.10 | 151.34 |
| 60.0 | 376.96 | 8.71 | 22.46 | 52.32 | 67.66 | 160.96 |
| 65.0 | 452.85 | 9.85 | 24.60 | 54.92 | 71.54 | 170.53 |
| 70.0 | 534.07 | 10.97 | 25.68 | 57.65 | 75.50 | 179.64 |
| 75.0 | 618.24 | 12.03 | 26.33 | 60.38 | 79.36 | 185.98 |
| 80.0 | 703.02 | 13.02 | 27.00 | 63.01 | 83.03 | 191.31 |
| 85.0 | 786.17 | 13.92 | 27.68 | 65.49 | 86.44 | 196.27 |
| 90.0 | 865.68 | 14.73 | 28.34 | 67.76 | 89.54 | 200.85 |
| 95.0 | 939.87 | 15.45 | 28.95 | 69.82 | 101.98 | 287.79 |
| 100.0 | 1007.45 | 16.07 | 29.60 | 81.06 | 137.81 | 422.96 |
| 105.0 | 1067.59 | 16.60 | 30.35 | 93.28 | 162.86 | 569.92 |
| 110.0 | 1119.86 | 17.05 | 31.07 | 130.24 | 185.81 | 590.75 |
| 115.0 | 1164.25 | 17.42 | 31.76 | 122.03 | 160.55 | 529.39 |
| 120.0 | 1201.05 | 17.72 | 32.44 | 107.13 | 146.00 | 513.05 |
| 125.0 | 1230.81 | 17.96 | 33.14 | 110.65 | 149.78 | 413.74 |
| 130.0 | 1254.21 | 18.14 | 34.24 | 114.44 | 153.76 | 490.84 |
| 135.0 | 1272.01 | 18.28 | 36.09 | 119.39 | 189.23 | 611.14 |
| 140.0 | 1284.92 | 18.38 | 41.01 | 125.71 | 165.27 | 582.00 |
| 145.0 | 1293.60 | 18.45 | 40.92 | 125.81 | 165.44 | 554.86 |
| 150.0 | 1298.52 | 18.49 | 40.62 | 125.61 | 196.26 | 618.44 |
| 155.0 | 1299.99 | 18.50 | 40.09 | 125.11 | 202.13 | 624.31 |
| 160.0 | 1298.11 | 18.48 | 39.80 | 124.30 | 177.98 | 600.15 |
| 165.0 | 1292.76 | 18.44 | 39.73 | 123.59 | 197.98 | 620.12 |
| 170.0 | 1283.61 | 18.37 | 39.60 | 122.76 | 227.68 | 649.77 |
| 175.0 | 1270.14 | 18.27 | 39.43 | 121.74 | 222.93 | 644.81 |

Ground Conductivity : FCC-3

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20160920ADJ
RADIO LICENSE HOLDING CBC, LLC
WIBR AM RADIO STATION
1300 kHz - .011/0.3 kW - NDU
BATON ROUGE, LOUISIANA
December 2016

EXHIBIT #2E (continued)

Licensed Allocation Contour Tabulation

North Latitude: 30° 28' 25"
West Longitude: 91° 13' 34"

| Azimuth | Radiation (mV/m at one km) | Distances to Contours in Kilometers : | | | | |
|---------|----------------------------------|---------------------------------------|-------|--------|--------|--------|
| | | Contour levels in mV/m. | | | | |
| | | 25.000 | 5.000 | .500 | .250 | .025 |
| 180.0 | 1251.72 | 18.12 | 39.18 | 130.33 | 251.89 | 673.47 |
| 185.0 | 1227.59 | 17.93 | 38.85 | 145.34 | 266.70 | 688.01 |
| 190.0 | 1197.02 | 17.69 | 38.42 | 150.81 | 271.82 | 692.88 |
| 195.0 | 1159.33 | 17.38 | 37.89 | 134.78 | 255.62 | 676.32 |
| 200.0 | 1114.01 | 17.00 | 37.24 | 149.35 | 270.01 | 690.25 |
| 205.0 | 1060.78 | 16.54 | 36.45 | 166.10 | 286.53 | 706.17 |
| 210.0 | 999.72 | 16.00 | 35.51 | 140.79 | 260.90 | 679.77 |
| 215.0 | 931.30 | 15.37 | 34.42 | 103.23 | 216.15 | 634.32 |
| 220.0 | 856.40 | 14.64 | 33.15 | 107.29 | 209.42 | 627.27 |
| 225.0 | 776.35 | 13.81 | 31.72 | 92.02 | 136.23 | 531.77 |
| 230.0 | 692.89 | 12.90 | 30.11 | 85.11 | 118.17 | 467.20 |
| 235.0 | 608.06 | 11.91 | 28.33 | 77.27 | 108.97 | 422.81 |
| 240.0 | 524.12 | 10.84 | 26.41 | 71.19 | 98.15 | 373.57 |
| 245.0 | 443.41 | 9.72 | 24.35 | 66.46 | 88.31 | 310.69 |
| 250.0 | 368.35 | 8.58 | 22.20 | 61.57 | 81.86 | 223.69 |
| 255.0 | 301.51 | 7.46 | 20.02 | 56.69 | 75.41 | 201.79 |
| 260.0 | 245.09 | 6.42 | 17.92 | 52.03 | 69.26 | 172.92 |
| 265.0 | 200.92 | 5.53 | 16.04 | 47.89 | 63.82 | 170.89 |
| 270.0 | 170.10 | 4.86 | 14.58 | 44.65 | 59.59 | 164.16 |
| 275.0 | 152.28 | 4.46 | 13.66 | 42.61 | 56.93 | 155.91 |
| 280.0 | 145.17 | 4.29 | 13.27 | 41.75 | 55.81 | 150.67 |
| 285.0 | 145.37 | 4.30 | 13.28 | 41.77 | 55.85 | 147.89 |
| 290.0 | 149.83 | 4.40 | 13.52 | 42.32 | 56.55 | 146.39 |
| 295.0 | 156.59 | 4.56 | 13.88 | 43.11 | 57.59 | 146.28 |
| 300.0 | 164.60 | 4.74 | 14.30 | 44.03 | 58.79 | 148.13 |
| 305.0 | 173.23 | 4.93 | 14.73 | 45.00 | 60.04 | 150.98 |
| 310.0 | 181.97 | 5.13 | 15.16 | 45.94 | 61.27 | 153.59 |
| 315.0 | 190.24 | 5.31 | 15.56 | 46.81 | 62.40 | 152.67 |
| 320.0 | 197.45 | 5.46 | 15.89 | 47.54 | 63.36 | 154.32 |
| 325.0 | 203.03 | 5.58 | 16.14 | 48.10 | 64.09 | 157.46 |
| 330.0 | 206.51 | 5.65 | 16.29 | 48.44 | 64.55 | 161.06 |
| 335.0 | 207.61 | 5.67 | 16.34 | 48.55 | 64.69 | 161.37 |
| 340.0 | 206.22 | 5.64 | 16.28 | 48.42 | 64.51 | 160.97 |
| 345.0 | 202.46 | 5.56 | 16.11 | 48.04 | 64.02 | 159.90 |
| 350.0 | 196.66 | 5.44 | 15.85 | 47.46 | 63.26 | 158.22 |
| 355.0 | 189.29 | 5.29 | 15.51 | 46.71 | 62.27 | 156.04 |

Ground Conductivity : FCC M-3

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20160920ADJ
RADIO LICENSE HOLDING CBC, LLC
WIBR AM RADIO STATION
1300 kHz - .011/0.3 kW - NDU
BATON ROUGE, LOUISIANA
December 2016

EXHIBIT #2F

KLLS - Lumberton, Texas - 1300 kHz - 2.0 kW - DA

North Latitude: 30° 13' 56"
West Longitude: 94° 12' 41"

| Azimuth | Radiation (mV/m at one km) | Dist to Contours - km: | |
|---------|----------------------------------|-------------------------|--------|
| | | Contour levels in mV/m. | |
| | | .500 | .025 |
| 50.0 | 191.56 | 46.94 | 162.38 |
| 55.0 | 187.60 | 46.53 | 161.67 |
| 60.0 | 188.66 | 46.64 | 162.55 |
| 65.0 | 191.67 | 46.95 | 163.71 |
| 70.0 | 194.01 | 47.19 | 164.29 |
| 75.0 | 194.50 | 47.24 | 164.04 |
| 80.0 | 193.92 | 47.18 | 163.07 |
| 85.0 | 195.25 | 47.32 | 162.42 |
| 90.0 | 203.25 | 48.12 | 160.34 |
| 95.0 | 222.66 | 49.99 | 182.69 |
| 100.0 | 255.67 | 52.95 | 212.22 |
| 105.0 | 301.22 | 56.67 | 273.53 |
| 110.0 | 356.24 | 60.73 | 332.82 |
| 115.0 | 417.19 | 78.23 | 467.29 |
| 120.0 | 480.84 | 137.04 | 662.13 |

Ground Conductivity : FCC M-3

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20160920ADJ
RADIO LICENSE HOLDING CBC, LLC
WIBR AM RADIO STATION
1300 kHz - .011/0.3 kW - NDU
BATON ROUGE, LOUISIANA
December 2016

EXHIBIT #2G

WOAD - Jackson, Mississippi - 1300 kHz
5.0 kW - ND - License

North Latitude: 32° 23' 12"
West Longitude: 90° 09' 47"

| Azimuth | Radiation (mV/m at one km) | Dist to Contours - km: | | Azimuth | Radiation (mV/m at one km) | Dist to Contours - km: | |
|---------|----------------------------------|------------------------|--------|---------|----------------------------------|------------------------|--------|
| | | .500 | .025 | | | .500 | .025 |
| 150.0 | 784.50 | 60.79 | 192.36 | 200.0 | 784.50 | 83.99 | 241.34 |
| 155.0 | 784.50 | 60.83 | 194.32 | 205.0 | 784.50 | 83.99 | 250.26 |
| 160.0 | 784.50 | 60.89 | 196.40 | 210.0 | 784.50 | 83.99 | 250.26 |
| 165.0 | 784.50 | 60.97 | 198.04 | 215.0 | 784.50 | 83.99 | 250.26 |
| 170.0 | 784.50 | 61.07 | 198.15 | 220.0 | 784.50 | 83.99 | 250.26 |
| 175.0 | 784.50 | 61.21 | 198.29 | 225.0 | 784.50 | 83.99 | 250.26 |
| 180.0 | 784.50 | 61.38 | 198.46 | 230.0 | 784.50 | 83.99 | 250.26 |
| 185.0 | 784.50 | 61.61 | 198.69 | 235.0 | 784.50 | 83.99 | 250.26 |
| 190.0 | 784.50 | 62.03 | 199.11 | 240.0 | 784.50 | 83.99 | 249.63 |
| 195.0 | 784.50 | 78.80 | 225.95 | 245.0 | 784.50 | 83.99 | 244.28 |
| | | | | 250.0 | 784.50 | 83.99 | 243.48 |

Ground Conductivity : FCC M-3

3.6 kW - ND - C.P.

North Latitude: 32° 23' 12"
West Longitude: 90° 09' 47"

| Azimuth | Radiation (mV/m at one km) | Dist to Contours - km: | | Azimuth | Radiation (mV/m at one km) | Dist to Contours - km: | |
|---------|----------------------------------|------------------------|--------|---------|----------------------------------|------------------------|--------|
| | | .500 | .025 | | | .500 | .025 |
| 150.0 | 777.16 | 60.55 | 191.83 | 200.0 | 777.16 | 83.67 | 240.73 |
| 155.0 | 777.16 | 60.58 | 193.78 | 205.0 | 777.16 | 83.67 | 249.56 |
| 160.0 | 777.16 | 60.64 | 195.87 | 210.0 | 777.16 | 83.67 | 249.56 |
| 165.0 | 777.16 | 60.72 | 197.43 | 215.0 | 777.16 | 83.67 | 249.56 |
| 170.0 | 777.16 | 60.83 | 197.54 | 220.0 | 777.16 | 83.67 | 249.56 |
| 175.0 | 777.16 | 60.96 | 197.68 | 225.0 | 777.16 | 83.67 | 249.56 |
| 180.0 | 777.16 | 61.14 | 197.85 | 230.0 | 777.16 | 83.67 | 249.56 |
| 185.0 | 777.16 | 61.37 | 198.08 | 235.0 | 777.16 | 83.67 | 249.56 |
| 190.0 | 777.16 | 61.79 | 198.50 | 240.0 | 777.16 | 83.67 | 248.93 |
| 195.0 | 777.16 | 78.47 | 225.34 | 245.0 | 777.16 | 83.67 | 243.67 |
| | | | | 250.0 | 777.16 | 83.67 | 242.87 |

Ground Conductivity : FCC M-3