

## **EXHIBIT 12**

### **Page #1, Waiver Request of Section 74.1204**


Desert Hot Springs, CA K288DR 10 Watts ERP

Calvary Chapel of Twin Falls, Inc. 6/04

The proposed site is contained entirely inside the service contour of second adjacent station KDES, Palm Springs, CA


### **KDES**

The proposed site is contained entirely inside the service contour of second adjacent Station KDES & its Aux, Channel 284, Class B, 41&2 kW, Palm Springs, CA. As shown by the map on **page #2** of this waiver request, the level of the second adjacent station KDES & its Aux least arriving protected F(50,50) signal at the proposed transmitter site is in excess of 100-dBu. Using the Undesired-to-Desired method for calculating proposed interference (the basis of the FCC current contour overlap regulations and an acceptable method for the purposes of determining lack of interference for an FM Translator), the proposed interfering contour with respect to KDES least contour is 140-dBu (free-space contour method employed). This means that the 140-dBu interfering signal would, in the worst case at the maximum radial, extend 2 meters from the center of radiation, which is existing at 10 meters AGL. This previously authorized interference area does not touch the ground. The coax on this tower will not be changed, just the channel/frequency. This tower site is located on Edom Hill, an established communications site, in an unpopulated area. Since there is no population within the 140-dBu interference contour, Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to third adjacent channel station KDES.




1:250,000

Scale in km



Prop 286D .01kW 467M AMSL  
N. Lat. 33 51 56 W. Lng. 116 26 04

Desert Hot Springs  
CCTF - 06/04



1:1,996,094

Scale in km



0 20 40 60 80

Prop 286D .01kW 467M AMSL

N. Lat. 33 51 56 W. Lng. 116 26 04

Desert Hot Springs, CA

CCTF - 06/04