

# Exhibit 18.1

## Tabulation of NCE-FM (Reserved Band) Portion of Allocation

West Central Michigan Media Ministries											
REFERENCE	CH# 220C3- 91.9 MHz, Pwr= 2.65 kW, HAAT= 286.2 M, COR= 634 M								DISPLAY DATES		
44 16 33.0 N.	Average Protected F(50-50)= 38.0 km								DATA 06-13-12		
85 42 48.0 W.	73.215 Omni-directional								SEARCH 06-15-12		
<hr/>											
CH	CALL	TYPE	ANT	AZI.	DIST	LAT.	Pwr(kW)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG.	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
<hr/>											
<u>220C3 WGPC</u>	<u>CP NCX</u>		<u>0.0</u>	<u>0.00</u>		<u>44 16 33.0</u>	<u>2.100</u>	<u>97.0</u>	<u>37.4</u>	<u>-134.8*</u>	<u>-135.1*</u>
<u>Cadillac</u>	<u>MI</u>		<u>0.0</u>	<u>BPED20110726AJI</u>		<u>85 42 48.0</u>	<u>311</u>	<u>659</u>	<u>West Central Michigan Medi</u>		
<u>10/14/2011: Accepted on channel 220-B1 (44-16-33 N, 85-42-48 W) by Industry Canada in 9/29/2011 letter.</u>											
<u>Note: not short-spaced.</u>											
<hr/>											
<u>220A WGPC</u>	<u>LIC ZCX</u>		<u>86.5</u>	<u>17.89</u>		<u>44 17 08.0</u>	<u>2.100</u>	<u>46.3</u>	<u>12.1</u>	<u>-61.2*</u>	<u>-83.9</u>
<u>Cadillac</u>	<u>MI</u>		<u>266.6</u>	<u>BLED20091201ASN</u>		<u>85 29 20.0</u>	<u>44</u>	<u>449</u>	<u>West Central Michigan Medi</u>		
<hr/>											
<del>220A 1240400</del>	<del>APP ZCX</del>		<del>213.8</del>	<del>78.43</del>		<del>43 41 17.0</del>	<del>0.060</del>	<del>35.0</del>	<del>10.4</del>	<del>2.8</del>	<del>35.0*</del>
<del>Weare</del>	<del>MI</del>		<del>33.4</del>	<del>BNPED20071022AQG</del>		<del>86 15 20.0</del>	<del>161</del>	<del>400</del>	<del>Larlen Communications, Inc</del>		
<del>Application for review filed 7/25/11</del>											
<hr/>											
220C2 WHDI	CP CX		315.0	152.58		45 14 19.0	13.000	107.5	40.3	3.8	7.8
Sister Bay	WI		134.1	BPED20100407AAI		87 05 27.0	145	328	State Of Wisconsin - Educa		
7/12/2010: Accepted on channel 220-B by Industry Canada in 6/28/2010 letter. Note: not short-spaced.											
<hr/>											
219C0 WCML-FM	LIC CX		51.4	155.60		45 08 17.3	92.000	111.1	75.6	10.4	28.8
Alpena	MI		232.5	BLED20101006AAG		84 09 43.6	364	641	Central Michigan Universit		
<hr/>											
218C3 WICA	LIC DC		3.0	53.46		44 45 22.0	4.000	3.1	34.9	12.9	15.6
Traverse City	MI		183.0	BLED20001114AAH		85 40 42.0	228	466	Interlochen Center For The		
<hr/>											
220C3 WHDI	LIC C		315.0	152.58		45 14 19.0	3.400	85.6	29.6	25.7	18.5
Sister Bay	WI		134.1	BLED19990924ABI		87 05 27.0	145	328	State Of Wisconsin - Educa		
<hr/>											
220A WDPW	LIC ZVX		166.3	136.00		43 05 12.0	4.000	69.7	19.6	28.9	19.4
Greenville	MI		346.6	BLED20080818ABB		85 18 59.0	63	320	Larlen Communications Inc.		
From BNPED-19991115AAD: 7/6/2005: Accepted on Ch 220A by Canada in 6/22/05 letter, not short-spaced.											
<hr/>											
220A WSMO	CP ZEX		100.8	134.92		44 02 11.0	3.800	76.3	23.8	24.7	19.8
Mount Forest	MI		282.0	BNPED20071019AIK		84 03 18.0	100	324	Smile Fm		
10/31/2008: Accepted on channel 220A by Industry Canada in 10/16/2008 letter. Note: not specially negot											
iated.											
<hr/>											
219A WMCQ	LIC DCX		188.5	108.53		43 18 37.0	6.000	43.4	28.1	26.8	23.2
Muskegon	MI		8.4	BLED20050401AOE		85 54 44.0	100	329	American Family Associatio		

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference Zone= - Zone 2, Co to 3rd adj.  
 All separation margins (if shown) include rounding  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 \*\*\*affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap

Blue Underlined Text indicates the facility to be modified by this Form 340 filing.  
This facility need not be protected.

Red Crossed-out Text denotes CH220A Application BNPED-20071022AQG (Facility ID No. 175718). This application has been dismissed as of 02/25/2008. In addition, a subsequent Amendment to BNPED-20071022AQG was also denied as of 06/23/2011. This amendment therefore need not be protected.

**Yellow Highlighted Text indicates supplemental \$73.509 contour protection studies as included in Exhibit(s) 18.2.**

# Exhibit 18.2 - Supplemental §73.509 Contour Protection Studies Toward WHDI.C - Sister Bay, WI

West Central Michigan Media Ministries

FMCommander Single Allocation Study - 06-15-2012 - NED 03 SEC

WGCP.P's Overlaps (In= 3.84 km, Out= 7.81 km)

WGCP.P CH 220 C3 73.215 N

Lat= 44 16 33.0, Lng= 85 42 48.0

2.65 kW 286.2 M HAAT, 634 M COR


Prot.= 60 dBu, Intef.= 40 dBu

WHDI.C CH 220 C2 BPED20100407AAI

Lat= 45 14 19.0, Lng= 87 05 27.0

13.0 kW 145 M HAAT, 328 M COR

Prot.= 60 dBu, Intef.= 40 dBu



# Exhibit 18.2 - Supplemental §73.509 Contour Protection Studies Toward WHDI.C - Sister Bay, WI

06-15-2012

Terrain Data: NED 03 SEC

FMOver Analysis

WGCP.P

WHDI.C BPED20100407AAI

Channel = 220C3  
Max ERP = 2.65 kW  
RCAMSL = 634 M  
N. Lat. 44 16 33.0  
W. Lng. 85 42 48.0  
Protected  
60 dBu

Channel = 220C2  
Max ERP = 13 kW  
RCAMSL = 328 M  
N. Lat. 45 14 19.0  
W. Lng. 87 05 27.0  
Interfering  
40 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
271.0	002.6500	0358.5	042.0	147.5	013.0000	0145.2	125.6	36.37	
272.0	002.6500	0356.6	041.9	147.3	013.0000	0145.2	125.1	36.47	
273.0	002.6500	0355.5	041.8	147.1	013.0000	0145.3	124.5	36.58	
274.0	002.6500	0354.8	041.8	146.9	013.0000	0145.4	123.9	36.69	
275.0	002.6500	0354.6	041.8	146.7	013.0000	0145.5	123.3	36.80	
276.0	002.6500	0354.6	041.8	146.5	013.0000	0145.6	122.8	36.91	
277.0	002.6500	0356.3	041.9	146.3	013.0000	0145.6	122.1	37.03	
278.0	002.6500	0355.9	041.8	146.0	013.0000	0145.7	121.6	37.13	
279.0	002.6500	0357.4	041.9	145.8	013.0000	0145.8	121.0	37.24	
280.0	002.6500	0355.6	041.8	145.6	013.0000	0145.9	120.5	37.33	
281.0	002.6500	0352.6	041.7	145.3	013.0000	0146.0	120.1	37.41	
282.0	002.6500	0352.8	041.7	145.0	013.0000	0146.1	119.6	37.51	
283.0	002.6500	0353.9	041.7	144.8	013.0000	0146.2	119.1	37.61	
284.0	002.6500	0353.1	041.7	144.5	013.0000	0146.3	118.6	37.70	
285.0	002.6500	0354.3	041.7	144.3	013.0000	0146.4	118.1	37.80	
286.0	002.6500	0353.1	041.7	144.0	013.0000	0146.5	117.7	37.88	
287.0	002.6500	0350.7	041.6	143.7	013.0000	0146.7	117.3	37.95	
288.0	002.6500	0349.8	041.5	143.4	013.0000	0146.7	116.9	38.03	
289.0	002.6500	0349.1	041.5	143.1	013.0000	0146.8	116.5	38.10	
290.0	002.6500	0348.8	041.5	142.8	013.0000	0146.9	116.2	38.18	
291.0	002.6500	0348.7	041.5	142.5	013.0000	0147.0	115.8	38.26	
292.0	002.6500	0347.0	041.4	142.1	013.0000	0147.1	115.5	38.32	
293.0	002.6500	0347.4	041.4	141.8	013.0000	0147.2	115.1	38.39	
294.0	002.6500	0346.8	041.4	141.5	013.0000	0147.3	114.8	38.46	
295.0	002.6500	0349.4	041.5	141.2	013.0000	0147.4	114.3	38.55	
296.0	002.6500	0347.5	041.4	140.9	013.0000	0147.5	114.1	38.60	
297.0	002.6500	0346.0	041.3	140.5	013.0000	0147.6	113.8	38.64	
298.0	002.6500	0343.9	041.2	140.2	013.0000	0147.7	113.7	38.68	
299.0	002.6500	0343.2	041.2	139.8	013.0000	0147.8	113.4	38.73	
300.0	002.6500	0347.2	041.4	139.5	013.0000	0147.9	113.0	38.82	
301.0	002.6500	0349.4	041.5	139.2	013.0000	0148.0	112.6	38.89	
302.0	002.6500	0350.8	041.6	138.9	013.0000	0148.1	112.3	38.95	
303.0	002.6500	0351.3	041.6	138.5	013.0000	0148.1	112.1	39.00	
304.0	002.6500	0352.7	041.7	138.2	013.0000	0148.2	111.8	39.06	
305.0	002.6500	0352.5	041.7	137.8	013.0000	0148.3	111.7	39.10	

# Exhibit 18.2 - Supplemental §73.509 Contour Protection Studies Toward WHDI.C - Sister Bay, WI

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
306.0	002.6500	0352.2	041.6	137.4	013.0000	0148.3	111.5	39.13
307.0	002.6500	0352.2	041.6	137.1	013.0000	0148.4	111.4	39.16
308.0	002.6500	0351.7	041.6	136.7	013.0000	0148.5	111.3	39.18
309.0	002.6500	0351.3	041.6	136.3	013.0000	0148.5	111.2	39.20
310.0	002.6500	0352.7	041.7	135.9	013.0000	0148.6	111.0	39.23
311.0	002.6500	0354.6	041.8	135.6	013.0000	0148.7	110.8	39.27
312.0	002.6500	0352.4	041.6	135.2	013.0000	0148.7	110.9	39.26
313.0	002.6500	0350.5	041.6	134.8	013.0000	0148.8	110.9	39.25
314.0	002.6500	0349.0	041.5	134.4	013.0000	0148.8	111.0	39.24
315.0	002.6500	0345.9	041.3	134.1	013.0000	0148.9	111.2	39.21
316.0	002.6500	0344.7	041.2	133.7	013.0000	0149.0	111.2	39.20
317.0	002.6500	0342.5	041.1	133.3	013.0000	0149.0	111.4	39.17
318.0	002.6500	0341.7	041.1	133.0	013.0000	0149.0	111.5	39.15
319.0	002.6500	0341.9	041.1	132.6	013.0000	0149.0	111.5	39.14
320.0	002.6500	0343.0	041.1	132.2	013.0000	0149.0	111.5	39.14
321.0	002.6500	0342.9	041.1	131.9	013.0000	0149.1	111.7	39.12
322.0	002.6500	0343.3	041.2	131.5	013.0000	0149.1	111.7	39.10
323.0	002.6500	0340.8	041.0	131.2	013.0000	0149.2	112.0	39.05
324.0	002.6500	0338.7	040.9	130.8	013.0000	0149.3	112.3	39.01
325.0	002.6500	0340.5	041.0	130.4	013.0000	0149.3	112.3	38.99
326.0	002.6500	0340.1	041.0	130.1	013.0000	0149.4	112.5	38.96
327.0	002.6500	0339.4	041.0	129.7	013.0000	0149.4	112.8	38.91
328.0	002.6500	0339.9	041.0	129.4	013.0000	0149.4	112.9	38.88
329.0	002.6500	0339.5	041.0	129.0	013.0000	0149.5	113.2	38.83
330.0	002.6500	0339.5	041.0	128.7	013.0000	0149.6	113.4	38.79
331.0	002.6500	0337.8	040.9	128.4	013.0000	0149.7	113.8	38.72
332.0	002.6500	0338.1	040.9	128.1	013.0000	0149.8	114.0	38.67
333.0	002.6500	0340.9	041.0	127.7	013.0000	0149.8	114.2	38.65
334.0	002.6500	0338.0	040.9	127.4	013.0000	0149.9	114.6	38.56
335.0	002.6500	0334.2	040.7	127.1	013.0000	0149.9	115.1	38.47
336.0	002.6500	0333.8	040.6	126.8	013.0000	0150.0	115.5	38.40
337.0	002.6500	0332.9	040.6	126.5	013.0000	0150.0	115.9	38.33
338.0	002.6500	0331.4	040.5	126.2	013.0000	0150.1	116.3	38.25
339.0	002.6500	0330.0	040.4	126.0	013.0000	0150.1	116.7	38.17
340.0	002.6500	0329.0	040.4	125.7	013.0000	0150.2	117.2	38.09
341.0	002.6500	0327.7	040.3	125.4	013.0000	0150.2	117.6	38.00
342.0	002.6500	0324.4	040.1	125.2	013.0000	0150.3	118.2	37.90
343.0	002.6500	0322.7	040.0	125.0	013.0000	0150.3	118.7	37.81
344.0	002.6500	0319.2	039.8	124.7	013.0000	0150.3	119.3	37.70
345.0	002.6500	0316.2	039.7	124.5	013.0000	0150.3	119.8	37.59
346.0	002.6500	0316.2	039.7	124.3	013.0000	0150.4	120.3	37.51
347.0	002.6500	0317.4	039.7	124.0	013.0000	0150.4	120.7	37.44
348.0	002.6500	0318.3	039.8	123.8	013.0000	0150.4	121.1	37.35
349.0	002.6500	0317.3	039.7	123.5	013.0000	0150.5	121.6	37.26
350.0	002.6500	0311.0	039.4	123.4	013.0000	0150.5	122.4	37.12
351.0	002.6500	0308.2	039.2	123.3	013.0000	0150.5	123.0	37.01
352.0	002.6500	0306.9	039.2	123.1	013.0000	0150.5	123.5	36.90

# Exhibit 18.2 - Supplemental §73.509 Contour Protection Studies Toward WHDI.C - Sister Bay, WI

06-15-2012

Terrain Data: NED 03 SEC

FMOver Analysis

WHDI.C BPED20100407AAI

WGCP.P

Channel = 220C2

Max ERP = 13 kW

RCAMSL = 328 M

N. Lat. 45 14 19.0

W. Lng. 87 05 27.0

Protected

60 dBu

Channel = 220C3

Max ERP = 2.65 kW

RCAMSL = 634 M

N. Lat. 44 16 33.0

W. Lng. 85 42 48.0

Interfering

40 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
089.0	013.0000	0148.1	040.2	327.8	002.6500	0339.7	127.8	33.89	
090.0	013.0000	0148.4	040.2	327.6	002.6500	0339.6	127.2	34.03	
091.0	013.0000	0148.6	040.3	327.5	002.6500	0339.8	126.6	34.17	
092.0	013.0000	0148.7	040.3	327.3	002.6500	0339.9	126.0	34.31	
093.0	013.0000	0148.9	040.3	327.1	002.6500	0339.6	125.4	34.43	
094.0	013.0000	0148.9	040.3	326.9	002.6500	0339.2	124.8	34.55	
095.0	013.0000	0148.9	040.3	326.7	002.6500	0339.0	124.3	34.67	
096.0	013.0000	0149.1	040.3	326.5	002.6500	0339.3	123.7	34.81	
097.0	013.0000	0149.2	040.3	326.3	002.6500	0339.6	123.2	34.95	
098.0	013.0000	0149.5	040.4	326.1	002.6500	0340.0	122.6	35.09	
099.0	013.0000	0149.5	040.4	325.9	002.6500	0340.2	122.1	35.22	
100.0	013.0000	0149.6	040.4	325.6	002.6500	0340.4	121.6	35.35	
101.0	013.0000	0149.8	040.4	325.4	002.6500	0340.5	121.1	35.47	
102.0	013.0000	0150.0	040.4	325.2	002.6500	0340.5	120.6	35.59	
103.0	013.0000	0150.1	040.4	324.9	002.6500	0340.5	120.1	35.70	
104.0	013.0000	0150.3	040.5	324.7	002.6500	0340.2	119.6	35.81	
105.0	013.0000	0150.3	040.5	324.4	002.6500	0339.4	119.2	35.88	
106.0	013.0000	0150.4	040.5	324.2	002.6500	0338.7	118.7	35.96	
107.0	013.0000	0150.6	040.5	323.9	002.6500	0338.8	118.3	36.07	
108.0	013.0000	0150.8	040.5	323.6	002.6500	0339.3	117.9	36.20	
109.0	013.0000	0150.8	040.5	323.3	002.6500	0339.9	117.5	36.32	
110.0	013.0000	0150.9	040.5	323.0	002.6500	0340.6	117.1	36.44	
111.0	013.0000	0150.9	040.5	322.8	002.6500	0341.3	116.7	36.56	
112.0	013.0000	0151.1	040.6	322.5	002.6500	0342.3	116.3	36.70	
113.0	013.0000	0151.1	040.6	322.2	002.6500	0343.1	116.0	36.82	
114.0	013.0000	0151.1	040.6	321.8	002.6500	0343.3	115.6	36.91	
115.0	013.0000	0151.1	040.6	321.5	002.6500	0343.4	115.3	36.99	
116.0	013.0000	0150.9	040.5	321.2	002.6500	0343.3	115.0	37.06	
117.0	013.0000	0150.7	040.5	320.9	002.6500	0342.6	114.8	37.10	
118.0	013.0000	0150.7	040.5	320.6	002.6500	0342.4	114.5	37.16	
119.0	013.0000	0150.7	040.5	320.2	002.6500	0343.0	114.2	37.24	
120.0	013.0000	0150.7	040.5	319.9	002.6500	0343.0	114.0	37.31	
121.0	013.0000	0150.6	040.5	319.6	002.6500	0342.5	113.8	37.34	

# Exhibit 18.2 - Supplemental §73.509 Contour Protection Studies Toward WHDI.C - Sister Bay, WI

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
122.0	013.0000	0150.5	040.5	319.2	002.6500	0342.0	113.6	37.37
123.0	013.0000	0150.5	040.5	318.9	002.6500	0341.8	113.4	37.41
124.0	013.0000	0150.4	040.5	318.5	002.6500	0342.2	113.2	37.47
125.0	013.0000	0150.3	040.5	318.2	002.6500	0342.2	113.1	37.51
126.0	013.0000	0150.1	040.4	317.8	002.6500	0341.4	113.0	37.51
127.0	013.0000	0149.9	040.4	317.5	002.6500	0341.5	112.8	37.54
128.0	013.0000	0149.8	040.4	317.1	002.6500	0342.1	112.8	37.59
129.0	013.0000	0149.5	040.4	316.8	002.6500	0342.9	112.7	37.64
130.0	013.0000	0149.4	040.3	316.4	002.6500	0343.6	112.6	37.69
131.0	013.0000	0149.2	040.3	316.0	002.6500	0344.5	112.6	37.74
132.0	013.0000	0149.0	040.3	315.7	002.6500	0345.3	112.6	37.78
133.0	013.0000	0149.0	040.3	315.3	002.6500	0345.7	112.5	37.80
134.0	013.0000	0148.9	040.3	315.0	002.6500	0345.9	112.5	37.81
135.0	013.0000	0148.8	040.3	314.6	002.6500	0346.7	112.5	37.84
136.0	013.0000	0148.6	040.2	314.3	002.6500	0348.3	112.6	37.90
137.0	013.0000	0148.4	040.2	313.9	002.6500	0349.2	112.6	37.92
138.0	013.0000	0148.2	040.2	313.6	002.6500	0349.7	112.7	37.93
139.0	013.0000	0148.0	040.2	313.2	002.6500	0350.1	112.8	37.92
140.0	013.0000	0147.8	040.1	312.9	002.6500	0351.0	112.9	37.93
141.0	013.0000	0147.5	040.1	312.5	002.6500	0352.0	113.1	37.94
142.0	013.0000	0147.1	040.1	312.2	002.6500	0352.4	113.2	37.91
143.0	013.0000	0146.9	040.0	311.8	002.6500	0352.6	113.4	37.88
144.0	013.0000	0146.5	040.0	311.5	002.6500	0353.0	113.6	37.84
145.0	013.0000	0146.1	039.9	311.1	002.6500	0354.0	113.8	37.83
146.0	013.0000	0145.8	039.9	310.8	002.6500	0354.9	114.0	37.82
147.0	013.0000	0145.3	039.8	310.5	002.6500	0354.4	114.3	37.73
148.0	013.0000	0145.1	039.8	310.2	002.6500	0353.2	114.5	37.62
149.0	013.0000	0145.0	039.8	309.8	002.6500	0352.4	114.7	37.53
150.0	013.0000	0145.2	039.8	309.5	002.6500	0351.7	115.0	37.44
151.0	013.0000	0145.3	039.8	309.2	002.6500	0351.3	115.2	37.36
152.0	013.0000	0145.2	039.8	308.9	002.6500	0351.3	115.5	37.29
153.0	013.0000	0145.2	039.8	308.6	002.6500	0351.2	115.8	37.22
154.0	013.0000	0145.2	039.8	308.3	002.6500	0351.4	116.1	37.15
155.0	013.0000	0145.0	039.8	308.0	002.6500	0351.7	116.4	37.08
156.0	013.0000	0144.6	039.8	307.7	002.6500	0351.9	116.8	36.99
157.0	013.0000	0144.0	039.7	307.4	002.6500	0352.1	117.2	36.90
158.0	013.0000	0143.1	039.6	307.1	002.6500	0352.3	117.6	36.79
159.0	013.0000	0142.5	039.5	306.9	002.6500	0352.1	118.0	36.68
160.0	013.0000	0142.3	039.5	306.6	002.6500	0352.4	118.5	36.59
161.0	013.0000	0142.0	039.4	306.3	002.6500	0352.6	118.9	36.50
162.0	013.0000	0142.0	039.4	306.1	002.6500	0352.2	119.3	36.39
163.0	013.0000	0142.3	039.5	305.8	002.6500	0352.1	119.7	36.29
164.0	013.0000	0143.1	039.6	305.5	002.6500	0352.1	120.0	36.20
165.0	013.0000	0144.3	039.7	305.2	002.6500	0352.2	120.3	36.12
166.0	013.0000	0145.3	039.8	304.9	002.6500	0352.6	120.7	36.05
167.0	013.0000	0145.9	039.9	304.7	002.6500	0352.9	121.1	35.96
168.0	013.0000	0146.0	039.9	304.4	002.6500	0353.0	121.6	35.85
169.0	013.0000	0145.7	039.9	304.2	002.6500	0352.9	122.1	35.72