

MINOR CHANGE APPLICATION
PROVIDENT BROADCASTING COMPANY, INC.
WVFJ-FM RADIO STATION
CH 227C0 - 93.3 MHZ - 100.0 KW
MANCHESTER, GEORGIA
October 2005

EXHIBIT A

The proposed WVFJ-FM antenna location will be shortspaced to one authorized FM facility: WGMZ, Channel 226A, Glencoe, Alabama. The detailed spacing information is shown on Exhibit A1. PBC proposes to use the provisions of §73.215 of the Commission's rules to address this shortspaced situation.

Exhibit A2 specifically demonstrates that there will be no prohibited overlap between the proposed WVFJ-FM and WGMZ. The contours of WGMZ are based on the station's licensed facilities, as WGMZ was authorized pursuant to §73.215 of the rules. Attached as Exhibits A3 and A4 are the tabulated distances to the protected and interfering contours, along the pertinent arcs, of the proposed WVFJ-FM and WGMZ. Further, attached as Exhibit A5 are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.

MINOR CHANGE APPLICATION
PROVIDENT BROADCASTING COMPANY, INC.
WVFJ-FM RADIO STATION
CH 227C0 - 93.3 MHZ - 100.0 KW
MANCHESTER, GEORGIA
October 2005

EXHIBIT A1

Clearance study for WVFJ-FM Manchester, Georgia
Using proposed site as reference

REFERENCE	CLASS = C0	DISPLAY DATES
32 59 44 N.	Current	DATA 10-05-05
84 42 23 W.	Spacings	SEARCH 10-05-05
----- Channel 227 - 93.3 MHz -----		

Call	Channel Lat.	Location Lng. Ant	Power	Azi	Dist HAAT	FCC	Margin
WVFJFM	LIC 227C1	Manchester	GA	329.7	11.64	259.0	-247.36
	33 05 10	84 46 10 CX	27.000 kW		491 M		
	Provident Broadcasting Comp.		BMLH-20030220AAJ				
WZGC	LIC 225C1	Atlanta	GA	19.1	89.73	94.0	-4.27
	33 45 34	84 23 19 CY	100.000 kW		277 M		
	Infinity Broadcasting Corp.		BLH-19801021AB				
	> operating from CP site under program test, license to cover filed.						
* WGMZ	LIC-N 226A	Glencoe	AL	315.2	151.09	152.0	-0.91
	33 57 16	85 51 40 NCN	1.650 kW		189 M		
	Capstar TX Limited Partnership		BLH-19931027KA				
AL227	VAC 227A	Wadley	GA	93.2	215.79	215.0	0.79
	32 52 00	82 24 15	6.000 kW		100 M		
	Data + Corp.		RM-10195				
RADD	ADD 228C3	Morgan	GA	174.8	165.03	163.0	2.03
	31 30 48	84 32 52	25.000 kW		100 M		
	Clyde Scott, Jr.						
WZGC.C	CP -N 225C1	Atlanta	GA	20.6	96.27	94.0	2.27
	33 48 26	84 20 22 NCY	66.000 kW		340 M		
	Infinity Broadcasting Corp.		BPH-20050321APU				
AL226	VAC 226A	Coosada	AL	250.0	157.87	152.0	5.87
	32 30 02	86 17 09	6.000 kW		100 M		
	Tempest Communications, Inc.		RM-11170				
WALRFM	LIC-N 281C0	La Grange	GA	345.6	47.69	41.0	6.69
	33 24 43	84 50 03 NCX	100.000 kW		371 M		
	CXR Holdings, L.L.C.		BLH-20040722ADN				
AL226	VAC 226A	Pineview	GA	133.0	159.21	152.0	7.21
	32 00 44	83 28 19	6.000 kW		100 M		
	Data+corp		RM-10347				
RADD	ADD 228A	Morgan	GA	176.4	161.99	152.0	9.99
	31 32 15	84 35 58	6.000 kW		100 M		
	Donald F And Jerry E. White						
RADD	ADD 281C1	Greenville	GA	345.6	47.69	37.0	10.69
	33 24 43	84 50 03	100.000 kW		299 M		
	Cox Radio, Inc. and Davis						

* Note: This shortage is addressed under \$73.215, see Exhibit A.

Graham Brock, Inc. - Broadcast Technical Consultants

WVFJ-FM Proposed
Latitude: 32-59-44 N
Longitude: 084-42-23 W
ERP: 100.00 kW
Channel: 227C0
Frequency: 93.3 MHz
AMSL Height: 703.29 m

WGMZ
BLH-19931027KA
Latitude: 33-57-16 N
Longitude: 085-51-40 W
ERP: 1.65 kW
Channel: 226A
Frequency: 93.1 MHz
AMSL Height: 382.0 m

WGMZ 60 dBu (50/50)

WGMZ 54 dBu (50/10)

WVFJ-FM 54 dBu (50/10)

WVFJ-FM 60 dBu (50/50)

EXHIBIT A2
MINOR CHANGE APPLICATION
PROVIDENT BROADCASTING CO., INC.
WVFJ-FM RADIO STATION
CH 227C0 - 93.3 MHz - 100.0 KW
MANCHESTER, GEORGIA
October 2005

Scale 1:1,750,000
0 20 40 60 km

MINOR CHANGE APPLICATION
PROVIDENT BROADCASTING COMPANY, INC.
WVFJ-FM RADIO STATION
CH 227C0 - 93.3 MHZ - 100.0 KW
MANCHESTER, GEORGIA
October 2005

EXHIBIT A3

WVFJ-FM - Proposed
Channel = 227C0
Max ERP = 100 kW
RCAMSL = 703.29 M
N. Lat = 32 59 44
W. Lng = 84 42 23

WGMZ - BLH-19931027KA
Channel = 226A
Max ERP = 1.65 kW
RCAMSL = 382 M
N. Lat = 33 57 16
W. Lng = 85 51 40

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
295.0	100.0000	0436.4	082.4	155.6	001.6500	0175.5	078.5	40.2
296.0	100.0000	0437.1	082.5	154.8	001.6500	0176.1	077.6	40.5
297.0	100.0000	0437.5	082.5	154.0	001.6500	0175.8	076.6	40.8
298.0	100.0000	0437.8	082.5	153.1	001.6500	0174.4	075.8	41.0
299.0	100.0000	0438.3	082.6	152.3	001.6500	0172.7	074.9	41.2
300.0	100.0000	0438.8	082.6	151.3	001.6500	0171.6	074.1	41.4
301.0	100.0000	0438.8	082.6	150.4	001.6500	0171.2	073.4	41.7
302.0	100.0000	0438.1	082.6	149.4	001.6500	0170.8	072.8	41.8
303.0	100.0000	0436.6	082.5	148.3	001.6500	0170.1	072.2	42.0
304.0	100.0000	0434.5	082.3	147.2	001.6500	0169.1	071.8	42.1
305.0	100.0000	0432.3	082.1	146.1	001.6500	0167.9	071.4	42.2
306.0	100.0000	0430.7	082.0	145.0	001.6500	0166.2	071.0	42.2
307.0	100.0000	0429.8	082.0	143.9	001.6500	0164.3	070.6	42.3
308.0	100.0000	0429.7	082.0	142.8	001.6500	0162.4	070.2	42.3
309.0	100.0000	0429.8	082.0	141.6	001.6500	0160.7	069.9	42.3
310.0	100.0000	0429.7	082.0	140.5	001.6500	0159.4	069.6	42.4
311.0	100.0000	0429.3	081.9	139.3	001.6500	0159.9	069.4	42.4
312.0	100.0000	0428.5	081.9	138.1	001.6500	0160.2	069.2	42.5
313.0	100.0000	0428.0	081.8	137.0	001.6500	0160.1	069.1	42.5
314.0	100.0000	0428.2	081.8	135.8	001.6500	0159.8	069.1	42.5
315.0	100.0000	0429.0	081.9	134.6	001.6500	0159.6	069.0	42.6
316.0	100.0000	0430.0	082.0	133.4	001.6500	0158.9	068.9	42.5
317.0	100.0000	0430.8	082.0	132.2	001.6500	0158.3	069.0	42.5
318.0	100.0000	0431.2	082.1	131.0	001.6500	0158.0	069.1	42.4
319.0	100.0000	0431.3	082.1	129.9	001.6500	0158.2	069.3	42.4
320.0	100.0000	0431.0	082.0	128.7	001.6500	0158.9	069.5	42.3
321.0	100.0000	0430.5	082.0	127.6	001.6500	0160.1	069.9	42.3
322.0	100.0000	0429.9	082.0	126.4	001.6500	0163.2	070.3	42.3
323.0	100.0000	0429.6	081.9	125.3	001.6500	0164.1	070.7	42.2
324.0	100.0000	0429.8	082.0	124.2	001.6500	0164.3	071.1	42.1
325.0	100.0000	0430.3	082.0	123.1	001.6500	0164.0	071.6	41.9
326.0	100.0000	0430.8	082.0	122.1	001.6500	0163.8	072.1	41.7
327.0	100.0000	0430.8	082.0	121.0	001.6500	0163.8	072.7	41.5
328.0	100.0000	0430.6	082.0	120.0	001.6500	0164.1	073.4	41.3
329.0	100.0000	0430.4	082.0	119.1	001.6500	0164.1	074.1	41.1
330.0	100.0000	0430.4	082.0	118.1	001.6500	0163.8	074.8	40.9
331.0	100.0000	0430.9	082.0	117.2	001.6500	0162.9	075.5	40.6
332.0	100.0000	0431.7	082.1	116.2	001.6500	0161.4	076.3	40.3
333.0	100.0000	0432.9	082.2	115.3	001.6500	0159.9	077.1	40.0
334.0	100.0000	0434.5	082.3	114.5	001.6500	0158.8	077.9	39.7
335.0	100.0000	0436.7	082.5	113.6	001.6500	0158.8	078.7	39.4

MINOR CHANGE APPLICATION
PROVIDENT BROADCASTING COMPANY, INC.
WVFJ-FM RADIO STATION
CH 227C0 - 93.3 MHZ - 100.0 KW
MANCHESTER, GEORGIA
October 2005

EXHIBIT A4

WGMZ - BLH-19931027KA
Channel = 226A
Max ERP = 1.65 kW
RCAMSL = 382 M
N. Lat = 33 57 16
W. Lng = 85 51 40

WVFJ-FM - Proposed
Channel = 227C0
Max ERP = 100 kW
RCAMSL = 703.29 M
N. Lat = 32 59 44
W. Lng = 84 42 23

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
115.0	001.6500	0159.9	026.0	319.1	100.0000	0431.3	127.0	52.7
116.0	001.6500	0161.4	026.1	318.9	100.0000	0431.3	126.7	52.8
117.0	001.6500	0162.9	026.2	318.7	100.0000	0431.3	126.4	52.8
118.0	001.6500	0163.8	026.3	318.5	100.0000	0431.3	126.2	52.9
119.0	001.6500	0164.1	026.3	318.3	100.0000	0431.2	126.0	52.9
120.0	001.6500	0164.1	026.3	318.1	100.0000	0431.2	125.9	53.0
121.0	001.6500	0163.8	026.3	317.9	100.0000	0431.2	125.8	53.0
122.0	001.6500	0163.8	026.3	317.7	100.0000	0431.2	125.6	53.0
123.0	001.6500	0164.0	026.3	317.5	100.0000	0431.2	125.5	53.1
124.0	001.6500	0164.3	026.3	317.3	100.0000	0430.8	125.4	53.1
125.0	001.6500	0164.1	026.3	317.1	100.0000	0430.8	125.3	53.1
126.0	001.6500	0163.2	026.3	316.9	100.0000	0430.8	125.3	53.1
127.0	001.6500	0161.7	026.1	316.7	100.0000	0430.8	125.3	53.1
128.0	001.6500	0160.1	026.0	316.5	100.0000	0430.0	125.3	53.1
129.0	001.6500	0158.9	025.9	316.3	100.0000	0430.0	125.4	53.1
130.0	001.6500	0158.2	025.9	316.1	100.0000	0430.0	125.4	53.1
131.0	001.6500	0158.0	025.9	315.9	100.0000	0430.0	125.4	53.1
132.0	001.6500	0158.3	025.9	315.7	100.0000	0430.0	125.3	53.1
133.0	001.6500	0158.9	025.9	315.5	100.0000	0429.0	125.2	53.1
134.0	001.6500	0159.4	026.0	315.3	100.0000	0429.0	125.2	53.1
135.0	001.6500	0159.6	026.0	315.0	100.0000	0429.0	125.2	53.1
136.0	001.6500	0159.8	026.0	314.8	100.0000	0429.0	125.2	53.1
137.0	001.6500	0160.1	026.0	314.6	100.0000	0429.0	125.2	53.1
138.0	001.6500	0160.2	026.0	314.4	100.0000	0428.2	125.2	53.1
139.0	001.6500	0159.9	026.0	314.2	100.0000	0428.2	125.3	53.1
140.0	001.6500	0159.4	026.0	314.0	100.0000	0428.2	125.3	53.0
141.0	001.6500	0159.7	026.0	313.8	100.0000	0428.2	125.4	53.0
142.0	001.6500	0160.7	026.1	313.6	100.0000	0428.2	125.4	53.0
143.0	001.6500	0162.4	026.2	313.4	100.0000	0428.0	125.3	53.0
144.0	001.6500	0164.3	026.3	313.2	100.0000	0428.0	125.3	53.0
145.0	001.6500	0166.2	026.5	312.9	100.0000	0428.0	125.2	53.1
146.0	001.6500	0167.9	026.6	312.7	100.0000	0428.0	125.2	53.1
147.0	001.6500	0169.1	026.7	312.5	100.0000	0428.0	125.3	53.0
148.0	001.6500	0170.1	026.7	312.3	100.0000	0428.5	125.3	53.0
149.0	001.6500	0170.8	026.8	312.1	100.0000	0428.5	125.4	53.0
150.0	001.6500	0171.2	026.8	311.9	100.0000	0428.5	125.5	53.0
151.0	001.6500	0171.6	026.9	311.7	100.0000	0428.5	125.6	53.0
152.0	001.6500	0172.7	026.9	311.5	100.0000	0429.3	125.7	53.0
153.0	001.6500	0174.4	027.0	311.2	100.0000	0429.3	125.8	52.9
154.0	001.6500	0175.8	027.1	311.0	100.0000	0429.3	125.9	52.9
155.0	001.6500	0176.1	027.2	310.8	100.0000	0429.3	126.1	52.9

MINOR CHANGE APPLICATION
PROVIDENT BROADCASTING COMPANY, INC.
WVFJ-FM RADIO STATION
CH 227C0 - 93.3 MHZ - 100.0 KW
MANCHESTER, GEORGIA
October 2005

EXHIBIT A5

Predicted contour:

N. Lat. = 32 59 44 - Tabulated Service Contour Data
W. Lng. = 84 42 23 - WVFJ-FM Radio Station - Manchester, Georgia

HAAT and Distance to Contour - FCC Method - 30 Arc Second terrain database
Azi. HAAT ERP kW dBk Field 60-F5 40-F1 54-F1 100-F1

000	457.6	100.0000	20.00	1.000	83.98	187.58	124.84	12.22
010	463.0	100.0000	20.00	1.000	84.36	187.99	125.45	12.27
020	469.9	100.0000	20.00	1.000	84.83	188.51	126.21	12.33
030	471.7	100.0000	20.00	1.000	84.95	188.65	126.42	12.35
040	474.4	100.0000	20.00	1.000	85.13	188.85	126.72	12.37
050	479.1	100.0000	20.00	1.000	85.43	189.20	127.24	12.41
060	488.9	100.0000	20.00	1.000	86.05	189.92	128.31	12.48
070	482.6	100.0000	20.00	1.000	85.65	189.46	127.62	12.43
080	470.1	100.0000	20.00	1.000	84.84	188.53	126.24	12.33
090	470.7	100.0000	20.00	1.000	84.89	188.58	126.31	12.34
100	465.8	100.0000	20.00	1.000	84.56	188.21	125.76	12.30
110	467.5	100.0000	20.00	1.000	84.67	188.33	125.95	12.31
120	447.8	100.0000	20.00	1.000	83.27	186.81	123.73	12.13
130	449.6	100.0000	20.00	1.000	83.40	186.95	123.93	12.14
140	448.4	100.0000	20.00	1.000	83.31	186.85	123.79	12.13
150	447.3	100.0000	20.00	1.000	83.24	186.77	123.68	12.12
160	448.6	100.0000	20.00	1.000	83.33	186.87	123.82	12.13
170	424.1	100.0000	20.00	1.000	81.54	184.85	121.06	11.86
180	414.8	100.0000	20.00	1.000	80.85	184.06	120.01	11.74
190	414.1	100.0000	20.00	1.000	80.80	184.00	119.93	11.73
200	432.7	100.0000	20.00	1.000	82.17	185.57	122.04	11.96
210	445.8	100.0000	20.00	1.000	83.13	186.65	123.51	12.10
220	450.6	100.0000	20.00	1.000	83.47	187.03	124.04	12.15
230	453.4	100.0000	20.00	1.000	83.67	187.25	124.36	12.18
240	452.1	100.0000	20.00	1.000	83.58	187.15	124.22	12.17
250	451.9	100.0000	20.00	1.000	83.57	187.14	124.20	12.17
260	455.0	100.0000	20.00	1.000	83.79	187.38	124.55	12.20
270	445.8	100.0000	20.00	1.000	83.13	186.65	123.51	12.10
280	443.1	100.0000	20.00	1.000	82.93	186.43	123.20	12.07
290	432.3	100.0000	20.00	1.000	82.14	185.54	121.99	11.95
300	438.8	100.0000	20.00	1.000	82.61	186.07	122.72	12.03
310	429.7	100.0000	20.00	1.000	81.95	185.33	121.70	11.92
320	431.0	100.0000	20.00	1.000	82.04	185.43	121.84	11.94
330	430.4	100.0000	20.00	1.000	82.01	185.38	121.78	11.93
340	444.8	100.0000	20.00	1.000	83.05	186.57	123.40	12.09
350	452.2	100.0000	20.00	1.000	83.59	187.16	124.23	12.17

AMSL= 703.29 M