

**GREG BEST
CONSULTING, INC.**

5541 Vantage Vista Drive
Colorado Springs, CO 80919
719-592-9781

April 13, 2009

Federal Communications Commission
Media Bureau
445 12th Street SW
Washington, DC 20554

Dear Sir,

This will serve as the exhibit for the RF Radiation Hazard calculation for this proposed facility.

The RF radiation near the ground (2 meters above ground) can be calculated using the OET-65 formula for broadcast television stations taking into account the following factors

S= power density in watts per square meter

P= total Effective Radiated Power from the antenna

F= field radiated on the axis to the ground level

R= distance to the ground level (actually 2 meters above ground)

Therefore, given the following data:

P= 0.65 kwatts

R=Radiation center above ground level – 2 meters)
= 1 meters

F= 0.1 for UHF antennas


The RF radiation near the ground level can be calculated with the following result:

0.198 mwatts/cm²

which is 59% of the general population exposure (GPE) limit of 0.335 mw/cm² and 11.8% of the Occupational & Controlled (O & C) exposure limit. This transmission facility is co-located with 7 other transmitting antennas radiating nearly the same amount of RF power. The total RF exposure from these antennas is predicted to be 360 % of the GPE limit and 72 % of the O & C limit. The facility is located within a fence with controlled access. The facility is located on government property within the Naval Air Warfare Station at China Lake. Appropriate signage is located on the premises on the entry fence and on the antenna mounting structure and personnel operating on the premises are appropriately cautioned regarding the hazards of RF radiation.

Should you have any questions regarding this information please contact me.

Sincerely,



President