



December 15, 2010

**EXHIBIT 7**  
**APPLICATION FOR LICENSE TO COVER CONSTRUCTION PERMIT**  
**WCPO-DT**  
**SCRIPPS MEDIA, INC.**

Scripps Media, Inc. (Scripps), licensee of WCPO-DT, in the instant application, is applying for a license to cover completion of construction under permit BPCDT-20100115ABY.

A recent survey of the tower determined that the overall height above ground level (AGL) of the basic tower structure is approximately 2m higher than had been previously determined; therefore, the radiation center of the omni-directional antenna is approximately 2m higher than specified in the construction permit and the current antenna structure registration (ASR#1013618)<sup>1/</sup>. Accordingly, WCPO is hereby notifying the Commission of the correct height (as-built) in the license application per Section 73.1690.

<b>WCPO Facility</b>	<b>Site Elevation (m)</b>	<b>RCAGL (m)</b>	<b>RCAMSL (m)</b>	<b>HAAT (m)</b>
BPCDT-20100115ABY	257.0	250.0	507.0	298.0
As-built	257.0	251.9	508.9	300.0

Because the slightly higher center of radiation would extend the predicted distance to the noise-limited contour, Scripps will lower the ERP of the facility from the authorized 910 kW to 880 kW to keep the noise-limited contour of the as-built facility inside that of the authorized facility. Table 1, attached hereto, presents a comparison of the distances to the noise-limited contour of the authorized facility vs. that of the as-built facility. As shown in the table, the

---

<sup>1/</sup> The ASR will be modified following notification to the FAA. In this regard, it is noted that the ASR specifies an overall structure height of 276m AGL which is due to the length of the formerly installed VHF analog antenna which has been removed. The new overall height is lower than that specified in the ASR.



noise-limited contour of the proposed 880 kW facility is not predicted to exceed the noise-limited contour of the authorized facility in any azimuth.

Scripps is in the process of notifying the FAA that the tower has been modified (lower overall height than previously specified) and will update the ASR accordingly once the FAA has processed the notification.

**Table 1**  
**WCPO-DT**  
**Authorized Facility vs. As-Built Facility Contour Distance Table**

<u>Degrees</u>	<u>WCPO CP 910 kW Facility Distance (miles)</u>	<u>WCPO As-Built 880 kW Facility Distance (miles)</u>	<u>Difference (miles)</u>
0	61.21	61.21	0.00
10	62.95	62.89	-0.06
20	63.07	63.01	-0.06
30	61.89	61.83	-0.06
40	60.09	60.03	-0.06
50	60.65	60.59	-0.06
60	61.71	61.64	-0.06
70	61.33	61.27	-0.06
80	62.02	61.95	-0.06
90	63.26	63.20	-0.06
100	62.20	62.14	-0.06
110	62.70	62.64	-0.06
120	61.58	61.52	-0.06
130	63.07	63.01	-0.06
140	63.51	63.44	-0.06
150	60.90	60.84	-0.06
160	61.02	60.96	-0.06
170	62.26	62.20	-0.06
180	62.76	62.70	-0.06
190	63.01	62.95	-0.06
200	61.27	61.27	0.00
210	58.97	58.97	0.00
220	60.65	60.59	-0.06
230	61.33	61.27	-0.06
240	62.14	62.08	-0.06
250	60.34	60.34	0.00
260	59.78	59.78	0.00
270	60.03	60.03	0.00
280	58.04	58.04	0.00
290	58.41	58.41	0.00
300	60.52	60.46	-0.06
310	59.59	59.59	0.00
320	59.47	59.41	-0.06
330	59.41	59.34	-0.06
340	59.90	59.84	-0.06
350	60.46	60.40	-0.06