

MODIFY BPH-20081030ACZ
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 50.0 KW
NICHOLLS, GEORGIA
October 2010

EXHIBIT A

The proposed WVOH-FM antenna location will be shortspaced to one permitted FM facility and one vacant allotment: the permit for WFDZ, Channel 228C3, Perry, Florida and the allocation site for Channel 229C3 at St. Simons Island, Georgia (CH229). The relevant distances between the stations is shown on Exhibit A1. BSL proposes to use the provisions of §73.215 of the Commission's rules to address these shortspaces. The shortage to these stations complies with §73.215(e) of the Commission's rules. Compliance with §73.215 is based on specifying less than maximum C2 facilities.

Exhibit A2 specifically demonstrates that there will be no prohibited overlap between the proposed WVOH-FM and WFDZ or CH229. The contours of WFDZ are based on its licensed facilities, as WFDZ was authorized pursuant to §73.215 of the rules. The contours of Channel 229 are based on maximum C3 facilities. Attached as Exhibits A3 through A6 are the tabulated distances to the protected and interfering contours along the pertinent arcs of the proposed WVOH-FM and WFDZ and CH229. Further, attached as Exhibit A7 are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.

MODIFY BPH-20081030ACZ
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 50.0 KW
NICHOLLS, GEORGIA
October 2010


EXHIBIT A1

Clearance Study for WVOH-FM, Nicholls, Georgia
Using Proposed Site as Reference

REFERENCE	CLASS = C2	DISPLAY DATES
31 29 08.6 N.	Current Spacings to 3rd Adj.	DATA 10-20-10
82 41 28.1 W.	Channel 228 - 93.5 MHz	SEARCH 10-20-10

Call	Channel	Location	Ant	Azi Power	Dist HAAT	FCC	Margin
Lat.	Lng.						
WVOH-FM	LIC 228C3	Hazlehurst		GA 16.0	42.5	177.0	-134.5
	31 51 15.0	82 34 00.0	C	25.000 kW	96 M		
	Broadcast South, Llc			BLH-20010502AAV			
WVOH-FM	CP -N 228C2	Nicholls		GA 346.9	18.3	190.0	-171.7
	31 38 46.0	82 44 06.0	NCX	40.000 kW	150 M		
	Broadcast South, Llc			BPH-20081030ACZ			
* WFDZ	CP -N 228C3	Perry		FL 208.8	174.3	177.0	-2.7
	30 06 27.0	83 34 00.0	NCX	25.000 kW	57 M		
	Dockins Telecommunications			BPH-20090922ABG			
* AL7080	VAC 229C3	St. Simons Island		GA 102.8	116.4	117.0	-0.58
	31 14 54.0	81 29 57.0		25.000 kW	100 M		
	Nancy C. Harper			RM-10365			
WAJQ-FM	LIC 282A	Alma		GA 45.5	19.3	15.0	4.3
	31 36 26.0	82 32 46.0	CN	4.500 kW	113 M		
	Blueberry Broadcasting Co.			BLH-19990330KB			
WPEZ	LIC-N 229C1	Jeffersonville		GA 330.0	162.9	158.0	4.9
	32 45 12.0	83 33 46.0	NCX	100.000 kW	207 M		
	Cumulus Licensing LLC			BLH-20020529ABR			
WFDZ	LIC-N 228A	Perry		FL 210.1	173.1	166.0	7.1
	30 08 00.0	83 35 45.0	NCX	6.000 kW	77 M		
	Dockins Telecommunications			BLH-20090304AAZ			
WJBT	CP 227C1	Callahan		FL 141.1	171.3	158.0	13.3
	30 16 51.0	81 34 12.0	CX	97.000 kW	303 M		
	Clear Channel Broadcasting			BPH-20081015ABN			
AL9613	VAC 228A	Morgan		GA 272.3	181.4	166.0	15.4
	31 32 15.0	84 35 58.0		6.000 kW	100 M		
	Donald F And Jerry E. White			RM-10420			
WAAC	LIC 225C1	Valdosta		GA 220.0	98.7	79.0	19.7
	30 48 13.0	83 21 20.0	CN	100.000 kW	153 M		
	W.G.O.V., Inc.			BLH-19860903KD			

* Note: Shortage addressed pursuant to \$73.215. See Exhibit A for details.



MODIFY BPH-20081030ACZ
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 50.0 KW
NICHOLLS, GEORGIA
October 2010

EXHIBIT A3

WVOH-FM - Proposed
Channel = 228C2
Max ERP = 50 kW
RCAMSL = 198.2 M
N. Lat = 31 29 08.6
W. Lng = 82 41 28.1

WFDZ.CP - BPH-20090922ABG
Channel = 228C3
Max ERP = 25 kW
RCAMSL = 71 M
N. Lat = 30 06 27
W. Lng = 83 34 00

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
191.0	050.0000	0143.0	051.2	035.6	025.0000	0048.7	126.5	35.8
192.0	050.0000	0142.8	051.2	035.2	025.0000	0048.6	126.2	35.9
193.0	050.0000	0142.7	051.2	034.8	025.0000	0048.6	125.9	36.0
194.0	050.0000	0142.5	051.2	034.4	025.0000	0048.6	125.6	36.0
195.0	050.0000	0142.1	051.1	034.1	025.0000	0048.6	125.3	36.1
196.0	050.0000	0141.8	051.1	033.7	025.0000	0048.6	125.0	36.1
197.0	050.0000	0141.6	051.1	033.3	025.0000	0048.6	124.8	36.2
198.0	050.0000	0141.5	051.0	032.9	025.0000	0048.6	124.6	36.2
199.0	050.0000	0141.4	051.0	032.5	025.0000	0048.6	124.4	36.2
200.0	050.0000	0141.4	051.0	032.1	025.0000	0048.6	124.2	36.3
201.0	050.0000	0141.3	051.0	031.7	025.0000	0048.6	124.0	36.3
202.0	050.0000	0141.0	051.0	031.3	025.0000	0048.8	123.9	36.3
203.0	050.0000	0140.6	050.9	030.9	025.0000	0048.8	123.8	36.3
204.0	050.0000	0140.2	050.9	030.5	025.0000	0048.9	123.7	36.4
205.0	050.0000	0139.9	050.8	030.1	025.0000	0048.9	123.7	36.4
206.0	050.0000	0139.7	050.8	029.7	025.0000	0048.9	123.6	36.4
207.0	050.0000	0139.6	050.8	029.2	025.0000	0049.1	123.6	36.4
208.0	050.0000	0139.6	050.8	028.8	025.0000	0049.1	123.6	36.4
209.0	050.0000	0139.6	050.8	028.4	025.0000	0049.3	123.6	36.4
210.0	050.0000	0139.4	050.7	028.0	025.0000	0049.3	123.6	36.4
211.0	050.0000	0139.0	050.7	027.6	025.0000	0049.3	123.7	36.4
212.0	050.0000	0138.4	050.6	027.2	025.0000	0049.5	123.8	36.4
213.0	050.0000	0137.8	050.5	026.8	025.0000	0049.5	124.0	36.3
214.0	050.0000	0137.1	050.4	026.4	025.0000	0049.7	124.2	36.3
215.0	050.0000	0136.3	050.3	026.0	025.0000	0049.7	124.4	36.3
216.0	050.0000	0135.4	050.2	025.6	025.0000	0049.7	124.7	36.2
217.0	050.0000	0134.5	050.1	025.3	025.0000	0049.9	125.0	36.2
218.0	050.0000	0133.8	050.0	024.9	025.0000	0049.9	125.3	36.1
219.0	050.0000	0133.3	049.9	024.5	025.0000	0050.0	125.6	36.1
220.0	050.0000	0132.9	049.8	024.1	025.0000	0050.0	125.8	36.0
221.0	050.0000	0132.7	049.8	023.7	025.0000	0050.0	126.1	36.0
222.0	050.0000	0132.5	049.8	023.4	025.0000	0050.1	126.4	35.9
223.0	050.0000	0132.3	049.7	023.0	025.0000	0050.1	126.7	35.9
224.0	050.0000	0132.1	049.7	022.7	025.0000	0050.1	127.0	35.8
225.0	050.0000	0132.0	049.7	022.3	025.0000	0050.1	127.4	35.8
226.0	050.0000	0131.9	049.7	021.9	025.0000	0050.1	127.7	35.7

MODIFY BPH-20081030ACZ
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 50.0 KW
NICHOLLS, GEORGIA
October 2010

EXHIBIT A4

WFDZ.CP - BPH-20090922ABG
Channel = 228C3
Max ERP = 25 kW
RCAMSL = 71 M
N. Lat = 30 06 27
W. Lng = 83 34 00

WVOH-FM - Proposed
Channel = 228C2
Max ERP = 50 kW
RCAMSL = 198.2 M
N. Lat = 31 29 08.6
W. Lng = 82 41 28.1

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
010.0	025.0000	0051.5	028.9	212.4	050.0000	0138.4	147.1	37.9
011.0	025.0000	0051.3	028.9	212.2	050.0000	0138.4	147.0	38.0
012.0	025.0000	0051.2	028.9	212.0	050.0000	0138.4	146.8	38.0
013.0	025.0000	0051.0	028.8	211.8	050.0000	0138.4	146.7	38.0
014.0	025.0000	0050.9	028.8	211.6	050.0000	0138.4	146.6	38.0
015.0	025.0000	0050.8	028.7	211.5	050.0000	0139.0	146.4	38.1
016.0	025.0000	0050.7	028.7	211.3	050.0000	0139.0	146.3	38.1
017.0	025.0000	0050.6	028.7	211.1	050.0000	0139.0	146.2	38.1
018.0	025.0000	0050.4	028.6	210.9	050.0000	0139.0	146.2	38.1
019.0	025.0000	0050.3	028.6	210.7	050.0000	0139.0	146.1	38.1
020.0	025.0000	0050.3	028.6	210.5	050.0000	0139.4	146.0	38.2
021.0	025.0000	0050.2	028.6	210.3	050.0000	0139.4	145.9	38.2
022.0	025.0000	0050.1	028.6	210.1	050.0000	0139.4	145.9	38.2
023.0	025.0000	0050.1	028.5	209.9	050.0000	0139.4	145.8	38.2
024.0	025.0000	0050.0	028.5	209.7	050.0000	0139.4	145.8	38.2
025.0	025.0000	0049.9	028.5	209.5	050.0000	0139.4	145.8	38.2
026.0	025.0000	0049.7	028.4	209.3	050.0000	0139.6	145.8	38.2
027.0	025.0000	0049.5	028.4	209.1	050.0000	0139.6	145.8	38.2
028.0	025.0000	0049.3	028.3	208.9	050.0000	0139.6	145.9	38.2
029.0	025.0000	0049.1	028.3	208.7	050.0000	0139.6	145.9	38.2
030.0	025.0000	0048.9	028.2	208.5	050.0000	0139.6	146.0	38.2
031.0	025.0000	0048.8	028.2	208.3	050.0000	0139.6	146.1	38.1
032.0	025.0000	0048.6	028.2	208.1	050.0000	0139.6	146.1	38.1
033.0	025.0000	0048.6	028.1	208.0	050.0000	0139.6	146.2	38.1
034.0	025.0000	0048.6	028.1	207.8	050.0000	0139.6	146.2	38.1
035.0	025.0000	0048.6	028.1	207.6	050.0000	0139.6	146.3	38.1
036.0	025.0000	0048.7	028.2	207.4	050.0000	0139.6	146.3	38.1
037.0	025.0000	0048.8	028.2	207.2	050.0000	0139.6	146.4	38.1
038.0	025.0000	0048.9	028.2	207.0	050.0000	0139.6	146.4	38.1
039.0	025.0000	0049.1	028.3	206.8	050.0000	0139.6	146.5	38.1
040.0	025.0000	0049.2	028.3	206.6	050.0000	0139.6	146.6	38.1
041.0	025.0000	0049.3	028.3	206.4	050.0000	0139.7	146.7	38.0
042.0	025.0000	0049.4	028.4	206.2	050.0000	0139.7	146.8	38.0
043.0	025.0000	0049.5	028.4	206.0	050.0000	0139.7	146.9	38.0
044.0	025.0000	0049.6	028.4	205.9	050.0000	0139.7	147.0	38.0
045.0	025.0000	0049.6	028.4	205.7	050.0000	0139.7	147.2	38.0

MODIFY BPH-20081030ACZ
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 50.0 KW
NICHOLLS, GEORGIA
October 2010

EXHIBIT A5

WVOH-FM - BPH-20081030ACZ
Channel = 228C2
Max ERP = 50 kW
RCAMSL = 198.2 M
N. Lat = 31 29 08.6
W. Lng = 82 41 28.1

CH229 - RM-10365
Channel = 229C3
Max ERP = 25 kW
RCAMSL = 100 M
N. Lat = 31 14 54
W. Lng = 81 29 57

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
084.0	050.0000	0145.4	051.6	297.3	025.0000	0099.5	069.7	51.0
085.0	050.0000	0145.6	051.6	296.7	025.0000	0099.5	069.2	51.1
086.0	050.0000	0145.8	051.6	296.1	025.0000	0099.4	068.7	51.3
087.0	050.0000	0145.9	051.6	295.4	025.0000	0099.4	068.3	51.4
088.0	050.0000	0145.8	051.6	294.7	025.0000	0099.4	067.9	51.5
089.0	050.0000	0145.7	051.6	294.1	025.0000	0099.4	067.5	51.6
090.0	050.0000	0145.6	051.6	293.3	025.0000	0099.4	067.2	51.7
091.0	050.0000	0145.4	051.6	292.6	025.0000	0099.4	066.9	51.8
092.0	050.0000	0145.2	051.6	291.9	025.0000	0099.4	066.6	51.9
093.0	050.0000	0144.9	051.5	291.1	025.0000	0099.4	066.3	52.0
094.0	050.0000	0144.5	051.5	290.4	025.0000	0099.3	066.1	52.0
095.0	050.0000	0144.1	051.4	289.6	025.0000	0099.3	065.9	52.1
096.0	050.0000	0143.8	051.4	288.8	025.0000	0099.3	065.8	52.1
097.0	050.0000	0143.5	051.3	288.1	025.0000	0099.3	065.6	52.2
098.0	050.0000	0143.2	051.3	287.3	025.0000	0099.3	065.5	52.2
099.0	050.0000	0142.9	051.2	286.5	025.0000	0099.3	065.5	52.2
100.0	050.0000	0142.6	051.2	285.7	025.0000	0099.3	065.4	52.3
101.0	050.0000	0142.4	051.2	284.9	025.0000	0099.3	065.4	52.3
102.0	050.0000	0142.2	051.1	284.1	025.0000	0099.3	065.3	52.3
103.0	050.0000	0142.2	051.1	283.3	025.0000	0099.3	065.3	52.3
104.0	050.0000	0142.2	051.1	282.6	025.0000	0099.3	065.4	52.3
105.0	050.0000	0142.3	051.2	281.8	025.0000	0099.3	065.4	52.3
106.0	050.0000	0142.4	051.2	281.0	025.0000	0099.2	065.4	52.2
107.0	050.0000	0142.4	051.2	280.2	025.0000	0099.0	065.5	52.2
108.0	050.0000	0142.3	051.2	279.4	025.0000	0098.7	065.7	52.1
109.0	050.0000	0142.1	051.1	278.7	025.0000	0098.7	065.9	52.1
110.0	050.0000	0141.9	051.1	277.9	025.0000	0098.2	066.1	52.0
111.0	050.0000	0141.6	051.1	277.2	025.0000	0097.8	066.3	51.9
112.0	050.0000	0141.3	051.0	276.4	025.0000	0097.5	066.6	51.8
113.0	050.0000	0141.2	051.0	275.7	025.0000	0097.5	066.9	51.7
114.0	050.0000	0141.1	051.0	275.0	025.0000	0097.2	067.2	51.6
115.0	050.0000	0141.2	051.0	274.3	025.0000	0097.1	067.5	51.5
116.0	050.0000	0141.4	051.0	273.5	025.0000	0097.1	067.8	51.4
117.0	050.0000	0141.8	051.1	272.8	025.0000	0097.0	068.1	51.3
118.0	050.0000	0142.2	051.1	272.1	025.0000	0097.0	068.4	51.2
119.0	050.0000	0142.7	051.2	271.4	025.0000	0096.9	068.8	51.1
120.0	050.0000	0143.1	051.3	270.8	025.0000	0096.9	069.1	51.0

MODIFY BPH-20081030ACZ
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 50.0 KW
NICHOLLS, GEORGIA
October 2010

EXHIBIT A6

CH229 - RM10365
Channel = 229C3
Max ERP = 25 kW
RCAMSL = 100 M
N. Lat = 31 14 54
W. Lng = 81 29 57

WVOH-FM - Proposed
Channel = 228C2
Max ERP = 50 kW
RCAMSL = 198.2 M
N. Lat = 31 29 08.6
W. Lng = 82 41 28.1

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
267.0	025.0000	0097.0	038.6	110.6	050.0000	0141.6	080.1	53.0
268.0	025.0000	0097.0	038.6	110.2	050.0000	0141.9	079.8	53.1
269.0	025.0000	0097.0	038.6	109.7	050.0000	0141.9	079.6	53.2
270.0	025.0000	0097.0	038.6	109.3	050.0000	0142.1	079.3	53.3
271.0	025.0000	0096.9	038.6	108.8	050.0000	0142.1	079.1	53.3
272.0	025.0000	0097.0	038.6	108.3	050.0000	0142.3	078.9	53.4
273.0	025.0000	0097.0	038.6	107.9	050.0000	0142.3	078.7	53.5
274.0	025.0000	0097.1	038.6	107.4	050.0000	0142.4	078.5	53.5
275.0	025.0000	0097.2	038.6	106.9	050.0000	0142.4	078.4	53.6
276.0	025.0000	0097.5	038.7	106.4	050.0000	0142.4	078.2	53.6
277.0	025.0000	0097.8	038.7	105.9	050.0000	0142.4	078.0	53.7
278.0	025.0000	0098.2	038.8	105.5	050.0000	0142.3	077.8	53.7
279.0	025.0000	0098.7	038.9	105.0	050.0000	0142.3	077.7	53.8
280.0	025.0000	0099.0	038.9	104.5	050.0000	0142.2	077.6	53.8
281.0	025.0000	0099.2	039.0	104.0	050.0000	0142.2	077.5	53.8
282.0	025.0000	0099.3	039.0	103.5	050.0000	0142.2	077.4	53.8
283.0	025.0000	0099.3	039.0	103.0	050.0000	0142.2	077.4	53.9
284.0	025.0000	0099.3	039.0	102.5	050.0000	0142.2	077.4	53.9
285.0	025.0000	0099.3	039.0	102.0	050.0000	0142.2	077.4	53.8
286.0	025.0000	0099.3	039.0	101.4	050.0000	0142.4	077.5	53.8
287.0	025.0000	0099.3	039.0	100.9	050.0000	0142.4	077.5	53.8
288.0	025.0000	0099.3	039.0	100.4	050.0000	0142.6	077.6	53.8
289.0	025.0000	0099.3	039.0	099.9	050.0000	0142.6	077.7	53.8
290.0	025.0000	0099.3	039.0	099.4	050.0000	0142.9	077.8	53.8
291.0	025.0000	0099.4	039.0	099.0	050.0000	0142.9	077.9	53.7
292.0	025.0000	0099.4	039.0	098.5	050.0000	0143.2	078.1	53.7
293.0	025.0000	0099.4	039.0	098.0	050.0000	0143.2	078.2	53.6
294.0	025.0000	0099.4	039.0	097.5	050.0000	0143.5	078.4	53.6
295.0	025.0000	0099.4	039.0	097.0	050.0000	0143.5	078.6	53.6
296.0	025.0000	0099.4	039.0	096.5	050.0000	0143.5	078.8	53.5
297.0	025.0000	0099.5	039.0	096.1	050.0000	0143.8	079.0	53.4
298.0	025.0000	0099.4	039.0	095.6	050.0000	0143.8	079.3	53.4
299.0	025.0000	0099.4	039.0	095.2	050.0000	0144.1	079.5	53.3
300.0	025.0000	0099.4	039.0	094.7	050.0000	0144.1	079.8	53.2
301.0	025.0000	0099.4	039.0	094.3	050.0000	0144.5	080.1	53.1
302.0	025.0000	0099.4	039.0	093.8	050.0000	0144.5	080.4	53.0
303.0	025.0000	0099.4	039.0	093.4	050.0000	0144.9	080.8	53.0

MODIFY BPH-20081030ACZ
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 50.0 KW
NICHOLLS, GEORGIA
October 2010

EXHIBIT A7

North Latitude = 31 29 08.6 - Tabulated Protected and Interfering Contour Data
 West Longitude = 82 41 28.1 - WVOH-FM Radio Station, Nicholls, Georgia

HAAT and Distance to Contour - NGDC 30 second terrain database

Azi.	HAAT	ERP kW	dBk	Field	60-F5	40-F1	54-F1	100-F1
000	134.5	50.0000	16.99	1.000	50.05	135.59	75.72	5.66
010	135.9	50.0000	16.99	1.000	50.25	135.78	75.94	5.68
020	137.8	50.0000	16.99	1.000	50.52	136.04	76.24	5.72
030	138.2	50.0000	16.99	1.000	50.58	136.10	76.31	5.73
040	136.5	50.0000	16.99	1.000	50.34	135.87	76.03	5.70
050	137.5	50.0000	16.99	1.000	50.48	136.01	76.20	5.72
060	139.8	50.0000	16.99	1.000	50.81	136.33	76.56	5.76
070	140.7	50.0000	16.99	1.000	50.93	136.44	76.70	5.78
080	142.4	50.0000	16.99	1.000	51.17	136.68	76.96	5.81
090	145.6	50.0000	16.99	1.000	51.60	137.11	77.44	5.88
100	142.6	50.0000	16.99	1.000	51.20	136.71	76.99	5.82
110	141.9	50.0000	16.99	1.000	51.09	136.60	76.88	5.80
120	143.1	50.0000	16.99	1.000	51.26	136.77	77.06	5.83
130	144.9	50.0000	16.99	1.000	51.51	137.02	77.34	5.86
140	143.9	50.0000	16.99	1.000	51.38	136.89	77.20	5.84
150	143.7	50.0000	16.99	1.000	51.35	136.86	77.16	5.84
160	143.2	50.0000	16.99	1.000	51.28	136.79	77.09	5.83
170	143.7	50.0000	16.99	1.000	51.34	136.85	77.15	5.84
180	140.8	50.0000	16.99	1.000	50.95	136.46	76.72	5.78
190	143.2	50.0000	16.99	1.000	51.28	136.79	77.08	5.83
200	141.4	50.0000	16.99	1.000	51.02	136.53	76.80	5.79
210	139.4	50.0000	16.99	1.000	50.74	136.26	76.49	5.75
220	132.9	50.0000	16.99	1.000	49.83	135.38	75.46	5.62
230	130.9	50.0000	16.99	1.000	49.55	135.10	75.14	5.58
240	129.3	50.0000	16.99	1.000	49.31	134.88	74.87	5.55
250	129.2	50.0000	16.99	1.000	49.30	134.86	74.86	5.55
260	126.2	50.0000	16.99	1.000	48.88	134.46	74.38	5.49
270	126.2	50.0000	16.99	1.000	48.87	134.45	74.37	5.49
280	127.4	50.0000	16.99	1.000	49.04	134.62	74.57	5.51
290	130.9	50.0000	16.99	1.000	49.54	135.10	75.14	5.58
300	131.0	50.0000	16.99	1.000	49.55	135.11	75.15	5.58
310	129.9	50.0000	16.99	1.000	49.40	134.96	74.98	5.56
320	135.0	50.0000	16.99	1.000	50.13	135.67	75.80	5.67
330	137.6	50.0000	16.99	1.000	50.49	136.02	76.21	5.72
340	135.5	50.0000	16.99	1.000	50.20	135.73	75.88	5.68
350	131.6	50.0000	16.99	1.000	49.64	135.19	75.25	5.60

AMSL= 198.2 M