

Pinedale

REFERENCE CH# 210C3 - 89.9 MHz, Pwr= 25 kW, HAAT= 127.8 M, COR= 2355 M DISPLAY DATES
 42 50 39.0 N. Average Protected F(50-50)= 43.04 km DATA 08-21-07
 109 55 32.0 W. SEARCH 10-18-07

CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kW)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
208C	KWRR	LIC	_CX	63.5	156.49	43 27 30.0	85.000	13.8	93.1	102.98	59.25
Ethete		WY		244.7	BLED20021007AAE	108 11 39.0	555	2330	Business Council Of The No		
212C2	KUWJ	LIC	_CN	315.9	96.03	43 27 40.0	3.000	2.5	27.8	59.87	64.79
Jackson		WY		135.4	BLED19921207KC	110 45 09.0	337	2489	University Of Wyoming		


Terrain database is USGS 03 SEC
 ERP and HAAT are on direct line to and from reference station.
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)

Pinedale

FMCommander Single Allocation Study
10-18-2007

NEW CH 210 C3
25.0 kW 2355 M COR
Prot. = 60 dBu
Intef. = 100 dBu

KUWJ CH 212 C2 BLED19921207KC
3.0 kW, 2489 M COR
Prot. = 60 dBu
Intef. = 100 dBu



Pinedale

FMCommander Single Allocation Study
10-18-2007

NEW CH 210 C3
25.0 kW 2355 M COR
Prot. = 60 dBu
Intef. = 100 dBu

KWRR CH 208 C BLED20021007AAE
85.0 kW, 2330 M COR
Prot. = 60 dBu
Intef. = 100 dBu

