

EXHIBIT #28D
Amendment to Pending Application
BPH-20010301ABB

WNCC-FM
Channel 244A – 96.7 MHz
0.36 kW ERP (DA) – 399 m HAAT
Franklin, North Carolina

§73.215 Clearance to WOXL

FM Over Calculation

03-19-2002 03 Sec. Terrain Data

WOXL BPH19870831MI
Channel = 243A
Max ERP = 6 kW
RCAMSL = 848 M
N. Lat = 35 35 23
W. Lng = 82 40 26

WNCCFM
Channel = 244A
Max ERP = 0.36 kW
RCAMSL = 1236 M
N. Lat = 35 15 50
W. Lng = 83 19 03

Protected
60 dBu

Interfering
54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
225.0	006.0000	0004.9	015.8	061.9	000.2400	0445.7	053.5	49.4
226.0	006.0000	0008.1	015.8	061.6	000.2400	0445.7	053.5	49.5
227.0	006.0000	0015.8	015.8	061.3	000.2400	0452.5	053.4	49.7
228.0	006.0000	0019.1	015.8	061.0	000.2400	0452.5	053.3	49.7
229.0	006.0000	0024.7	015.8	060.8	000.2400	0452.5	053.3	49.7
230.0	006.0000	0031.5	016.1	060.5	000.2400	0452.5	052.8	49.9
231.0	006.0000	0036.5	017.4	060.5	000.2400	0464.8	051.5	50.7
232.0	006.0000	0044.3	019.3	060.5	000.2400	0464.8	049.6	51.4
233.0	006.0000	0048.7	020.3	060.2	000.2400	0464.8	048.6	51.8
234.0	006.0000	0055.0	021.6	060.0	000.2400	0464.8	047.3	52.3
235.0	006.0000	0058.6	022.2	059.6	000.2400	0464.8	046.6	52.5
236.0	006.0000	0059.4	022.4	059.1	000.2400	0478.6	046.4	52.9
237.0	006.0000	0061.8	022.7	058.7	000.2400	0478.6	046.0	53.0
238.0	006.0000	0065.6	023.3	058.2	000.2400	0488.6	045.4	53.5
239.0	006.0000	0070.8	024.1	057.7	000.2400	0488.6	044.7	53.8
240.0	006.0000	0071.2	024.2	057.1	000.2400	0489.0	044.6	53.8
241.0	006.0000	0065.4	023.3	056.6	000.2400	0489.0	045.5	53.5
242.0	006.0000	0059.4	022.4	056.2	000.2400	0487.1	046.5	53.1
243.0	006.0000	0049.5	020.5	056.0	000.2400	0487.1	048.4	52.4
244.0	006.0000	0037.5	017.6	056.1	000.2400	0487.1	051.2	51.3
245.0	006.0000	0021.3	015.8	056.0	000.2400	0487.1	053.1	50.6
246.0	006.0000	0003.1	015.8	055.7	000.2400	0487.1	053.2	50.6
247.0	006.0000	-0019.8	015.8	055.4	000.2400	0493.3	053.2	50.7
248.0	006.0000	-0039.0	015.8	055.1	000.2400	0493.3	053.3	50.7
249.0	006.0000	-0043.1	015.8	054.9	000.2400	0493.3	053.3	50.7
250.0	006.0000	-0041.0	015.8	054.6	000.2400	0493.3	053.4	50.7
251.0	006.0000	-0040.4	015.8	054.3	000.2400	0508.5	053.5	51.0
252.0	006.0000	-0037.9	015.8	054.0	000.2400	0508.5	053.6	51.0
253.0	006.0000	-0032.5	015.8	053.7	000.2400	0508.5	053.7	50.9
254.0	006.0000	-0027.7	015.8	053.5	000.2400	0515.4	053.7	51.1
255.0	006.0000	-0029.9	015.8	053.2	000.2400	0515.4	053.8	51.0

At no point on the WOXL 60 dBu (Protected) contour
does WNCC deliver more than 54 dBu (Interfering).

Bromo Communications, Inc.
Atlanta, Georgia
March 2002