

MODIFY BPH-20050617AAU
URBAN RADIO LICENSES, LLC
WJZE (FM) RADIO STATION
CH 247A - 97.3 MHZ - 4.3 KW (DA)
OAK HARBOR, OHIO
November 2006

EXHIBIT B

The WJZE proposed antenna location will be shortspaced to one licensed transmitter site: WMEE, Channel 247B, Fort Wayne, Indiana. The detailed spacing information with regard to this station is shown on Exhibit B1. Urban proposes to use the provisions of §73.215 of the Commission's rules to address this shortspaced situation. This shortage complies with §73.215(e) of the Commission's rules.

Exhibit B2 specifically demonstrates that there will be no prohibited overlap between the proposed WJZE and WMEE. The contours of WMEE are based on 50.0 kilowatts effective radiated power at a height above average terrain (HAAT) of 150.0 meter.¹ Attached as Exhibits B3 and B4 are the tabulated distances to the protected and interfering contours, along the pertinent arcs, of the proposed WJZE and authorized WMEE. Further, attached as Exhibit B5 are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.

1) WMEE is operating with a height above average terrain ("HAAT") above 150 meters. As such, the center of radiation was lowered to bring the HAAT to 150 meters, and the power raised to 50.0 kilowatts for the §73.215 analysis.

MODIFY BPH-20050617AAU
URBAN RADIO LICENSES, LLC
WJZE (FM) RADIO STATION
CH 247A - 97.3 MHZ - 4.3 KW (DA)
OAK HARBOR, OHIO
November 2006

EXHIBIT B1

Clearance study for WJZE Oak Harbor, Ohio
Using present CP site as reference

REFERENCE	CLASS = A	DISPLAY DATES
41 28 19 N.	Current	DATA 11-02-06
83 25 05 W.	Spacings	SEARCH 11-02-06
----- Channel 247 - 97.3 MHz -----		

Call	Channel Lat.	Location Lng. Ant	Power	Azi	Dist HAAT	FCC	Margin
WJZE.C	CP -Z 247A 41 28 19	Oak Harbor 83 25 05 ZCX	OH 3.800 kW	0.0	0.00 127 M	115.0	-115.00
		Urban Radio Licenses, LLC	BPH-20050617AAU				
WJZE	LIC-N 247A 41 29 17	Oak Harbor 83 19 25 NCN	OH 1.600 kW	77.1	8.08 124 M	115.0	-106.92
		Urban Radio Licenses, LLC	BLH-19950124KA				
* WMEE	LIC 247B 41 06 42	Fort Wayne 85 11 43 CN	IN 26.000 kW	255.5	154.15 210 M	178.0	-23.85
		Pathfinder Communications	BLH-19890914KB				
WKRK-F	LIC 246B 42 28 58	Detroit 83 12 19 C	MI 15.000 kW	8.8	113.65 272 M	113.0	0.65
		CBS Radio East Inc.	BMLH-19950619KA				
CHYR-F	244C1 42 00 35	Leamington 82 33 45 C	ON 100.000 kW	49.6	92.89 299 M	88.0	4.89
WBVI	LIC 244A 41 06 00	Fostoria 83 28 32 CN	OH 3.000 kW	186.6	41.58 88 M	31.0	10.58
		TCB Holdings, Inc.	BLH-19970721KA				
WNKL	LIC-Z 245A 41 36 03	Wauseon 83 54 27 ZCX	OH 5.000 kW	289.5	43.28 109 M	31.0	12.28
		Cornerstone Church, Inc.	BLH-20030311AML				
WGGN	LIC 249A 41 23 48	Castalia 82 47 31 CN	OH 0.640 kW	98.9	52.99 221 M	31.0	21.99
		Christian Faith Broadcast	BLH-19860724KB				
WJLB	LIC 250B 42 24 22	Detroit 83 06 44 CN	MI 50.000 kW	13.6	106.81 149 M	69.0	37.81
		AMFM Radio Licenses, L.L.C.	BLH-19810811AO				
WONE-F	LIC 248B 41 03 53	Akron 81 34 59 C	OH 12.000 kW	105.8	160.27 271 M	113.0	47.27
		Rubber City Radio Group, Inc.	BLH-20010810AAQ				
WJIM-F	LIC 248B 42 40 33	Lansing 84 30 00 CN	MI 45.000 kW	326.7	160.92 156 M	113.0	47.92
		Citadel Broadcasting Company	BLH-19971226KC				

* Note: This shortage is addressed under §73.215 of the rules, see Exhibit B.

Graham Brock, Inc. - Broadcast Technical Consultants

WMEE Max
BLH-19890914KB
Latitude: 41-06-42 N
Longitude: 085-11-43 W
ERP: 50.00 kW
Channel: 247B
Frequency: 97.3 MHz
AMSL Height: 397.0 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: FCC

WJZE Proposed
Latitude: 41-28-19 N
Longitude: 083-25-05 W
ERP: 3.80 kW
Channel: 247A
Frequency: 97.3 MHz
AMSL Height: 315.78 m
Horiz. Pattern: Directional
Vert. Pattern: No
Prop Model: FCC

WMEE 40 dBu (50/10)


WMEE 54 dBu (50/50)

WJZE 60 dBu (50/50)

WJZE 34 dBu (50/10)

EXHIBIT B2
MODIFY BPH-20050617AAU
URBAN RADIO LICENSES, LLC
WJZE RADIO STATION
CH 247A - 97.3 MHZ - 3.8 KW
OAK HARBOR, OHIO
November 2006

Scale 1:1,500,000



MODIFY BPH-20050617AAU
URBAN RADIO LICENSES, LLC
WJZE (FM) RADIO STATION
CH 247A - 97.3 MHZ - 4.3 KW (DA)
OAK HARBOR, OHIO
November 2006

EXHIBIT B3

WJZE - Proposed
Channel = 247A
Max ERP = 4.3 kW
RCAMSL = 307.4 M
N. Lat = 41 28 19
W. Lng = 83 25 05

WMEE - BLH-19890914KB
Channel = 247B
Max ERP = 50 kW
RCAMSL = 397 M
N. Lat = 41 06 42
W. Lng = 85 11 43

Protected
60 dBu

Interfering
40 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
200.0	001.8167	0110.7	022.7	081.9	050.0000	0155.7	142.6	39.2
201.0	001.7558	0110.3	022.4	081.7	050.0000	0155.7	142.3	39.3
202.0	001.6959	0110.0	022.2	081.6	050.0000	0155.7	142.1	39.3
203.0	001.6370	0109.7	022.0	081.4	050.0000	0155.7	141.9	39.4
204.0	001.5791	0109.6	021.8	081.3	050.0000	0155.7	141.6	39.4
205.0	001.5223	0109.8	021.7	081.1	050.0000	0155.7	141.4	39.4
206.0	001.4665	0110.1	021.5	081.0	050.0000	0155.7	141.2	39.5
207.0	001.4118	0110.2	021.3	080.8	050.0000	0155.7	141.0	39.5
208.0	001.3581	0110.1	021.1	080.7	050.0000	0155.7	140.8	39.6
209.0	001.3055	0109.9	020.9	080.5	050.0000	0155.7	140.6	39.6
210.0	001.2539	0109.7	020.7	080.4	050.0000	0155.4	140.5	39.6
211.0	001.2033	0109.5	020.4	080.2	050.0000	0155.4	140.3	39.6
212.0	001.1538	0109.2	020.2	080.0	050.0000	0155.4	140.2	39.7
213.0	001.1053	0109.0	020.0	079.9	050.0000	0155.4	140.1	39.7
214.0	001.0579	0109.0	019.8	079.7	050.0000	0155.4	140.0	39.7
215.0	001.0115	0109.2	019.5	079.5	050.0000	0155.4	139.9	39.7
216.0	000.9661	0109.4	019.3	079.4	050.0000	0155.2	139.8	39.7
217.0	000.9218	0109.7	019.1	079.2	050.0000	0155.2	139.7	39.7
218.0	000.8785	0110.1	018.9	079.1	050.0000	0155.2	139.6	39.8
219.0	000.8363	0110.6	018.7	078.9	050.0000	0155.2	139.6	39.8
220.0	000.7951	0111.2	018.5	078.8	050.0000	0155.2	139.5	39.8
221.0	000.7730	0111.6	018.5	078.6	050.0000	0155.2	139.4	39.8
222.0	000.7513	0112.0	018.3	078.5	050.0000	0155.2	139.3	39.8
223.0	000.7299	0112.3	018.2	078.4	050.0000	0155.0	139.2	39.9
224.0	000.7088	0112.4	018.1	078.2	050.0000	0155.0	139.1	39.9
225.0	000.6880	0112.4	018.0	078.1	050.0000	0155.0	139.0	39.9
226.0	000.6675	0112.4	017.8	077.9	050.0000	0155.0	139.0	39.9
227.0	000.6473	0112.4	017.7	077.8	050.0000	0155.0	138.9	39.9
228.0	000.6275	0112.4	017.5	077.7	050.0000	0155.0	138.9	39.9
229.0	000.6079	0112.4	017.4	077.5	050.0000	0155.0	138.9	39.9
230.0	000.5887	0112.4	017.2	077.4	050.0000	0154.8	138.9	39.9
231.0	000.5760	0112.4	017.1	077.3	050.0000	0154.8	138.8	39.9
232.0	000.5635	0112.4	017.0	077.1	050.0000	0154.8	138.8	39.9
233.0	000.5511	0112.4	016.9	077.0	050.0000	0154.8	138.7	39.9
234.0	000.5389	0112.4	016.8	076.9	050.0000	0154.8	138.7	39.9

MODIFY BPH-20050617AAU
URBAN RADIO LICENSES, LLC
WJZE (FM) RADIO STATION
CH 247A - 97.3 MHZ - 4.3 KW (DA)
OAK HARBOR, OHIO
November 2006

EXHIBIT B3 (continued)

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
235.0	000.5268	0112.4	016.7	076.7	050.0000	0154.8	138.7	39.9
236.0	000.5148	0112.4	016.6	076.6	050.0000	0154.8	138.7	39.9
237.0	000.5029	0112.4	016.5	076.5	050.0000	0154.8	138.7	39.9
238.0	000.4912	0112.4	016.3	076.4	050.0000	0154.8	138.7	39.9
239.0	000.4797	0112.4	016.2	076.2	050.0000	0154.8	138.7	39.9
240.0	000.4683	0112.4	016.1	076.1	050.0000	0154.8	138.7	39.9
241.0	000.4626	0112.4	016.1	076.0	050.0000	0154.8	138.7	39.9
242.0	000.4570	0112.4	016.0	075.9	050.0000	0154.8	138.7	39.9
243.0	000.4514	0112.4	016.0	075.8	050.0000	0154.8	138.7	39.9
244.0	000.4458	0112.4	015.9	075.6	050.0000	0154.8	138.6	39.9
245.0	000.4403	0112.4	015.8	075.5	050.0000	0154.8	138.6	39.9
246.0	000.4348	0112.4	015.8	075.4	050.0000	0154.8	138.6	39.9
247.0	000.4294	0112.4	015.7	075.3	050.0000	0154.8	138.7	39.9
248.0	000.4240	0112.4	015.7	075.2	050.0000	0154.8	138.7	39.9
249.0	000.4186	0112.4	015.6	075.1	050.0000	0154.8	138.7	39.9
250.0	000.4132	0112.4	015.6	074.9	050.0000	0154.8	138.7	39.9
251.0	000.4132	0112.4	015.6	074.8	050.0000	0154.8	138.7	39.9
252.0	000.4132	0112.4	015.6	074.7	050.0000	0154.8	138.7	39.9
253.0	000.4132	0112.4	015.6	074.6	050.0000	0154.8	138.7	39.9
254.0	000.4132	0112.4	015.6	074.5	050.0000	0154.8	138.6	39.9
255.0	000.4132	0112.4	015.6	074.4	050.0000	0154.8	138.6	39.9
256.0	000.4132	0112.4	015.6	074.3	050.0000	0154.8	138.6	39.9
257.0	000.4132	0112.4	015.6	074.1	050.0000	0154.8	138.6	39.9
258.0	000.4132	0112.4	015.6	074.0	050.0000	0154.8	138.7	39.9
259.0	000.4132	0112.4	015.6	073.9	050.0000	0154.8	138.7	39.9
260.0	000.4132	0112.4	015.6	073.8	050.0000	0154.8	138.7	39.9
261.0	000.4186	0112.4	015.6	073.7	050.0000	0154.8	138.7	39.9
262.0	000.4240	0112.4	015.7	073.6	050.0000	0154.8	138.6	39.9
263.0	000.4294	0112.4	015.7	073.5	050.0000	0154.8	138.6	40.0
264.0	000.4348	0112.4	015.8	073.4	050.0000	0154.8	138.6	40.0
265.0	000.4403	0112.4	015.8	073.2	050.0000	0154.8	138.6	40.0
266.0	000.4458	0112.4	015.9	073.1	050.0000	0154.8	138.6	40.0
267.0	000.4514	0112.4	016.0	073.0	050.0000	0154.8	138.6	40.0
268.0	000.4570	0112.4	016.0	072.9	050.0000	0154.8	138.6	40.0
269.0	000.4626	0112.4	016.1	072.8	050.0000	0154.8	138.6	39.9
270.0	000.4683	0112.4	016.1	072.6	050.0000	0154.8	138.6	39.9
271.0	000.4797	0112.4	016.2	072.5	050.0000	0154.8	138.6	40.0
272.0	000.4912	0112.4	016.3	072.4	050.0000	0154.8	138.6	40.0
273.0	000.5029	0112.5	016.5	072.3	050.0000	0154.8	138.6	40.0
274.0	000.5148	0112.6	016.6	072.1	050.0000	0154.8	138.6	40.0
275.0	000.5268	0112.7	016.7	072.0	050.0000	0154.8	138.6	40.0
276.0	000.5389	0112.8	016.8	071.9	050.0000	0154.8	138.6	40.0
277.0	000.5511	0112.9	016.9	071.7	050.0000	0154.8	138.6	40.0
278.0	000.5635	0113.1	017.1	071.6	050.0000	0154.8	138.6	40.0
279.0	000.5760	0113.3	017.2	071.5	050.0000	0154.8	138.6	40.0

MODIFY BPH-20050617AAU
URBAN RADIO LICENSES, LLC
WJZE (FM) RADIO STATION
CH 247A - 97.3 MHZ - 4.3 KW (DA)
OAK HARBOR, OHIO
November 2006

EXHIBIT B3 (continued)

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)		Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
280.0	000.5887	0113.4	017.3		071.3	050.0000	0154.8	138.7	39.9
281.0	000.6079	0113.6	017.5		071.2	050.0000	0154.8	138.6	39.9
282.0	000.6275	0113.8	017.6		071.1	050.0000	0154.8	138.6	39.9
283.0	000.6473	0114.1	017.8		070.9	050.0000	0154.8	138.7	39.9
284.0	000.6675	0114.5	018.0		070.8	050.0000	0154.8	138.7	39.9
285.0	000.6880	0114.9	018.2		070.6	050.0000	0154.8	138.7	39.9
286.0	000.7088	0115.4	018.4		070.5	050.0000	0154.7	138.7	39.9
287.0	000.7299	0116.1	018.5		070.3	050.0000	0154.7	138.7	39.9
288.0	000.7513	0116.6	018.7		070.1	050.0000	0154.7	138.8	39.9
289.0	000.7730	0117.1	018.9		070.0	050.0000	0154.7	138.8	39.9
290.0	000.7951	0117.6	019.1		069.8	050.0000	0154.7	138.9	39.9
291.0	000.8363	0118.1	019.4		069.7	050.0000	0154.7	138.9	39.9
292.0	000.8785	0118.6	019.7		069.5	050.0000	0154.7	138.9	39.9
293.0	000.9218	0118.9	019.9		069.3	050.0000	0154.7	138.9	39.9
294.0	000.9661	0119.1	020.2		069.1	050.0000	0154.7	139.0	39.9
295.0	001.0115	0119.1	020.4		068.9	050.0000	0154.7	139.1	39.9
296.0	001.0579	0119.2	020.6		068.8	050.0000	0154.7	139.2	39.8
297.0	001.1053	0119.4	020.9		068.6	050.0000	0154.7	139.3	39.8
298.0	001.1538	0119.5	021.1		068.4	050.0000	0154.8	139.4	39.8
299.0	001.2033	0119.7	021.3		068.3	050.0000	0154.8	139.5	39.8
300.0	001.2539	0119.8	021.5		068.1	050.0000	0154.8	139.7	39.7
301.0	001.3055	0120.0	021.8		067.9	050.0000	0154.8	139.8	39.7
302.0	001.3581	0120.1	022.0		067.8	050.0000	0154.8	140.0	39.7
303.0	001.4118	0120.2	022.2		067.6	050.0000	0154.8	140.2	39.6
304.0	001.4665	0120.3	022.4		067.4	050.0000	0154.8	140.4	39.6
305.0	001.5223	0120.5	022.6		067.3	050.0000	0154.8	140.6	39.6

MODIFY BPH-20050617AAU
URBAN RADIO LICENSES, LLC
WJZE (FM) RADIO STATION
CH 247A - 97.3 MHZ - 4.3 KW (DA)
OAK HARBOR, OHIO
November 2006

EXHIBIT B4

WMEE - BLH-19890914KB
Channel = 247B
Max ERP = 50 kW
RCAMSL = 397 M
N. Lat = 41 06 42
W. Lng = 85 11 43

WJZE - Proposed
Channel = 247A
Max ERP = 4.3 kW
RCAMSL = 307.4 M
N. Lat = 41 28 19
W. Lng = 83 25 05

Protected
54 dBu

Interfering
34 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
055.0	050.0000	0153.1	065.5	268.9	000.4620	0112.4	095.0	27.2
056.0	050.0000	0153.3	065.5	268.3	000.4587	0112.4	094.2	27.3
057.0	050.0000	0153.7	065.6	267.7	000.4554	0112.4	093.6	27.5
058.0	050.0000	0154.2	065.6	267.1	000.4521	0112.4	093.0	27.6
059.0	050.0000	0154.8	065.7	266.5	000.4487	0112.4	092.4	27.7
060.0	050.0000	0155.3	065.8	265.9	000.4452	0112.4	091.9	27.8
061.0	050.0000	0155.7	065.8	265.2	000.4417	0112.4	091.3	27.9
062.0	050.0000	0155.9	065.8	264.6	000.4380	0112.4	090.9	28.0
063.0	050.0000	0155.8	065.8	263.9	000.4343	0112.4	090.5	28.1
064.0	050.0000	0155.6	065.8	263.2	000.4305	0112.4	090.1	28.2
065.0	050.0000	0155.3	065.8	262.5	000.4267	0112.4	089.8	28.2
066.0	050.0000	0155.0	065.7	261.8	000.4228	0112.4	089.5	28.2
067.0	050.0000	0154.8	065.7	261.1	000.4190	0112.4	089.3	28.3
068.0	050.0000	0154.8	065.7	260.3	000.4151	0112.4	089.0	28.3
069.0	050.0000	0154.7	065.7	259.6	000.4132	0112.4	088.8	28.3
070.0	050.0000	0154.7	065.7	258.9	000.4132	0112.4	088.7	28.4
071.0	050.0000	0154.8	065.7	258.2	000.4132	0112.4	088.5	28.4
072.0	050.0000	0154.8	065.7	257.4	000.4132	0112.4	088.4	28.5
073.0	050.0000	0154.8	065.7	256.7	000.4132	0112.4	088.3	28.5
074.0	050.0000	0154.8	065.7	255.9	000.4132	0112.4	088.3	28.5
075.0	050.0000	0154.8	065.7	255.2	000.4132	0112.4	088.3	28.5
076.0	050.0000	0154.8	065.7	254.4	000.4132	0112.4	088.3	28.5
077.0	050.0000	0154.8	065.7	253.7	000.4132	0112.4	088.4	28.5
078.0	050.0000	0155.0	065.7	252.9	000.4132	0112.4	088.5	28.4
079.0	050.0000	0155.2	065.7	252.2	000.4132	0112.4	088.6	28.4
080.0	050.0000	0155.4	065.8	251.5	000.4132	0112.4	088.7	28.4
081.0	050.0000	0155.7	065.8	250.7	000.4132	0112.4	088.9	28.3
082.0	050.0000	0155.7	065.8	250.0	000.4132	0112.4	089.1	28.3
083.0	050.0000	0155.7	065.8	249.3	000.4171	0112.4	089.4	28.2
084.0	050.0000	0155.8	065.8	248.6	000.4209	0112.4	089.7	28.2
085.0	050.0000	0156.3	065.9	247.9	000.4247	0112.4	090.0	28.2
086.0	050.0000	0156.7	065.9	247.2	000.4286	0112.4	090.3	28.1
087.0	050.0000	0157.1	066.0	246.5	000.4323	0112.4	090.6	28.0
088.0	050.0000	0157.6	066.0	245.8	000.4361	0112.4	091.0	28.0
089.0	050.0000	0158.0	066.1	245.1	000.4398	0112.4	091.4	27.9
090.0	050.0000	0158.4	066.1	244.4	000.4435	0112.4	091.9	27.8
091.0	050.0000	0158.8	066.2	243.8	000.4471	0112.4	092.4	27.7
092.0	050.0000	0159.0	066.2	243.1	000.4506	0112.4	092.9	27.6
093.0	050.0000	0159.2	066.2	242.5	000.4541	0112.4	093.5	27.5
094.0	050.0000	0159.4	066.3	241.9	000.4575	0112.4	094.1	27.4
095.0	050.0000	0159.5	066.3	241.3	000.4608	0112.4	094.7	27.2

MODIFY BPH-20050617AAU
URBAN RADIO LICENSES, LLC
WJZE (FM) RADIO STATION
CH 247A - 97.3 MHZ - 4.3 KW (DA)
OAK HARBOR, OHIO
November 2006

EXHIBIT B5

Predicted contour:

N. Lat. = 41 28 19 - Tabulated service contour data
W. Lng. = 83 25 05 - WJZE Radio station - Oak Harbor, Ohio

HAAT and Distance to Contour - FCC Method - NGDC 30 Second terrain database											
Azi.	HAAT	ERP kW	dBk	Field	60-F5	34-F1	40-F1	48-F1	54-F1	94-F1	100-F1
000	124.4	4.3000	6.33	1.000	28.88	109.16	85.45	59.64	44.21	4.05	2.72
010	124.5	4.3000	6.33	1.000	28.89	109.18	85.47	59.66	44.23	4.05	2.72
020	124.6	4.3000	6.33	1.000	28.90	109.20	85.49	59.68	44.24	4.05	2.72
030	124.4	4.3000	6.33	1.000	28.89	109.17	85.47	59.66	44.22	4.05	2.72
040	125.7	4.3000	6.33	1.000	29.01	109.38	85.66	59.85	44.39	4.07	2.73
050	125.3	4.3000	6.33	1.000	28.97	109.32	85.60	59.79	44.34	4.07	2.73
060	124.5	4.3000	6.33	1.000	28.90	109.18	85.48	59.67	44.23	4.05	2.72
070	124.4	4.3000	6.33	1.000	28.89	109.16	85.46	59.65	44.22	4.05	2.72
080	124.4	4.3000	6.33	1.000	28.89	109.16	85.46	59.65	44.22	4.05	2.72
090	123.7	4.3000	6.33	1.000	28.82	109.05	85.35	59.54	44.12	4.04	2.71
100	122.2	4.3000	6.33	1.000	28.68	108.81	85.12	59.32	43.92	4.02	2.70
110	120.6	4.3000	6.33	1.000	28.53	108.56	84.88	59.08	43.71	4.00	2.69
120	116.2	4.3000	6.33	1.000	28.10	107.85	84.18	58.41	43.08	3.94	2.66
130	113.8	4.3000	6.33	1.000	27.85	107.45	83.79	58.03	42.70	3.90	2.64
140	113.6	4.3000	6.33	1.000	27.83	107.42	83.76	57.99	42.67	3.90	2.64
150	109.5	4.3000	6.33	1.000	27.38	106.75	83.09	57.33	41.99	3.83	2.60
160	110.7	4.3000	6.33	1.000	27.51	106.94	83.28	57.52	42.19	3.85	2.61
170	110.8	4.3000	6.33	1.000	27.52	106.96	83.30	57.54	42.20	3.85	2.61
180	110.5	3.7995	5.80	0.940	26.74	104.39	81.36	56.07	40.89	3.72	2.51
190	111.9	2.4188	3.84	0.750	24.31	96.31	74.81	51.24	36.69	3.30	2.22
200	110.7	1.8168	2.59	0.650	22.66	91.38	70.41	47.81	33.82	3.01	2.03
210	109.7	1.2539	0.98	0.540	20.66	85.41	65.00	43.58	30.46	2.72	1.79
220	111.2	0.7951	-1.00	0.430	18.55	78.70	59.41	39.17	27.34	2.40	1.53
230	112.4	0.5887	-2.30	0.370	17.21	74.43	56.12	36.46	25.53	2.20	1.61
240	112.4	0.4683	-3.30	0.330	16.12	71.09	53.54	34.33	24.12	2.05	1.52
250	112.4	0.4132	-3.84	0.310	15.55	69.30	52.15	33.20	23.38	1.97	1.43
260	112.4	0.4132	-3.84	0.310	15.55	69.30	52.15	33.20	23.38	1.97	1.43
270	112.4	0.4683	-3.30	0.330	16.12	71.09	53.54	34.33	24.12	2.05	1.52
280	113.4	0.5887	-2.30	0.370	17.29	74.60	56.28	36.62	25.64	2.21	1.61
290	117.6	0.7951	-1.00	0.430	19.09	79.78	60.46	40.17	28.12	2.44	1.54
300	119.8	1.2539	0.98	0.540	21.54	87.02	66.79	45.18	31.88	2.80	1.84
310	120.7	1.8168	2.59	0.650	23.54	92.96	72.15	49.39	35.32	3.13	2.08
320	122.1	2.4188	3.84	0.750	25.23	97.91	76.53	52.76	38.18	3.42	2.28
330	122.3	3.7995	5.80	0.940	27.91	106.28	83.28	57.89	42.66	3.89	2.61
340	122.8	4.3000	6.33	1.000	28.74	108.91	85.22	59.41	44.00	4.03	2.71
350	122.5	4.3000	6.33	1.000	28.71	108.86	85.17	59.37	43.97	4.02	2.71

AMSL= 307.4 M