

Exhibit 12: Fig 1 Channel Interference

K297BP Pueblo, Colorado 270D

REFERENCE CH# 270D - 101.9 MHz, Pwr= 0.25 kW, HAAT= 18.1 M, COR= 1518 M
 38 16 40.0 N.
 104 39 15.0 W.
 Average Protected F(50-50)= 7.09 km
 Omni-directional

DISPLAY DATES
 DATA 02-05-16
 SEARCH 02-05-16

CH CITY	CALL	TYPE STATE	ANT -->	AZI <--	DIST FILE #	LAT LNG	PWR(kw) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT* (in km)
267C1 Walsenburg	KFEZ	LIC _C_ CO		164.8 344.9	56.22 BLH20090105AGJ	37 47 20.0 104 29 12.0	95.500 305	10.9 2095	76.2 Edward Magnus	36.4	-21.1*
269A Rock Creek Park	KXCL	LIC _CX CO		353.3 173.2	49.40 BMLED20130813AAE	38 43 11.0 104 43 16.0	2.100 -9	37.8 1803	24.2 Calvary Chapel	5.2 Aurora	14.1
272C1 Walsenburg	KSPK-FM	LIC _CX CO		191.5 11.4	73.65 BMLH20030103ABF	37 37 39.0 104 49 17.0	100.000 131	8.8 2085	66.2 Mainstreet Broadcasting Co	57.8	6.5
270C3 Centennial	KXWA	LIC NC_ CO		344.6 164.4	127.60 BLH20071207AAY	39 23 07.0 105 02 52.0	9.500 163	105.3 2226	38.3 Way Media, Inc.	16.3	58.2

Terrain database is NGDC 30 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM
 In & Out distances between contours are shown at closest points. Reference zone= West Zone, Co to 3rd adjacent.
 All separation margins (if shown) include rounding.
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
 "*"affixed to 'IN' or 'OUT' values = site inside restricted contour.
 Reference station has protected zone issue: AM tower