


EXHIBIT 12
Waiver Request of Section 74.1204


K273AM Payette, ID 100 Watts ERP
Channel Change to 220
Calvary Chapel of Twin Falls, Inc. 10/09

The proposed site is contained entirely inside the service contour of second-adjacent FM Station KIZN Boise, ID

KIZN


The proposed site is contained entirely inside the service contour of FM Station KIZN, 222C, 48kW, Boise, ID. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 67.7-dBu. Using the Undesired-to-Desired method, the interfering contour is 107.7-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial, extend 294 meters or 965 feet, from the base of the tower. Attached is a section of the USGS Payette (ID) Quadrangle with an interference contour (marked in yellow) of 1000 feet. This tower is located in a sparsely populated area and the interference contour, which is slightly larger than the 965 feet specified, contains no residences, businesses or major roadways. Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel FM Station KIZN, Boise.





1:1,703,125

Scale in km



PROP 220D .1kW 794M AMSL

N. Lat. 44 03 44 W. Lng. 116 54 22

EX 12

CCTF - 10/09