


## FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 148.0 E

Call: WZOO  
Frequency: 710.0 kHz  
Power: 1.000 kW  
Pattern: DA

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
1	070902	1250	3.20	36.0
2		1241	3.71	31.0
3		1234	5.49	21.0
4		1227	7.00	9.0
5		1220	9.04	7.6
6		1215	11.50	6.0
7		1209	13.90	3.10
8		1203	15.90	1.95
9		1157	19.00	1.71
10		1152	22.00	1.09
11		1146	25.40	.88
12		1139	29.10	.74
13		1133	31.00	.57
14		1127	35.00	.45
15		1116	39.70	.365
16		1108	44.50	.310
17		1102	47.70	.270
18	070902	1052	53.80	.205



## FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 148.0 E

Call: WZOO  
Frequency: 710.0 kHz  
Power: 1.000 kW  
Pattern: DA

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
1	070902	1250	3.20	36.0
2		1241	3.71	31.0
3		1234	5.49	21.0
4		1227	7.00	9.0
5		1220	9.04	7.6
6		1215	11.50	6.0
7		1209	13.90	3.10
8		1203	15.90	1.95
9		1157	19.00	1.71
10		1152	22.00	1.09
11		1146	25.40	.88
12		1139	29.10	.74
13		1133	31.00	.57
14		1127	35.00	.45
15		1116	39.70	.365
16		1108	44.50	.310
17		1102	47.70	.270
18	070902	1052	53.80	.205

