

KWJK
Channel= 226
Max ERP = 7.2 kW
RCAMSL = 331 M
N. Lat = 385631
W. Lng = 923432

KGRC BLH20001218AAF
Channel = 225
Max ERP = 100 kW
RCAMSL = 474.45 M
N. Lat = 394348
W. Lng = 912419

Protected
60 dBu

Interfering
54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
20.0	7.200	128.9	33.1	238.0	100.000	265.8	105.7	52.8
21.0	7.200	128.1	33.0	237.7	100.000	265.7	105.4	52.9
22.0	7.200	126.4	32.8	237.4	100.000	265.6	105.2	53.0
23.0	7.200	123.7	32.5	237.0	100.000	265.5	105.1	53.0
24.0	7.200	120.5	32.2	236.7	100.000	265.4	105.1	53.0
25.0	7.200	117.3	31.8	236.3	100.000	265.3	105.2	53.0
26.0	7.200	114.8	31.5	236.0	100.000	265.3	105.2	53.0
27.0	7.200	113.3	31.3	235.6	100.000	265.3	105.1	53.0
28.0	7.200	112.5	31.2	235.3	100.000	265.3	104.9	53.0
29.0	7.200	112.0	31.1	235.1	100.000	265.4	104.7	53.1
30.0	7.200	111.8	31.1	234.8	100.000	265.4	104.5	53.2
31.0	7.200	111.7	31.1	234.5	100.000	265.6	104.3	53.2
32.0	7.200	111.5	31.0	234.2	100.000	265.7	104.1	53.3
33.0	7.200	111.3	31.0	233.9	100.000	265.9	104.0	53.3
34.0	7.200	111.2	31.0	233.7	100.000	266.0	103.8	53.4
35.0	7.200	111.2	31.0	233.4	100.000	266.2	103.6	53.4
36.0	7.200	111.8	31.1	233.1	100.000	266.4	103.4	53.5
37.0	7.200	112.5	31.2	232.8	100.000	266.6	103.1	53.6
38.0	7.200	113.0	31.2	232.5	100.000	266.8	102.9	53.7
39.0	7.200	112.8	31.2	232.2	100.000	267.0	102.8	53.7
40.0	7.200	112.1	31.1	231.9	100.000	267.2	102.8	53.7
41.0	7.200	111.7	31.1	231.6	100.000	267.4	102.8	53.7
42.0	7.200	111.7	31.1	231.3	100.000	267.6	102.7	53.8
43.0	7.200	111.8	31.1	231.0	100.000	267.8	102.6	53.8
44.0	7.200	111.4	31.0	230.7	100.000	268.0	102.6	53.8
45.0	7.200	110.6	30.9	230.4	100.000	268.2	102.6	53.8
46.0	7.200	109.8	30.8	230.1	100.000	268.5	102.7	53.8
47.0	7.200	109.7	30.8	229.8	100.000	268.7	102.7	53.8
48.0	7.200	110.4	30.9	229.5	100.000	269.0	102.6	53.8
49.0	7.200	111.1	31.0	229.2	100.000	269.3	102.5	53.9
50.0	7.200	111.6	31.1	228.9	100.000	269.6	102.4	53.9
51.0	7.200	111.8	31.1	228.6	100.000	270.0	102.4	53.9
52.0	7.200	111.9	31.1	228.3	100.000	270.3	102.4	53.9
53.0	7.200	111.9	31.1	228.0	100.000	270.7	102.5	53.9
54.0	7.200	111.9	31.1	227.7	100.000	271.1	102.5	53.9
55.0	7.200	111.9	31.1	227.4	100.000	271.6	102.6	53.9
56.0	7.200	112.0	31.1	227.1	100.000	272.0	102.7	53.9
57.0	7.200	111.9	31.1	226.8	100.000	272.5	102.8	53.9
58.0	7.200	111.7	31.1	226.5	100.000	272.9	102.9	53.9
59.0	7.200	111.6	31.1	226.2	100.000	273.3	103.0	53.8

60.0	7.200	112.1	31.1		225.9	100.000	273.7	103.1	53.8
61.0	7.200	113.3	31.3		225.6	100.000	274.2	103.1	53.8
62.0	7.200	115.1	31.5		225.3	100.000	274.5	103.0	53.9
63.0	7.200	116.7	31.7		224.9	100.000	274.9	103.0	53.9
64.0	7.200	117.9	31.8		224.6	100.000	275.1	103.0	53.9
65.0	7.200	118.8	32.0		224.3	100.000	275.4	103.1	53.9
66.0	7.200	120.0	32.1		224.0	100.000	275.6	103.2	53.8
67.0	7.200	121.4	32.3		223.7	100.000	275.8	103.3	53.8
68.0	7.200	122.7	32.4		223.3	100.000	276.0	103.4	53.8
69.0	7.200	123.1	32.5		223.1	100.000	276.1	103.6	53.7
70.0	7.200	123.1	32.5		222.8	100.000	276.3	103.8	53.7
71.0	7.200	123.0	32.4		222.5	100.000	276.4	104.1	53.6
72.0	7.200	123.4	32.5		222.2	100.000	276.5	104.4	53.5
73.0	7.200	124.3	32.6		221.9	100.000	276.6	104.6	53.5
74.0	7.200	125.3	32.7		221.6	100.000	276.7	104.8	53.4
75.0	7.200	126.1	32.8		221.3	100.000	276.7	105.0	53.3
76.0	7.200	126.8	32.9		221.1	100.000	276.8	105.3	53.3
77.0	7.200	127.4	32.9		220.8	100.000	276.8	105.5	53.2
78.0	7.200	128.0	33.0		220.5	100.000	276.8	105.8	53.1
79.0	7.200	128.8	33.1		220.2	100.000	276.8	106.1	53.0
80.0	7.200	129.5	33.2		220.0	100.000	276.8	106.4	52.9

