



■ 2.0 mV/m
■ 0.5 mV/m

WMMG - Brandenburg, KY
Corrected Coordinates
Solid Lines
Freq: 1140 kHz
Class: D
Latitude: 37-59-09 N
Longitude: 086-11-04 W
Power: 0.25 kW
RMS: 317.04 mV/m @ 1km
Towers: 1

WMMG - Brandenburg, KY
Licensed Coordinates
Dashed Lines
Freq: 1140 kHz
Class: D
Latitude: 37-59-05 N
Longitude: 086-09-24 W
Power: 0.25 kW
RMS: 317.04 mV/m @ 1km
Towers: 1

EXHIBIT #1A
MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
MEADE COUNTY COMMUNICATIONS, INC.
WMMG AM RADIO STATION
1140 kHz - 0.25 kW - NDD
BRANDENBURG, KENTUCKY
November 2007

WIDE AREA SERVICE CONTOURS





5.0 mV/m

WMMG - Brandenburg, KY
Corrected Coordinates
Solid Lines
Freq: 1140 kHz
Class: D
Latitude: 37-59-09 N
Longitude: 086-11-04 W
Power: 0.25 kW
RMS: 317.04 mV/m @1km
Towers: 1

WMMG - Brandenburg, KY
Licensed Coordinates
Dashed Lines
Freq: 1140 kHz
Class: D
Latitude: 37-59-05 N
Longitude: 086-09-24 W
Power: 0.25 kW
RMS: 317.04 mV/m @1km
Towers: 1

EXHIBIT #1B
MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
MEADE COUNTY COMMUNICATIONS, INC.
WMMG AM RADIO STATION
1140 kHz - 0.25 kW - NDD
BRANDENBURG, KENTUCKY
November 2007

CITY GRADE CONTOURS



GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS

WMMG - Brandenburg, KY

Corrected Coordinates
Solid Lines
Freq: 1140 kHz
Class: D
Latitude: 37-59-09 N
Longitude: 086-11-04 W
Power: 0.25 kW
RMS: 317.04 mV/m @ 1km
Towers: 1

WMMG - Brandenburg, KY

Licensed Coordinates
Dashed Lines
Freq: 1140 kHz
Class: D
Latitude: 37-59-05 N
Longitude: 086-09-24 W
Power: 0.25 kW
RMS: 317.04 mV/m @ 1km
Towers: 1

1.0 V/m

EXHIBIT #1C
MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
MEADE COUNTY COMMUNICATIONS, INC.
WMMG AM RADIO STATION
1140 kHz - 0.25 kW - NDD
BRANDENBURG, KENTUCKY
November 2007

WITHIN THE CORRECTED COORDINATE 1000 mV/m CONTOUR:
0 PERSONS - 2000 CENSUS

1000 mV/m SERVICE CONTOURS

Scale 1:24,000

0 0.33 0.67 1.0 km

MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
MEADE COUNTY COMMUNICATIONS, INC.
WMMG AM RADIO STATION
1140 kHz - 0.25 kW - NDD
BRANDENBURG, KENTUCKY
November 2007

EXHIBIT #1D

Corrected Coordinate Contour Tabulation

North Latitude: 37° 59' 09"
West Longitude: 86° 11' 04"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
0.0	158.52	0.15	11.16	17.94	33.63
5.0	158.52	0.15	11.16	17.94	33.63
10.0	158.52	0.15	11.16	17.94	33.63
15.0	158.52	0.15	11.16	17.94	33.63
20.0	158.52	0.15	11.16	17.94	33.63
25.0	158.52	0.15	11.16	17.94	33.63
30.0	158.52	0.15	11.16	17.94	33.63
35.0	158.52	0.15	11.16	17.94	33.63
40.0	158.52	0.15	11.16	17.94	33.63
45.0	158.52	0.15	11.16	17.94	33.63
50.0	158.52	0.15	11.16	17.94	33.63
55.0	158.52	0.15	11.16	17.94	33.63
60.0	158.52	0.15	11.16	17.94	33.63
65.0	158.52	0.15	11.16	17.94	33.63
70.0	158.52	0.15	11.16	17.94	33.63
75.0	158.52	0.15	11.16	17.94	33.63
80.0	158.52	0.15	11.16	17.94	33.63
85.0	158.52	0.15	11.16	17.94	33.63
90.0	158.52	0.15	11.16	17.94	33.63
95.0	158.52	0.15	11.16	17.94	33.63
100.0	158.52	0.15	11.16	17.94	33.63
105.0	158.52	0.15	11.16	17.94	33.63
110.0	158.52	0.15	11.16	17.94	33.63
115.0	158.52	0.15	11.16	17.94	33.63
120.0	158.52	0.15	11.16	17.94	33.63
125.0	158.52	0.15	11.16	17.94	33.63
130.0	158.52	0.15	11.16	17.94	33.63
135.0	158.52	0.15	11.16	17.94	33.63
140.0	158.52	0.15	11.16	17.94	33.63
145.0	158.52	0.15	11.16	17.94	33.63
150.0	158.52	0.15	11.16	17.94	33.63
155.0	158.52	0.15	11.16	17.94	33.63
160.0	158.52	0.15	11.16	17.94	33.63
165.0	158.52	0.15	11.16	17.94	33.63
170.0	158.52	0.15	11.16	17.94	33.63
175.0	158.52	0.15	11.16	17.94	33.63

MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
MEADE COUNTY COMMUNICATIONS, INC.
WMMG AM RADIO STATION
1140 kHz - 0.25 kW - NDD
BRANDENBURG, KENTUCKY
November 2007

EXHIBIT #1D (continued)

Corrected Coordinate Contour Tabulation

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
180.0	158.52	0.15	11.16	17.94	33.63
185.0	158.52	0.15	11.16	17.94	33.63
190.0	158.52	0.15	11.16	17.94	33.63
195.0	158.52	0.15	11.16	17.94	33.63
200.0	158.52	0.15	11.16	17.94	33.63
205.0	158.52	0.15	11.16	17.94	33.63
210.0	158.52	0.15	11.16	17.94	33.63
215.0	158.52	0.15	11.16	17.94	33.63
220.0	158.52	0.15	11.16	17.94	33.63
225.0	158.52	0.15	11.16	17.94	33.63
230.0	158.52	0.15	11.16	17.94	33.63
235.0	158.52	0.15	11.16	17.94	33.63
240.0	158.52	0.15	11.16	17.94	33.63
245.0	158.52	0.15	11.16	17.94	33.63
250.0	158.52	0.15	11.16	17.94	33.63
255.0	158.52	0.15	11.16	17.94	33.63
260.0	158.52	0.15	11.16	17.94	33.63
265.0	158.52	0.15	11.16	17.94	33.63
270.0	158.52	0.15	11.16	17.94	33.63
275.0	158.52	0.15	11.16	17.94	33.74
280.0	158.52	0.15	11.16	17.94	34.08
285.0	158.52	0.15	11.16	17.94	34.30
290.0	158.52	0.15	11.16	17.94	34.40
295.0	158.52	0.15	11.16	17.94	34.38
300.0	158.52	0.15	11.16	17.94	34.24
305.0	158.52	0.15	11.16	17.94	33.99
310.0	158.52	0.15	11.16	17.94	33.63
315.0	158.52	0.15	11.16	17.94	33.63
320.0	158.52	0.15	11.16	17.94	33.63
325.0	158.52	0.15	11.16	17.94	33.63
330.0	158.52	0.15	11.16	17.94	33.63
335.0	158.52	0.15	11.16	17.94	33.63
340.0	158.52	0.15	11.16	17.94	33.63
345.0	158.52	0.15	11.16	17.94	33.63
350.0	158.52	0.15	11.16	17.94	33.63
355.0	158.52	0.15	11.16	17.94	33.63

Ground Conductivity: FCC M-3

MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
MEADE COUNTY COMMUNICATIONS, INC.
WMMG AM RADIO STATION
1140 kHz - 0.25 kW - NDD
BRANDENBURG, KENTUCKY
November 2007

EXHIBIT #1E

Licensed Coordinate Contour Tabulation

North Latitude: 37° 59' 05"
West Longitude: 86° 09' 24"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
0.0	158.52	0.15	11.16	17.94	33.63
5.0	158.52	0.15	11.16	17.94	33.63
10.0	158.52	0.15	11.16	17.94	33.63
15.0	158.52	0.15	11.16	17.94	33.63
20.0	158.52	0.15	11.16	17.94	33.63
25.0	158.52	0.15	11.16	17.94	33.63
30.0	158.52	0.15	11.16	17.94	33.63
35.0	158.52	0.15	11.16	17.94	33.63
40.0	158.52	0.15	11.16	17.94	33.63
45.0	158.52	0.15	11.16	17.94	33.63
50.0	158.52	0.15	11.16	17.94	33.63
55.0	158.52	0.15	11.16	17.94	33.63
60.0	158.52	0.15	11.16	17.94	33.63
65.0	158.52	0.15	11.16	17.94	33.63
70.0	158.52	0.15	11.16	17.94	33.63
75.0	158.52	0.15	11.16	17.94	33.63
80.0	158.52	0.15	11.16	17.94	33.63
85.0	158.52	0.15	11.16	17.94	33.63
90.0	158.52	0.15	11.16	17.94	33.63
95.0	158.52	0.15	11.16	17.94	33.63
100.0	158.52	0.15	11.16	17.94	33.63
105.0	158.52	0.15	11.16	17.94	33.63
110.0	158.52	0.15	11.16	17.94	33.63
115.0	158.52	0.15	11.16	17.94	33.63
120.0	158.52	0.15	11.16	17.94	33.63
125.0	158.52	0.15	11.16	17.94	33.63
130.0	158.52	0.15	11.16	17.94	33.63
135.0	158.52	0.15	11.16	17.94	33.63
140.0	158.52	0.15	11.16	17.94	33.63
145.0	158.52	0.15	11.16	17.94	33.63
150.0	158.52	0.15	11.16	17.94	33.63
155.0	158.52	0.15	11.16	17.94	33.63
160.0	158.52	0.15	11.16	17.94	33.63
165.0	158.52	0.15	11.16	17.94	33.63
170.0	158.52	0.15	11.16	17.94	33.63
175.0	158.52	0.15	11.16	17.94	33.63

MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
MEADE COUNTY COMMUNICATIONS, INC.
WMMG AM RADIO STATION
1140 kHz - 0.25 kW - NDD
BRANDENBURG, KENTUCKY
November 2007

EXHIBIT #1E (continued)

Licensed Coordinate Contour Tabulation

WMMG - 1140 kHz - BRANDENBURG, KY - 0.25 kW - ND
North Latitude: 37° 59' 05"
West Longitude: 86° 09' 24"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
180.0	158.52	0.15	11.16	17.94	33.63
185.0	158.52	0.15	11.16	17.94	33.63
190.0	158.52	0.15	11.16	17.94	33.63
195.0	158.52	0.15	11.16	17.94	33.63
200.0	158.52	0.15	11.16	17.94	33.63
205.0	158.52	0.15	11.16	17.94	33.63
210.0	158.52	0.15	11.16	17.94	33.63
215.0	158.52	0.15	11.16	17.94	33.63
220.0	158.52	0.15	11.16	17.94	33.63
225.0	158.52	0.15	11.16	17.94	33.63
230.0	158.52	0.15	11.16	17.94	33.63
235.0	158.52	0.15	11.16	17.94	33.63
240.0	158.52	0.15	11.16	17.94	33.63
245.0	158.52	0.15	11.16	17.94	33.63
250.0	158.52	0.15	11.16	17.94	33.63
255.0	158.52	0.15	11.16	17.94	33.63
260.0	158.52	0.15	11.16	17.94	33.63
265.0	158.52	0.15	11.16	17.94	33.63
270.0	158.52	0.15	11.16	17.94	33.63
275.0	158.52	0.15	11.16	17.94	33.63
280.0	158.52	0.15	11.16	17.94	33.63
285.0	158.52	0.15	11.16	17.94	33.63
290.0	158.52	0.15	11.16	17.94	33.63
295.0	158.52	0.15	11.16	17.94	33.63
300.0	158.52	0.15	11.16	17.94	33.63
305.0	158.52	0.15	11.16	17.94	33.63
310.0	158.52	0.15	11.16	17.94	33.63
315.0	158.52	0.15	11.16	17.94	33.63
320.0	158.52	0.15	11.16	17.94	33.63
325.0	158.52	0.15	11.16	17.94	33.63
330.0	158.52	0.15	11.16	17.94	33.63
335.0	158.52	0.15	11.16	17.94	33.63
340.0	158.52	0.15	11.16	17.94	33.63
345.0	158.52	0.15	11.16	17.94	33.63
350.0	158.52	0.15	11.16	17.94	33.63
355.0	158.52	0.15	11.16	17.94	33.63

Ground Conductivity: FCC M-3