

**Part 1 - Channel Study**

REFERENCE		CH# 216B - 91.1 MHz, Pwr= 39 kW, HAAT= 170.0 M, COR= 621 M								DISPLAY DATES	
37 07 40.0 N.		Average Protected F(50-50)= 52.4 km								DATA 10-08-09	
119 40 39.0 W.		Omni-directional								SEARCH 10-08-09	
CH CITY	CALL	TYPE STATE	ANT STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
216B Fairmead	KLTV	LIC	CX CA	90.0 270.0	0.0 BLED20061010AAK	37 07 40.0 119 40 38.0	50.000 148	142.7 598	56.2 Educational Media Foundati	-182.3*	-177.8*
214A Fresno	KFSR	LIC	CN CA	189.7 9.7	35.6 BLED19880314KC	36 48 42.0 119 44 43.0	2.550 20	1.6 124	12.7 California State Universit	-34.4*<	14.3
217A Hanford	1214865	APP	VX CA	178.1 358.1	88.5 BNPED20071019ATR	36 19 52.0 119 38 40.0	0.100 25	8.0 80	5.6	14.4	-13.5<
270B Fresno	KLBN	LIC	NC CA	105.6 285.7	22.7 BMLH20010802AAU	37 04 22.0 119 25 53.0	2.250 597	1.6 1428	17.6 Lotus Fresno Corp.	19.5R	3.2M
214A Merced	1210566	APP	CX CA	286.8 106.4	68.3 BNPED20071022AAX	37 18 11.7 120 24 56.1	5.000 19	1.6 87	15.0 5. Centro Cristiano De Fe,	5.3	45.8
218B Fresno	KSJV	LIC	CN CA	129.6 310.1	85.1 BLED19800806AB	36 38 15.0 118 56 35.0	16.000 265	7.1 1608	70.7 Radio Bilingue, Inc.	16.7	7.0
214B1 Merced	1219695	APP	DCX CA	292.3 111.8	71.0 BNPED20071016AIT	37 22 00.4 120 25 10.3	20.000 47	2.3 130	22.6 Regents Of The University	8.1	41.0
214B1 Merced	1212062	APP	DVX CA	284.9 104.5	73.2 BNPED20071016AIS	37 17 40.1 120 28 32.6	8.700 29	1.8 86	17.5 Family Life Broadcasting,	10.6	48.4
214A Merced	1210726	APP	CX CA	284.9 104.4	73.2 BNPED20071018AUZ	37 17 40.0 120 28 33.0	1.000 30	1.6 86	10.2 Centro Palebra De Fe Churc	10.8	55.7
215B1 Los Banos	NEW	CP	DCX CA	262.8 82.1	109.9 BNPED20071022BOB	36 59 54.0 120 54 10.0	10.000 -20	22.3 98	14.9 Calvary Chapel Of Modesto,	30.9	11.4
215A Turlock	KBDG	LIC	CN CA	292.5 111.8	110.0 BLED19960522KB	37 29 59.0 120 49 41.0	0.780 24	13.3 58	9.5 Assyrian American Civic Cl	36.2	11.7
214A Merced	1208551	APP	CX CA	292.0 111.5	74.6 BNPED20071015ADO	37 22 33.0 120 27 34.0	0.500 95	1.6 172	14.4 Old Time Gospel Ministries	12.3	52.8
214A Merced	1250131	APP	DCX CA	296.4 116.0	75.3 BNPED20071018ACL	37 25 35.0 120 26 25.0	1.000 149	1.7 240	21.4 California State Universit	15.2	47.0
218A Atwater	NEW	CP	CX CA	290.1 109.6	88.2 BNPED20071022APX	37 23 49.0 120 36 49.0	0.500 32	1.6 82	8.5 Common Frequency, Inc.	25.3	72.2
217B Stockton	KUOP	LIC	DCN CA	285.3 104.3	153.4 BLED19830310AI	37 28 48.0 121 21 02.0	7.000 372	50.3 827	32.2 California State Universit	42.1	31.8
217B1 Big Pine	1209807	APP	CX CA	76.1 257.0	136.1 BNPED20071015AHY	37 24 42.0 118 11 07.0	0.100 904	63.3 3310	41.6 Western Inspirational Broa	38.2	37.6
217A Paicines	1211362	APP	CX CA	250.7 69.8	138.6 BNPED20071018AAX	36 42 29.0 121 08 33.0	0.200 -870	9.6 564	6.7 Centro Cristiano Vida Abun	66.3	40.1
213A Firebaugh	KYCI	LIC	DHX CA	245.5 64.8	106.6 BMLLED20080414AAG	36 43 32.0 120 45 49.0	0.395 332	1.4 656	33.4 Your Christian Companion N	40.7	65.2
217A Paicines	1215569	APP	DCX CA	248.1 67.2	146.7 BNPED20071022BQY	36 37 38.0 121 12 02.0	0.310 93	16.6 649	11.5 California Association For	66.4	42.1
217A Bishop	1212813	APP	VX CA	76.7 257.5	116.7 BNPED20071016AJE	37 21 39.9 118 23 40.9	6.000 -252	23.5 1278	15.8 Nevada-utah Conference Of	57.0	42.1
216B1 San Mateo	KCSM	LIC	CN CA	281.8 100.1	239.8 BLED19961120KF	37 32 12.0 122 20 02.0	11.500 113	113.3 226	45.1 San Mateo County Community	66.9	49.7
216B1 San Mateo	KCSM	CP	CX CA	281.7 100.1	239.7 BPED20081216ANE	37 32 08.1 122 20 00.0	11.000 113	112.2 225	44.6 San Mateo County Community	67.9	50.2

Page # 2													
CH	CALL	TYPE ANT		AZI.	DIST	LAT.			Pwr(kW)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG.		HAAT(M)	COR(M)	LICENSEE		(Overlap	in km)
215B	KGZO	LIC	DC	181.8	205.0	35 16 51.0	1.900	84.8	57.0	53.5	50.7		
Shafter		CA		1.7	BLED19980713KA	119 44 52.0	631	1294	The Association For Commun				
217A	KDRH	LIC	V	233.3	157.5	36 16 22.0	0.300	10.6	7.4	80.0	52.5		
King City		CA		52.4	BLED20010126AAL	121 05 02.0	23	286	Educational Media Foundati				
216B	KFRJ	LIC	CX	135.4	255.1	35 28 38.0	5.500	131.3	54.2	64.0	55.5		
China Lake		CA		316.6	BLED20080317AGX	117 41 59.0	386	1351	Family Stations Inc				
219B	KXSR	LIC	DCX	334.5	115.3	38 03 46.0	4.000	3.8	52.2	71.4	58.9		
Groveland		CA		154.1	BLED20030218AAE	120 14 45.0	485	1543	California State Universit				
214A	1245897	APP	DCX	277.4	118.3	37 15 24.0	1.500	1.3	8.9	59.4	102.5		
Newman		CA		96.6	BNPED20071017AGF	120 59 59.0	13	63	West Side Theatre Foundati				
213B	KUFW	LIC	CN	141.1	119.8	36 17 09.0	0.850	2.0	53.1	59.4	59.8		
Woodlake		CA		321.6	BLED19830524AA	118 50 15.0	761	1715	National Farm Workers Serv				
214A	1213655	APP	CX	329.4	108.8	37 58 06.7	0.500	1.6	12.3	60.1	91.3		
Sonora		CA		149.0	BNPED20071018BCP	120 18 36.5	667	750	De La Cruz International M				
215A	KHDC	LIC	CN	249.4	168.7	36 34 54.0	3.000	19.5	13.2	85.9	63.0		
Chualar		CA		68.3	BLED19810708AC	121 26 34.0	59	369	Radio Bilingue, Inc.				
215B	KWTM	LIC	CX	22.4	115.4	38 05 14.0	0.910	13.8	9.9	76.4	64.0		
June Lake		CA		202.7	BLED20020411AAO	119 10 31.0	105	2580	Living Proof, Inc.				
213A	KADV	LIC	CN	295.6	125.2	37 36 26.0	1.500	1.6	11.7	64.8	106.5		
Modesto		CA		114.8	BMLED19930604KI	120 57 26.0	43	63	Modesto Adventist Academy				
214A	1206689	APP	VX	328.6	115.0	38 00 30.0	0.100	0.7	20.5	66.6	89.1		
Jamestown		CA		148.1	BNPED20071012ACA	120 21 45.0	352	1033	Calvary Chapel Of Twin Fal				
06ZT	KBVE-LP	CP	D N	30.1	180.2	38 31 31.0	3.000	12.4	9.0	176.5R	158.7M		
Hawthorne		NV		210.8	BNPTVL20000830BMB	118 38 12.0	149	1377	Entravision Holdings, Llc				

-----  
Terrain database is NGDC 30 SEC,R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
Contour distances are on direct line to and from reference station. Reference Zone = 1A, Co to 3rd adjacent.  
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E),Beamtilt(Y,N,X)  
""affixed to 'IN' or 'OUT' values = site inside protected contour.  
"<" = Contour Overlap

**Part 2 - Request for Waiver of 47 C.F.R. Section 73.509**

This proposal is engineered so as to NOT CAUSE interference to any existing station, known application or allocation. However, the proposed service area would RECEIVE interference from second adjacent facility KFSR (see exhibit 16-D for a contour map of the interference area):

Again, this proposal will not cause interference to KSFR as KLVY's proposed interfering 100 dBu contour will not overlap the applications' protected 60 dBu contour. KLVY's proposed protected contour would, however, receive prohibited overlap from the license listed above. The area of "overlap received" from the above referenced facility within the 60 dBu of KLVY will be approximately 8.0sq km which is 0.10% of the total area.

The proposed facility is nearly identical to the current KLVY License which permits *de minimus* overlap "received" based on the requests made by the licensees of WCPE(FM)\* and WCCE(FM) in Educational Information Corporation, 6 FCC Rcd 2207 (1991). WCPE(FM) requested a waiver in its application to permit *de minimus* overlap "received," and WCCE(FM) requested a waiver in its application to permit *de minimus* overlap "caused."

This modification is to resolve an RF issue as required by the site Landlord which has adopted an RF standard higher than established by the FCC. In order to not jeopardize the operation of all facilities at the site, Educational Media Foundation proposes moving the facility further up the tower which complies with the site requirements as per the site Landlord.

Significant service will be maintained by the proposed KLVY facility with the overlap area being very small constituting less than 1% (total) of the station's proposed service area. Accordingly EMF respectfully submits that a waiver of Section 73.509(a) of the Commission's rules is justified in this instance.

\* EMF wishes to emphasize that its request is not at all similar to the second waiver request made by WCPE in Educational Information Corporation, 1997 FCC LEXIS 2636 (May 20, 1997). Unlike here, WCPE was seeking a waiver of overlap "caused" in that second case.

Exhibit 16 - A

FMCommander Single Allocation Study - 10-08-2009 - NGDC 30 SEC  
KLVY's Overlaps (In= 5.33 km, Out= 45.83 km)

KLVY CH 216 B  
Lat= 37 07 40.0, Lng= 119 40 39.0  
39.0 kW 170 M HAAT, 621 M COR  
Prot.= 60 dBu, Intef.= 100 dBu

1210566 CH 214 A BNPED20071022AAX  
Lat= 37 18 11.7, Lng= 120 24 56.1  
5.0 kW 19.4 M HAAT, 87 M COR  
Prot.= 60 dBu, Intef.= 100 dBu




Exhibit 16 - B

FMCommander Single Allocation Study - 10-08-2009 - NGDC 30 SEC  
KLVY's Overlaps (In= 16.68 km, Out= 6.96 km)

KLVY CH 216 B  
Lat= 37 07 40.0, Lng= 119 40 39.0  
39.0 kW 170 M HAAT, 621 M COR  
Prot.= 60 dBu, Intef.= 100 dBu

KSJV CH 218 B BLED19800806AB  
Lat= 36 38 15.0, Lng= 118 56 35.0  
16.0 kW 265 M HAAT, 1608 M COR  
Prot.= 60 dBu, Intef.= 100 dBu





Exhibit 16 - C

FMCommander Single Allocation Study - 10-08-2009 - NGDC 30 SEC  
KLVY's Overlaps (In= 8.08 km, Out= 41.01 km)

KLVY CH 216 B  
Lat= 37 07 40.0, Lng= 119 40 39.0  
39.0 kW 170 M HAAT, 621 M COR  
Prot.= 60 dBu, Intef.= 100 dBu

1219695 CH 214 B1 DA BNPED20071016AIT  
Lat= 37 22 00.4, Lng= 120 25 10.3  
20.0 kW 46.9 M HAAT, 129.5 M COR  
Prot.= 60 dBu, Intef.= 100 dBu



**Exhibit 16 - D**

**KLTV**

Latitude: 37-07-40 N  
Longitude: 119-40-39 W  
ERP: 39.00 kW  
Channel: 216  
Frequency: 91.1 MHz  
AMSL Height: 621.0 m  
Horiz. Pattern: Omni  
Vert. Pattern: No  
Prop Model: None

**KLTV**

Latitude: 37-07-40 N  
Longitude: 119-40-39 W  
ERP: 39.00 kW  
Channel: 216  
Frequency: 91.1 MHz  
AMSL Height: 621.0 m  
Horiz. Pattern: Omni  
Vert. Pattern: No  
Prop Model: None


- KLVY (216)
- KFSR (214)

- KLVY (216)
- KFSR (214)

<b>Population within FCC (50/10) contour</b> Total Population Within Contour: 15,629 Total Area Within Contour: 8.0 sq. km
--

<b>Population within FCC (50/10) contour</b> Total Population Within Contour: 15,629 Total Area Within Contour: 8.0 sq. km
--

<b>Population within FCC (50/10) contour</b> Total Population Within Contour: 15,629 Total Area Within Contour: 8.0 sq. km
--



KLTV vs. FIN 176640

Educational Media Foundation is submitting the instant application to correct radiofrequency issues per the request of its site landlord, but the instant changes do not increase KLTV's licensed coverage area authorized by BLED-20061010AAK. On October 19, 2007, First Unitarian Universal Life Church of Hanford ("First Unitarian") filed an application (BNPED-20071019ATR) for a new FM radio station to serve Hanford, California. The First Unitarian application proposes facilities that are wholly within the interfering contour of KLTV (see below) in violation of Section 73.207 of the Commission's rules and is so severely short spaced to KLTV that the First Unitarian application also cannot avail itself of contour protection allowances provided for in Section 73.215 because the proposed facilities would not comply with the technical criteria set forth in Section 73.215(e). Therefore, the First Unitarian application should be dismissed for failure to comply with the FCC's rules, and has not been included in the study herein.


Contour Map

Ex E1

FMCommander Single Allocation Study - 10-08-2009 - NGDC 30 SEC  
KLTV's Overlaps (In= 14.42 km, Out= -13.5 km)

KLTV CH 216 B  
Lat= 37 07 40.0, Lng= 119 40 39.0  
39.0 kW 170 M HAAT, 621 M COR  
Prot.= 60 dBu, Intef.= 54 dBu

1214865 CH 217 A BNPED20071019ATR  
Lat= 36 19 52.0, Lng= 119 38 40.0  
0.1 kW 25 M HAAT, 80 M COR  
Prot.= 60 dBu, Intef.= 54 dBu





KL VY-121486-FMOver.txt

FMOver Analysis

10-08-2009 NGDC 30 SEC Terrain Data

1214865 BNPED20071019ATR  
 Channel = 217A  
 Max ERP = 0.1 kW  
 RCAMSL = 80 M  
 N. Lat. 36 19 52.0  
 W. Lng. 119 38 40.0  
 Protected  
 60 dBu

KL VY  
 Channel = 216B  
 Max ERP = 39 kW  
 RCAMSL = 621 M  
 N. Lat. 37 07 40.0  
 W. Lng. 119 40 39.0  
 Interfering  
 54 dBu

Azi muth (degrees)	ERP (kW)	HAAT (m)	Di st (km)	Azi muth (degrees)	ERP (kW)	HAAT (m)	Di st (km)	Actual (dBu)	I X (km)
298.0	000.1000	0019.0	005.6	181.4	039.0000	0352.0	085.8	57.59**	11.44
299.0	000.1000	0019.0	005.6	181.3	039.0000	0351.9	085.7	57.62**	11.52
300.0	000.1000	0019.0	005.6	181.3	039.0000	0351.9	085.6	57.64**	11.60
301.0	000.1000	0019.0	005.6	181.3	039.0000	0351.8	085.5	57.67**	11.68
302.0	000.1000	0019.0	005.6	181.2	039.0000	0351.7	085.4	57.69**	11.76
303.0	000.1000	0019.0	005.6	181.2	039.0000	0351.7	085.4	57.72**	11.84
304.0	000.1000	0019.0	005.6	181.2	039.0000	0351.6	085.3	57.75**	11.91
305.0	000.1000	0019.0	005.6	181.1	039.0000	0351.5	085.2	57.77**	11.99
306.0	000.1000	0019.0	005.6	181.1	039.0000	0351.5	085.1	57.80**	12.06
307.0	000.1000	0019.0	005.6	181.0	039.0000	0351.4	085.0	57.82**	12.13
308.0	000.1000	0019.0	005.6	181.0	039.0000	0351.3	084.9	57.84**	12.21
309.0	000.1000	0019.0	005.6	181.0	039.0000	0351.2	084.9	57.87**	12.28
310.0	000.1000	0019.0	005.6	180.9	039.0000	0351.2	084.8	57.89**	12.34
311.0	000.1000	0019.0	005.6	180.9	039.0000	0351.1	084.7	57.91**	12.41
312.0	000.1000	0019.0	005.6	180.8	039.0000	0351.0	084.6	57.93**	12.48
313.0	000.1000	0019.0	005.6	180.8	039.0000	0350.9	084.6	57.96**	12.54
314.0	000.1000	0019.0	005.6	180.7	039.0000	0350.8	084.5	57.98**	12.60
315.0	000.1000	0019.0	005.6	180.7	039.0000	0350.7	084.4	58.00**	12.66
316.0	000.1000	0019.0	005.6	180.7	039.0000	0350.6	084.4	58.02**	12.72
317.0	000.1000	0019.0	005.6	180.6	039.0000	0350.5	084.3	58.04**	12.78
318.0	000.1000	0018.9	005.6	180.6	039.0000	0350.5	084.2	58.06**	12.84
319.0	000.1000	0018.7	005.6	180.5	039.0000	0350.4	084.2	58.07**	12.90
320.0	000.1000	0018.6	005.6	180.5	039.0000	0350.3	084.1	58.09**	12.95
321.0	000.1000	0018.5	005.6	180.4	039.0000	0350.2	084.0	58.11**	13.00
322.0	000.1000	0018.4	005.6	180.4	039.0000	0350.1	084.0	58.13**	13.05
323.0	000.1000	0018.4	005.6	180.3	039.0000	0350.0	083.9	58.14**	13.10
324.0	000.1000	0018.4	005.6	180.2	039.0000	0349.8	083.8	58.16**	13.15
325.0	000.1000	0018.4	005.6	180.2	039.0000	0349.7	083.8	58.18**	13.20
326.0	000.1000	0018.5	005.6	180.1	039.0000	0349.6	083.7	58.19**	13.24
327.0	000.1000	0018.7	005.6	180.1	039.0000	0349.5	083.7	58.21**	13.28
328.0	000.1000	0018.8	005.6	180.0	039.0000	0349.4	083.6	58.22**	13.32
329.0	000.1000	0018.9	005.6	180.0	039.0000	0349.3	083.6	58.23**	13.36
330.0	000.1000	0019.0	005.6	179.9	039.0000	0349.2	083.5	58.25**	13.40
331.0	000.1000	0019.0	005.6	179.8	039.0000	0349.1	083.5	58.26**	13.44
332.0	000.1000	0019.0	005.6	179.8	039.0000	0348.9	083.4	58.27**	13.47
333.0	000.1000	0019.0	005.6	179.7	039.0000	0348.8	083.4	58.28**	13.50
334.0	000.1000	0019.0	005.6	179.7	039.0000	0348.7	083.3	58.29**	13.53
335.0	000.1000	0019.0	005.6	179.6	039.0000	0348.6	083.3	58.30**	13.56
336.0	000.1000	0019.0	005.6	179.5	039.0000	0348.5	083.3	58.31**	13.59
337.0	000.1000	0019.0	005.6	179.5	039.0000	0348.3	083.2	58.32**	13.61
338.0	000.1000	0019.0	005.6	179.4	039.0000	0348.2	083.2	58.33**	13.64
339.0	000.1000	0019.0	005.6	179.4	039.0000	0348.1	083.1	58.34**	13.66
340.0	000.1000	0019.0	005.6	179.3	039.0000	0348.0	083.1	58.34**	13.68
341.0	000.1000	0019.0	005.6	179.2	039.0000	0347.8	083.1	58.35**	13.70
342.0	000.1000	0019.0	005.6	179.2	039.0000	0347.7	083.1	58.35**	13.71
343.0	000.1000	0019.0	005.6	179.1	039.0000	0347.5	083.0	58.36**	13.72

KLTV-121486-FM0ver.txt

344.0	000.1000	0019.0	005.6	179.0	039.0000	0347.3	083.0	58.36**	13.73
345.0	000.1000	0019.0	005.6	179.0	039.0000	0347.1	083.0	58.36**	13.73
346.0	000.1000	0019.0	005.6	178.9	039.0000	0347.0	083.0	58.36**	13.74
347.0	000.1000	0019.0	005.6	178.8	039.0000	0346.8	082.9	58.37**	13.74
348.0	000.1000	0019.0	005.6	178.8	039.0000	0346.5	082.9	58.36**	13.73
349.0	000.1000	0019.0	005.6	178.7	039.0000	0346.3	082.9	58.36**	13.72
350.0	000.1000	0019.0	005.6	178.6	039.0000	0346.0	082.9	58.36**	13.71
351.0	000.1000	0019.0	005.6	178.6	039.0000	0345.7	082.9	58.35**	13.69
352.0	000.1000	0019.0	005.6	178.5	039.0000	0345.3	082.9	58.34**	13.66
353.0	000.1000	0019.0	005.6	178.4	039.0000	0345.0	082.8	58.34**	13.64
354.0	000.1000	0019.0	005.6	178.4	039.0000	0344.7	082.8	58.33**	13.61
355.0	000.1000	0019.0	005.6	178.3	039.0000	0344.3	082.8	58.32**	13.59
356.0	000.1000	0019.0	005.6	178.2	039.0000	0344.0	082.8	58.31**	13.56
357.0	000.1000	0018.9	005.6	178.2	039.0000	0343.8	082.8	58.31**	13.53
358.0	000.1000	0018.8	005.6	178.1	039.0000	0343.5	082.8	58.30**	13.50
359.0	000.1000	0018.5	005.6	178.0	039.0000	0343.2	082.8	58.29**	13.47
000.0	000.1000	0018.2	005.6	178.0	039.0000	0342.9	082.8	58.28**	13.44
001.0	000.1000	0017.9	005.6	177.9	039.0000	0342.6	082.8	58.27**	13.41
002.0	000.1000	0017.0	005.6	177.8	039.0000	0342.4	082.8	58.26**	13.37
003.0	000.1000	0015.7	005.6	177.8	039.0000	0342.1	082.8	58.24**	13.34
004.0	000.1000	0014.5	005.6	177.7	039.0000	0341.8	082.9	58.23**	13.30
005.0	000.1000	0014.2	005.6	177.6	039.0000	0341.6	082.9	58.22**	13.26
006.0	000.1000	0014.1	005.6	177.6	039.0000	0341.3	082.9	58.21**	13.22
007.0	000.1000	0014.0	005.6	177.5	039.0000	0341.1	082.9	58.19**	13.18
008.0	000.1000	0013.8	005.6	177.4	039.0000	0340.8	082.9	58.18**	13.14
009.0	000.1000	0013.6	005.6	177.3	039.0000	0340.6	082.9	58.17**	13.09
010.0	000.1000	0013.4	005.6	177.3	039.0000	0340.3	082.9	58.15**	13.04
011.0	000.1000	0013.3	005.6	177.2	039.0000	0340.0	083.0	58.13**	13.00
012.0	000.1000	0013.2	005.6	177.2	039.0000	0339.8	083.0	58.12**	12.94
013.0	000.1000	0013.2	005.6	177.1	039.0000	0339.5	083.0	58.10**	12.89
014.0	000.1000	0013.1	005.6	177.0	039.0000	0339.3	083.0	58.08**	12.84
015.0	000.1000	0013.0	005.6	177.0	039.0000	0339.0	083.1	58.07**	12.78
016.0	000.1000	0012.9	005.6	176.9	039.0000	0338.7	083.1	58.05**	12.72
017.0	000.1000	0012.8	005.6	176.8	039.0000	0338.5	083.1	58.03**	12.66
018.0	000.1000	0012.7	005.6	176.8	039.0000	0338.2	083.2	58.01**	12.60
019.0	000.1000	0012.5	005.6	176.7	039.0000	0338.0	083.2	57.99**	12.54
020.0	000.1000	0012.4	005.6	176.6	039.0000	0337.7	083.3	57.97**	12.47
021.0	000.1000	0012.2	005.6	176.6	039.0000	0337.5	083.3	57.95**	12.41
022.0	000.1000	0012.0	005.6	176.5	039.0000	0337.2	083.3	57.92**	12.34
023.0	000.1000	0011.6	005.6	176.5	039.0000	0337.0	083.4	57.90**	12.28
024.0	000.1000	0011.3	005.6	176.4	039.0000	0336.8	083.4	57.88**	12.21
025.0	000.1000	0010.9	005.6	176.3	039.0000	0336.6	083.5	57.86**	12.15
026.0	000.1000	0010.4	005.6	176.3	039.0000	0336.5	083.5	57.84**	12.08
027.0	000.1000	0010.2	005.6	176.2	039.0000	0336.4	083.6	57.82**	12.02
028.0	000.1000	0010.2	005.6	176.2	039.0000	0336.3	083.6	57.80**	11.96
029.0	000.1000	0010.4	005.6	176.1	039.0000	0336.2	083.7	57.78**	11.90
030.0	000.1000	0010.8	005.6	176.0	039.0000	0336.1	083.7	57.76**	11.84
031.0	000.1000	0011.3	005.6	176.0	039.0000	0336.1	083.8	57.74**	11.78
032.0	000.1000	0011.9	005.6	175.9	039.0000	0336.1	083.8	57.72**	11.72
033.0	000.1000	0012.6	005.6	175.9	039.0000	0336.0	083.9	57.70**	11.66
034.0	000.1000	0013.1	005.6	175.8	039.0000	0336.0	084.0	57.68**	11.60
035.0	000.1000	0013.4	005.6	175.8	039.0000	0336.0	084.0	57.66**	11.53
036.0	000.1000	0013.7	005.6	175.7	039.0000	0335.9	084.1	57.64**	11.46
037.0	000.1000	0014.0	005.6	175.7	039.0000	0335.9	084.1	57.62**	11.40
038.0	000.1000	0014.3	005.6	175.6	039.0000	0335.8	084.2	57.59**	11.33
039.0	000.1000	0014.5	005.6	175.6	039.0000	0335.8	084.3	57.57**	11.26
040.0	000.1000	0014.7	005.6	175.5	039.0000	0335.8	084.3	57.55**	11.19
041.0	000.1000	0014.8	005.6	175.5	039.0000	0335.7	084.4	57.52**	11.11
042.0	000.1000	0014.9	005.6	175.4	039.0000	0335.7	084.5	57.50**	11.04
043.0	000.1000	0014.9	005.6	175.4	039.0000	0335.7	084.6	57.47**	10.96
044.0	000.1000	0015.0	005.6	175.3	039.0000	0335.7	084.6	57.45**	10.89
045.0	000.1000	0015.1	005.6	175.3	039.0000	0335.6	084.7	57.42**	10.81
046.0	000.1000	0015.4	005.6	175.3	039.0000	0335.6	084.8	57.40**	10.73

KL VY-121486-FM0ver. txt

047.0	000.1000	0015.7	005.6	175.2	039.0000	0335.6	084.9	57.37**	10.65
048.0	000.1000	0015.9	005.6	175.2	039.0000	0335.6	084.9	57.35**	10.57
049.0	000.1000	0016.2	005.6	175.1	039.0000	0335.5	085.0	57.32**	10.49
050.0	000.1000	0016.5	005.6	175.1	039.0000	0335.5	085.1	57.29**	10.41
051.0	000.1000	0016.7	005.6	175.1	039.0000	0335.5	085.2	57.27**	10.33
052.0	000.1000	0016.9	005.6	175.0	039.0000	0335.5	085.3	57.24**	10.24
053.0	000.1000	0017.0	005.6	175.0	039.0000	0335.5	085.3	57.21**	10.16
054.0	000.1000	0017.2	005.6	175.0	039.0000	0335.5	085.4	57.18**	10.08
055.0	000.1000	0017.3	005.6	174.9	039.0000	0335.5	085.5	57.16**	9.99
056.0	000.1000	0017.5	005.6	174.9	039.0000	0335.5	085.6	57.13**	9.91
057.0	000.1000	0017.7	005.6	174.9	039.0000	0335.5	085.7	57.10**	9.82
058.0	000.1000	-0653.3	005.6	174.8	039.0000	0335.5	085.8	57.07**	9.74

-----|-----