

ENGINEERING STATEMENT
REQUEST FOR SPECIAL TEMPORARY AUTHORITY
ON BEHALF OF
MISSION BROADCASTING, INC.
KOLR-DT, SPRINGFIELD, MISSOURI
CHANNEL 52 1000 KW ERP ND 493 METERS HAAT

JANUARY 2007

COHEN, DIPPELL AND EVERIST, P.C.
CONSULTING ENGINEERS
RADIO AND TELEVISION
WASHINGTON, D.C.

COHEN, DIPPELL AND EVERIST, P. C.

City of Washington)
) ss
District of Columbia)

Donald G. Everist, being duly sworn upon his oath, deposes and states that:

He is a graduate electrical engineer, a Registered Professional Engineer in the District of Columbia, and is President, Secretary and Treasurer of Cohen, Dippell and Everist, P.C., Consulting Engineers, Radio - Television, with offices at 1300 L Street, N.W., Suite 1100, Washington, D.C. 20005;

That his qualifications are a matter of record in the Federal Communications Commission;


That the attached engineering report was prepared by him or under his supervision and direction and


That the facts stated herein are true of his own knowledge, except such facts as are stated to be on information and belief, and as to such facts he believes them to be true.



Donald G. Everist
District of Columbia
Professional Engineer
Registration No. 5714

Subscribed and sworn to before me this 11th day of January, 2007.





Notary Public

My Commission Expires: 2/28/2008

COHEN, DIPPELL AND EVERIST, P. C.

City of Washington)
) ss
District of Columbia)

Martin R. Doczkat being duly sworn upon his oath, deposes and states that:

He is a graduate electrical engineer of the Pennsylvania State University, and is a staff engineer at Cohen, Dippell and Everist, P.C., Consulting Engineers, Radio - Television, with offices at 1300 L Street, N.W., Suite 1100, Washington, D.C. 20005;

That the attached engineering report was prepared by him or under his supervision and direction and


That the facts stated herein are true of his own knowledge, except such facts as are stated to be on information and belief, and as to such facts he believes them to be true.



Martin R. Doczkat

Subscribed and sworn to before me this 11th day of January, 2007.





Notary Public

My Commission Expires: 2/28/2008

This engineering statement has been prepared on behalf of Mission Broadcasting, Inc., licensee of KOLR(TV), Springfield, Missouri. The purpose of this engineering statement is to accompany its request special temporary authority for digital television ("DTV") facilities and to supplement those data required in FCC Form 301, Section III-D.

KOLR(TV) operates on NTSC Television Channel 10 with a maximum visual horizontal effective radiated power ("ERP") of 316 kW non-directional (horizontal polarization) at a height above average terrain ("HAAT") of 631 meters. KOLR-DT has been allocated DTV Channel 52 with facilities of 1000 kW at a HAAT of 631 meters in the revised DTV Table of Allotments.¹ KOLR-DT has been authorized facilities of 1000 kW non-directional ERP at a HAAT of 546 meters in the outstanding construction permit. KOLR-DT proposes to construct DTV facilities of 1000 kW non-directional (horizontal polarization) at an HAAT of 493 meters at its currently authorized tower site. The proposed KOLR-DT antenna will be diplexed with KSFX-DT in a dual-channel MCI antenna.

There are no AM stations located within 3.22 km of the existing KOLR(TV) tower site. There are no FM stations, however, there are three full-service NTSC stations, two other full-service DTV stations and one digital TV translator located and transmitting within 100 meters of this site. The call signs for these facilities are: KOLR(TV), KOLR-DT, KSFX-TV, KSFX-DT, KSPR(TV), KSPR-DT, and K41FQ-D.

¹"In the Matter of Advanced Television Systems and Their Impact Upon the Existing Television Broadcast Service", MM Docket No. 87-286, Memorandum Opinion and Order on Reconsideration of the Sixth Report and Order (FCC 98-24), 2/12/98, DTV Table of Allotments, Appendix B.

The DTV antenna will be side-mounted on an existing tower having a total overall structure height above ground of 608.4 meters (1996 feet). The existing transmitter site is located ST Hwy. F NR (#30481), Marshfield, Missouri.

Since there is no change in overall height, FAA airspace approval is not required. The tower registration number of the existing tower is 1028721. Exhibit E-1 is a diagram of the tower and transmitting antenna.

The geographic coordinates of the existing site are:

North Latitude: 37° 13' 08"

West Longitude: 92° 56' 56"

NAD-27

Equipment Data

Antenna: MCI, Model #9551516 (or equivalent) horizontally polarized panel antenna with 0.75° electrical beam tilt. The vertical plane pattern and other exhibits required by Section 73.625(c) are herein included in Exhibit E-2.

Transmission Line: 483.4 meters (1586 ft) of rigid 7-3/16", 75 ohm or equivalent

Power Data

Transmitter output power	38.3 kW	15.83 dBk
Transmission line efficiency/loss	66.3%	1.78 dB
Combiner efficiency/loss	95.5%	0.2 dB
Input power to the antenna	25.4 kW	14.05 dBk
Antenna power gain	39.36	15.95 dB
Effective Radiated Power	1000 kW	30.0 dBk

Elevation Data

Overall height above ground of the antenna structure (including beacon and lightning protection)	608.4 meters 1996 feet
Center of radiation of Channel 52 antenna above ground	452.9 meters 1485.1 feet
Elevation of site above mean sea level	480.1 meters 1575.1 feet
Center of radiation of Channel 52 antenna above mean sea level	933 meters 3061 feet
Overall height above mean sea level of the tower (including beacon)	1088.5 meters 3571 feet
Antenna height above average terrain	493 meters

NOTE: Slight height differences result due to conversion to metric.

Allocation

An allocation spacing study from the proposed site has not been performed as the proposed DTV facilities are to be located at the coordinates authorized by the outstanding construction permit (FCC File No. BMPCDT-20050701ACB).

Coverage

The average elevation data for 3.2 to 16.1 km along each radial has been determined from FCC 3-second data. The F(50,90) DTV coverage contour has been computed from reference to the propagation data for Channels 14-69, as published by the FCC in Figure 10b and Figure 10c, Section 73.699 of the FCC Rules and Regulations. Utilizing the formula in Section 73.625(b)(2) of the Rules for the effective heights, it is found that the depression

angle, A_h , varies from 0.591 to 0.630 degrees. Since the relative vertical field is greater than 90% of the maximum at these depression angles, the maximum power was used in determining the distance to the DTV contour.

Table I includes the distances to the predicted 48 dBu and 41 dBu F(50,90) coverage contours, the average elevation 3.2 to 16.1 km, and the antenna height above average terrain for the eight cardinal radials. Exhibit E-3 shows these proposed 48 dBu and 41 dBu F(50,90) coverage contours and illustrates the principal community, Springfield, Missouri, is well within the proposed 48 dBu F(50,90) contour.

Interference Analysis

A study of predicted interference caused by the proposed KOLR-DT service has been performed even as the proposed F(50,90) 41 dBu contour is not predicted to extend in any direction beyond that authorized by the F(50,90) 41 dBu contour of the outstanding construction permit (see Exhibit E-4). The interference study was performed using the following methodology and the results of this study are attached as Table II.

The FCC's FORTRAN-77 code was modified only to the extent necessary (primarily input/output handling) for the program to run on a Windows 98/Intel platform. Comparison of service/interference areas and populations indicates that this model closely matches the FCC's evaluation program. Best efforts have been made to use data and calculations identical to the FCC's program. Any slight differences are attributable to compiler, operating system and/or processor characteristics. The effect of any variance in calculated population values versus the FCC's program is minimized when differencing a given model's results, such as calculating new interference as total interference less baseline interference. Any

variance effect is further reduced when using ratios of calculated population values such as measuring the incremental population affected as a percent of the total population served. The model employs the Longley-Rice propagation methodology and evaluates in grid cells of approximately 4 km² using 3-second terrain data sampled approximately every 1.0 km at one degree azimuth intervals with 2000 Census centroids.

Stations were selected according to the FCC Public Notice dated August 10, 1998 and entitled, "Additional Application Processing Guidelines for Digital Television", which outlines the station selection criteria "culling distances" for considering potential interference scenarios.

The Longley-Rice study was performed considering potential interference due to the proposed KOLR-DT facility above that already authorized by its outstanding construction permit (FCC File No. BMPCDT-20050701ACB) and all relevant stations listed in the FCC database as of January 9, 2007.

Other Licensed and Broadcast Facilities

No adverse technical effect is anticipated by the proposed DTV operation to any other FCC licensed facility. If required, the permittee will install filters or take other measures as necessary to resolve the problem.

FCC Rule, Section 1.1307

The proposed 1000 kW operation will utilize a MCI, Model #9551516 antenna or the equivalent as described above with a center of radiation above ground of 452.9 meters. The proposed antenna will be side-mounted on a single guyed, uniform, cross-section, steel lattice tower with an overall height of 608.4 meters AGL.

As previously indicated, there are no AM stations located within 3.22 km of the existing tower site. According to the FCC data base with the exception of KOLR(TV), KOLR-DT, KSFX-TV, KSFX-DT, KSPR(TV), KSPR-DT, and K41FQ-D, there are no other stations located within 100 meters. The property on which the proposed tower is located is ST Hwy F NR (#30481). Access to the tower will be prevented by a six-foot chain-link fence with a locked gate.

The radiofrequency field level ("RFF") contribution of KOLR-DT will be added to the calculated value of the total RFF level of all other broadcast stations operating from the tower. The proposed operation based upon the current OET Bulletin No.65, Edition 97-01 dated August 1997 and Supplement A meets the provisions of the FCC radio frequency field guidelines, and thus, complies with Section 1.1307 of the FCC Rules.

<u>Station</u>	<u>Frequency</u>	<u>Ch</u>	<u>Status</u>	<u>ERP (kW)</u>	<u>RCAGL(m) ¹</u>	<u>F ²</u>	<u>S (: W/cm²)</u>	<u>RFF % ³</u>
KOLR-DT	701	52	Prop	1000	450.9	0.1	1.64	0.4
KSFX-DT	557	28	Prop	1000	450.9	0.1	1.64	0.5
KSFX-TV	551	27	Lic	5000	476.4	0.2	14.8	4.0
KOLR(TV)	195	10	Lic	316	590.9	0.2	0.6	0.2
KSPR(TV)	587	33	Lic	5000	550.9	0.2	11.0	2.8
KSPR-DT	503	19	CP	1000	550.9	0.1	1.10	0.3
K41FQ-D	635	41	CP	15	211	0.2	0.45	0.1

1. Radiation Center - 2 m
2. F = Relative Downward Field
3. Limit for an uncontrolled environment

The total contribution by the NTSC stations and the KOLR-DT proposed DTV operations at 2 meters above ground level is less than 8.3% of the current FCC guidelines for general population exposure.

Authorized personnel and rigging contractors will be alerted to the potential zone of high field level on the tower, and if necessary, the station will operate with reduced power or terminate the operation of the transmitter as appropriate when it is necessary for authorized personnel or contractors to perform work on the tower. Workers and the general public, therefore, will not be subjected to RFF levels in excess of the current FCC guidelines.

An environmental assessment ("EA") is categorically excluded under Section 1.1306 of the FCC Rules and Regulations as the tower was constructed prior to the requirements specified in WT Docket No. 03-128 and the permittee indicates:

- (a)(1) The existing tower is not located in an officially designated wilderness area.
- (a)(2) The existing tower is not located in an officially designated wildlife preserve.
- (a)(3) The proposed facilities will not affect any listed threatened or endangered species or habitats.
- (a)(3)(ii) The proposed facilities will not jeopardize the continued existence of any proposed endangered or threatened species or likely to result in the destruction or adverse modification of proposed critical habitats.
- (a)(4) The proposed facilities will be located on a tower which was built prior to the adoption of WT Docket No. 03-128 and will not affect any known districts, sites, buildings, structures, or objects significant in American history, architecture, archaeology, engineering, or culture.
- (a)(5) The existing tower is not located near any known Indian religious sites.
- (a)(6) The existing tower is not located in a flood plain.

- (a)(7) The installation of the DTV facilities on an existing tower will not involve a significant change in surface features of the ground in the vicinity of the tower.
- (a)(8) It is not proposed to equip the tower with high intensity white lights unless required by the FAA.
- (b) Workers and the general public will not be subjected to RFF levels in excess of the current FCC guidelines in accordance with OET Bulletin No. 65, Edition 97-01, dated August 1997 and Supplement A.

ABOVE MEAN SEA LEVEL

ABOVE GROUND





EXHIBIT E - 1
VERTICAL SKETCH
FOR THE PROPOSED OPERATION OF
KOLR-DT, SPRINGFIELD, MISSOURI
JANUARY 2007

EXHIBIT E-2

ANTENNA MANUFACTURER DATA

KOLR-DT, SPRINGFIELD, MISSOURI

Vertical Pattern Ch-52



Micro Communications, Inc.
P.O. Box 4365 Manchester, NH 03108-4365
Tel: 800-545-0608
FAX: 603-624-4822

Vertical Pattern Data Ch-52

Degrees	Field								
-10.00	0.032	0.25	0.781	10.50	0.036	20.75	0.055	49	0.007
-9.75	0.013	0.50	0.937	10.75	0.056	21.00	0.054	50	0.020
-9.50	0.039	0.75	1.000	11.00	0.061	21.25	0.042	51	0.020
-9.25	0.060	1.00	0.955	11.25	0.048	21.50	0.035	52	0.004
-9.00	0.064	1.25	0.811	11.50	0.024	21.75	0.060	53	0.021
-8.75	0.049	1.50	0.598	11.75	0.014	22.00	0.054	54	0.007
-8.50	0.019	1.75	0.362	12.00	0.038	22.25	0.042	55	0.020
-8.25	0.019	2.00	0.174	12.25	0.052	22.50	0.035	56	0.012
-8.00	0.049	2.25	0.160	12.50	0.051	22.75	0.060	57	0.015
-7.75	0.064	2.50	0.221	12.75	0.035	23.00	0.054	58	0.010
-7.50	0.059	2.75	0.228	13.00	0.011	23.25	0.042	59	0.002
-7.25	0.035	3.00	0.175	13.25	0.017	23.50	0.035	60	0.002
-7.00	0.004	3.25	0.097	13.50	0.037	23.75	0.060	61	0.001
-6.75	0.037	3.50	0.079	13.75	0.044	24.00	0.064	62	0.001
-6.50	0.062	3.75	0.129	14.00	0.038	24.25	0.032	63	0.002
-6.25	0.068	4.00	0.155	14.25	0.021	24.50	0.024	64	0.002
-6.00	0.054	4.25	0.138	14.50	0.003	24.75	0.033	65	0.002
-5.75	0.026	4.50	0.090	14.75	0.023	25.00	0.037	66	0.004
-5.50	0.023	4.75	0.056	15.00	0.036	26.00	0.014	67	0.004
-5.25	0.051	5.00	0.086	15.25	0.039	27.00	0.017	68	0.001
-5.00	0.066	5.25	0.119	15.50	0.031	28.00	0.022	69	0.004
-4.75	0.063	5.50	0.122	15.75	0.016	29.00	0.008	70	0.005
-4.50	0.045	5.75	0.093	16.00	0.010	30.00	0.018	71	0.003
-4.25	0.042	6.00	0.049	16.25	0.023	31.00	0.019	72	0.001
-4.00	0.064	6.25	0.044	16.50	0.031	32.00	0.007	73	0.002
-3.75	0.082	6.50	0.078	16.75	0.030	33.00	0.021	74	0.003
-3.50	0.084	6.75	0.096	17.00	0.022	34.00	0.012	75	0.003
-3.25	0.076	7.00	0.088	17.25	0.016	35.00	0.014	76	0.002
-3.00	0.078	7.25	0.059	17.50	0.022	36.00	0.020	77	0.001
-2.75	0.095	7.50	0.035	17.75	0.030	37.00	0.004	78	0.002
-2.50	0.106	7.75	0.055	18.00	0.032	38.00	0.021	79	0.005
-2.25	0.100	8.00	0.078	18.25	0.030	39.00	0.007	80	0.007
-2.00	0.090	8.25	0.081	18.50	0.027	40.00	0.020	81	0.008
-1.75	0.118	8.50	0.064	18.75	0.029	41.00	0.019	82	0.007
-1.50	0.174	8.75	0.034	19.00	0.033	42.00	0.007	83	0.006
-1.25	0.215	9.00	0.030	19.25	0.034	43.00	0.021	84	0.005
-1.00	0.211	9.25	0.055	19.50	0.030	44.00	0.012	85	0.003
-0.75	0.161	9.50	0.070	19.75	0.027	45.00	0.014	86	0.002
-0.50	0.168	9.75	0.065	20.00	0.027	46.00	0.020	87	0.001
-0.25	0.336	10.00	0.043	20.25	0.034	47.00	0.004	88	0.001
0.00	0.565	10.25	0.020	20.50	0.047	48.00	0.021	89	0.001
								90	0.002



Micro Communications, Inc.

P.O. Box 4365 Manchester, NH 03108-4365

Tel: 800-545-0608

FAX: 603-624-4822

TABLE I
COMPUTED COVERAGE DATA
FOR THE PROPOSED OPERATION OF
KOLR-DT, SPRINGFIELD, MISSOURI
CHANNEL 52 1000 KW ERP 493 METERS HAAT
JANUARY 2007

<u>Radial Bearing</u> N ° E, T	<u>Average*</u> <u>Elevation</u> <u>3.2 to 16.1 km</u> meters	<u>Effective Height</u> meters	<u>Depression Angle</u>	<u>ERP At Radio Horizon</u> kW	<u>Distance to Contour F(50,90)</u>	
					<u>48 dBu City Grade</u> km	<u>41 dBu Noise-Limited</u> km
0	431.6	501.4	0.620	1000	99.3	114.6
45	430.7	502.3	0.621	1000	99.3	114.6
90	468.2	464.8	0.597	1000	96.3	111.8
135	478.4	454.6	0.591	1000	95.6	111.0
180	448.3	484.7	0.610	1000	97.9	113.4
225	429.2	503.8	0.622	1000	99.5	114.7
270	417.0	516.0	0.629	1000	100.5	115.6
315	416.5	516.5	0.630	1000	100.5	115.6
Average	440.0	493.0				

*Based on data from FCC 3-second data base

DTV Channel 52 (698-704 MHz)
Average Elevation 3.2 to 16.1 km 440 meters AMSL
Center of Radiation 933 meters AMSL
Antenna Height Above Average Terrain 493 meters
Effective Radiated Power 1000 kW (30 dBk) Max.

North Latitude: 37° 13' 08"
West Longitude: 92° 56' 56"

(NAD-27)





EXHIBIT E - 3
COVERAGE MAP
 SHOWING 48 AND 41 dBu CONTOURS
 FOR THE PROPOSED DTV OPERATION OF
KOLR-DT, SPRINGFIELD, MISSOURI
 CHANNEL 52 1000 kW ERP 493 METERS HAAT
 JANUARY 2007
 COHEN, DIPPPELL AND EVERIST, P.C. CONSULTING ENGINEERS

COHEN, DIPPELL AND EVERIST, P.C.

TABLE II
LONGLEY-RICE ANALYSIS
ABOVE THE OUTSTANDING CONSTRUCTION PERMIT
(FCC FILE NO. BMPCDT-20050701ACB)
FOR THE PROPOSED OPERATION OF
KOLR-DT, SPRINGFIELD, MISSOURI
CHANNEL 52 1000 KW ERP ND 493 METERS HAAT
JANUARY 2007

<u>Channel</u>	<u>Call</u>	<u>City/State</u>	<u>Dist(km)</u>	<u>Status</u>	<u>Application Ref. No.</u>	<u>Results</u>
38	KBNS-CA	BRANSON MO	57.6	LIC	BLTTA-20050606AAV	no interference
49	KRBK(TV)	OSAGE BEACH MO	69.1	CP	BNPCT-20060421ACD	0.00%
51	KNWA-TV	ROGERS AR	152.5	LIC	BLCT-19921005KH	no interference
51	KNWA-TV	ROGERS AR	126.6	CP	BPCT-20040121ADD	-0.06%
52	WMC-DT	MEMPHIS TN	357.0	LIC	BLCDDT-20020501AAP	0.00%
52	WMC-DT	MEMPHIS TN	356.8	ALLOT		0.00%
56	KBBL-CA	SPRINGFIELD MO	28.4	LIC	BLTTL-19970618JD	no interference



EXISTING CP 41 dBu

PROPOSED 41 dBu

KOLR-DT SITE

SPRINGFIELD

EXHIBIT E - 4
COMPARISON
OF THE PROPOSED 41 dBu AND
41 dBu OF EXISTING CP
KOLR-DT, SPRINGFIELD, MISSOURI
JANUARY 2007
 COHEN, DIPPPELL AND EVERIST, P.C. CONSULTING ENGINEERS

0 20 40 60
 Kilometers

CREATED WITH MAPTITUDE(R) GIS FOR WINDOWS FROM CALIPER CORPORATION

SECTION III-D - DTV Engineering

Complete Questions 1-5 of the Certification Checklist and provide all data and information for the proposed facility, as requested in Technical Specifications, Items 1-13.

Certification Checklist: A correct answer of "Yes" to all of the questions below will ensure an expeditious grant of a construction permit. However, if the proposed facility is located within the Canadian or Mexican borders, coordination of the proposal under the appropriate treaties may be required prior to grant of the application. An answer of "No" will require additional evaluation of the applicable information in this form before a construction permit can be granted.

1. The proposed DTV facility complies with 47 C.F.R. Section 73.622 in the following respects:

- (a) It will operate on the DTV channel for this station as established in 47 C.F.R. Section 73.622. Yes No
- (b) It will operate from a transmitting antenna located within 5.0 km (3.1 miles) of the DTV reference site for this station as established in 47 C.F.R. Section 73.622. Yes No
- (c) It will operate with an effective radiated power (ERP) and antenna height above average terrain (HAAT) that do not exceed the DTV reference ERP and HAAT for this station as established in 47 C.F.R. Section 73.622. Yes No

2. The proposed facility will not have a significant environmental impact, including exposure of workers or the general public to levels of RF radiation exceeding the applicable health and safety guidelines, and therefore will not come within 47 C.F.R. Section 1.1307. Yes No

Applicant must **submit the Exhibit** called for in Item 13.

- 3. Pursuant to 47 C.F.R. Section 73.625, the DTV coverage contour of the proposed facility will encompass the allotted principal community. Yes No
- 4. The requirements of 47 C.F.R. Section 73.1030 regarding notification to radio astronomy installations, radio receiving installations and FCC monitoring stations have either been satisfied or are not applicable. Yes No
- 5. The antenna structure to be used by this facility has been registered by the Commission and will not require reregistration to support the proposed antenna, OR the FAA has previously determined that the proposed structure will not adversely effect safety in air navigation and this structure qualifies for later registration under the Commission's phased registration plan, OR the proposed installation on this structure does not require notification to the FAA pursuant to 47 C.F.R. Section 17.7. Yes No

SECTION III-D DTV Engineering

TECHNICAL SPECIFICATIONS

Ensure that the specifications below are accurate. Contradicting data found elsewhere in this application will be disregarded. All items must be completed. The response "on file" is not acceptable.

TECH BOX

1. Channel Number: DTV _____ Analog TV, if any _____

2. Zone: I II III

3. Antenna Location Coordinates: (NAD 27)

_____ ° _____ ' _____ " N S Latitude
_____ ° _____ ' _____ " E W Longitude

4. Antenna Structure Registration Number: _____

Not applicable FAA Notification Filed with FAA

5. Antenna Location Site Elevation Above Mean Sea Level: _____ meters

6. Overall Tower Height Above Ground Level: _____ meters

7. Height of Radiation Center Above Ground Level: _____ meters

8. Height of Radiation Center Above Average Terrain: _____ meters

9. Maximum Effective Radiated Power (average power): _____ kW

10. Antenna Specifications:

a.	Manufacturer	Model
----	--------------	-------

b. Electrical Beam Tilt: _____ degrees Not Applicable

c. Mechanical Beam Tilt: _____ degrees toward azimuth _____ degrees True Not Applicable

Attach as an Exhibit all data specified in 47 C.F.R. Section 73.625(c).

Exhibit No.

d. Polarization: Horizontal Circular Elliptical

TECH BOX

e. Directional Antenna Relative Field Values: Not applicable (Nondirectional)
 Rotation: _____ ° No rotation

Degree	Value	Degree	Value	Degree	Value	Degree	Value	Degree	Value	Degree	Value
0		60		120		180		240		300	
10		70		130		190		250		310	
20		80		140		200		260		320	
30		90		150		210		270		330	
40		100		160		220		280		340	
50		110		170		230		290		350	
Additional Azimuths											

If a directional antenna is proposed, the requirements of 47 C.F.R. Section 73.625(c) must be satisfied. **Exhibit required.**

Exhibit No.

11. Does the proposed facility satisfy the interference protection provisions of 47 C.F.R. Section 73.623(a)? (Applicable only if **Certification Checklist** Items 1(a), (b), or (c) are answered "No.") Yes No

If "No," attach as an Exhibit justification therefor, including a summary of any related previously granted waivers.

Exhibit No.

12. If the proposed facility will not satisfy the coverage requirement of 47 C.F.R. Section 73.625, attach as an Exhibit justification therefor. (Applicable only if **Certification Checklist** Item 3 is answered "No.")

Exhibit No.

13. **Environmental Protection Act. Submit in an Exhibit** the following:

Exhibit No.

a. If **Certification Checklist** Item 2 is answered "Yes," a brief explanation of why an Environmental Assessment is not required. Also describe in the Exhibit the steps that will be taken to limit RF radiation exposure to the public and to persons authorized access to the tower site.

By checking "Yes" to **Certification Checklist** Item 2, the applicant also certifies that it, in coordination with other users of the site, will reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic exposure in excess of FCC guidelines.

If **Certification Checklist** Item 2 is answered "No," an Environmental Assessment as required by 47 C.F.R. Section 1.1311.

PREPARER'S CERTIFICATION IN SECTION III MUST BE COMPLETED AND SIGNED.

I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith. I acknowledge that all certifications and attached Exhibits are considered material representations. I hereby waive any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and request an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)

Typed or Printed Name of Person Signing	Typed or Printed Title of Person Signing
Signature	Date

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT
(U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT
(U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

SECTION III PREPARER'S CERTIFICATION

I certify that I have prepared Section III (Engineering Data) on behalf of the applicant, and that after such preparation, I have examined and found it to be accurate and true to the best of my knowledge and belief.

Name Martin R. Doczkat	Relationship to Applicant (e.g., Consulting Engineer) Consulting Engineer	
Signature 	Date January 11, 2007	
Mailing Address Cohen, Dippell and Everist, P.C., 1300 L Street, NW, Suite 1100		
City Washington	State or Country (if foreign address) DC	ZIP Code 20005
Telephone Number (include area code) (202) 898-0111	E-Mail Address (if available) cde@attglobal.net	

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT
(U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT
(U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).