

[Exhibit 13]

Non-Interference Compliance

Regarding Facility id 147981

Channel 250

Description of Exhibit 13 Contents

This exhibit demonstrates that the proposed facility complies with contour overlap and interference protection provisions in all of the applicable rule sections and that this application for a construction permit is in full compliance with 47 C.F.R. § 74.1204.

Let it be noted that should any actual real world interference occur, the applicant acknowledges that it will promptly suspend operation of this translator in accordance with 47 C.F.R. § 74.1203.

Page 2 of this exhibit is an explanation of the method used to demonstrate compliance with contour overlap and interference provisions based on 47 C.F.R. § 74.1204(d), which states:

[A]n application otherwise precluded by this section will be accepted if it can be demonstrated that no actual interference will occur due to intervening terrain, lack of population or such other factors as may be applicable.

Page 3 of this exhibit contains the tabulated data from the interference analysis, which shows all stations whose protected contours come within 50 km of the 34 dB μ F(50,10) contour of the proposed translator. These tabulated values were calculated using data from the FCC's CDBS files and 30 arc second terrain data. The column labeled "Adj" shows the number of channels difference between the entry and the proposed translator. The column labeled "Dist" shows the distance in km. The column labeled "Overlap" shows the area of contour overlap in square kilometers.

Page 4 of this exhibit is a portion of a USGS 1:24,000 scale 7.5 minute quadrangle at full scale with the calculated area of interference overlaid. The sheet includes the quadrangle name and measurement scale at the bottom-left corner (note: "Mt" refers to meters). The area of interference was calculated using the free space equation and 120 radials.

Page 5 of this exhibit is an aerial photo of the vicinity surrounding the proposed translator's tower site.

Note: There are no buildings and only an unpaved road within the zone of predicted interference, so a lack of population has been demonstrated within the area of interference and this application is therefore in full compliance with 47 C.F.R. § 74.1204.

Compliance with 47 C.F.R. § 74.1204(d)

All authorized second and third adjacent stations with which the proposed translator has contour overlap are tabulated below. Column four show the station's signal level at the proposed translator's tower site, and column five gives the minimum value within the entire standard interfering contour of the proposed translator (100 dBμ for most classes, 94 for class B, 97 for class B1). The minimum second or third adjacent F(50,50) contour within the proposed translator's standard interfering contour was used to calculate the proposed translator's actual "worst-case" interfering contour.

Application_id	File Number	Callsign	Contour at Tower	Min. Contour
1077852	BLH20050803ADI	WYLD-FM	84.7	84.7
Minimum F(50,50) Contour of Adjacent Station within Proposed Translator's Standard Interfering Contour				84.7

FCC 02-244 at Section II.A.5 states that "when demonstrating that 'no actual interference will occur due to . . . other factors,' pursuant to Section 74.1204(d), an applicant may use the undesired-to-desired signal ratio method." The undesired-to-desired ratio for second and third adjacent stations required by § 74.1204(a) is 40 dB. Since the minimum protected contour strength within the proposed translator's standard interference contour is **84.7 dBμ**, this makes the proposed translator's worst-case interfering contour **124.7 dBμ**. By the free-space equation, this contour is calculated to extend a maximum of **64.6 m** from the transmit antenna.

The interfering contour of the proposed translator was calculated for 120 radials and plotted on the pertinent portion of a USGS quadrangle (page 4 of this exhibit). As demonstrated on the quadrangle, there are no populated structures or highways within the area of interference (Note: FCC 02-244 at Section II.A.6 states that USGS quadrangles "have been recognized as acceptable to demonstrate lack of population").

Note: There are no buildings and only an unpaved road within the zone of predicted interference, so a lack of population has been demonstrated within the area of interference and this application is therefore in full compliance with 47 C.F.R. § 74.1204.

Antenna Manufacturer: SCA
Antenna Model: FMV
CORAGL: 9 m
Maximum ERP: 0.25 kW
Interfering Contour: 124.7 dBμ
Max Int. Contour Distance: 64.6 m


**Adjacent Channel Study
For Station K249EI, Facility_id: 147981**

Co-channel through third adjacent:

Application_id	Facility_id	Prefix	ARN	Call	Licensee	Class	City	State	Status	ERP	RCAMSL	Channel	Adj	Dist	Overlap
1077852	11972	BLH	20050803ADI	WYLD-FM	CLEAR CHANNEL BROADCASTING LICENSES, I	C0	NEW ORLEANS	LA	LIC	97.8	300	253	3	24.2	1.4918
1333421	147937	BMLFT	20090914ACD	K248BB	EDGEWATER BROADCASTING INC.	D	NEW ORLEANS	LA	LIC	0.01	225	248	2	29.5	0
646183	152972	BNPFT	20030317IXI	NEW	RADIO ASSIST MINISTRY, INC.	D	JEAN LAFITTE	LA	APP	0.013	116.6	249	1	36.1	0
1420272	147948	BLFT	20110310ACJ	K248BF	RADIO ASSIST MINISTRY, INC.	D	COVINGTON	LA	LIC	0.25	25	248	2	85.4	0
646176	152965	BNPFT	20030317IXD	NEW	RADIO ASSIST MINISTRY, INC.	D	HAMMOND	LA	APP	0.027	92.6	249	1	88.4	0
1291442	84546	BLFT	20090126ADY	K249DI	PROVIDENCE EDUCATIONAL FOUNDATION	D	HOUMA	LA	LIC	0.2	91	249	1	92	0
179734	72194	BLH	19921208KE	WCPR-FM	MONTEREY LICENSES, LLC	C2	WIGGINS	MS	LIC	50	177	250	0	105.3	0
83681	25518	BLH	19851122KD	WDGL	GUARANTY BROADCASTING COMPANY OF BA	C	BATON ROUGE	LA	LIC	95	464	251	1	148.6	0

Intermediate Frequencies (53 and 54 channels difference):

Application_id	Facility_id	Prefix	ARN	Call	Licensee	Class	City	State	Status	ERP	RCAMSL	Channel	Adj	Dist	Clr
----------------	-------------	--------	-----	------	----------	-------	------	-------	--------	-----	--------	---------	-----	------	-----



DELACROIX
LOU
7.5 MINUTE SER
SE/4 ST. BERNA

Facility id: 147981;
Area of Interference;

