


Figure 1



FCC PREDICTED CONTOURS
FM TRANSLATOR STATION W285DE
BRIDGEPORT, CONNECTICUT
CH 285D 0.230 kW (DA)

du Treil, Lundin & Rackley, Inc. Sarasota, Florida

FM Contour Study

du Treil, Lundin, & Rackley, Inc., Sarasota, Florida



Channel: 285 **Coordinates:** 041-13-10 073-12-06 (NAD 27) **ERP:** 0.23 kW **Max. HAAT:** 140 m

Comment: Proposed W285DE

| Callsign | Chan. | Service | Status | Freq. | City | | | State | Co. | Rec. | Latitude | Dist. (km) | Sep. (km) | Spac. (km) |
|---|-------|-------------|--------|-------|---|--------|----------|----------|-----|------|-----------|-------------|-----------|------------|
| Facility ID | ARN | | | Class | DA | 73.215 | ERP (kW) | HAAT (m) | | | Longitude | Bear. (deg) | Comment | |
| WYBC-FM | 232 | FM | LIC | 94.3 | NEW HAVEN | | | CT | US | C | 41-20-59 | 24 | 10 | 14 |
| 74322 | BLH | 20010918AAT | A | D | N | | 3 | 144 | | | 072-58-23 | 52.75 | CLOSE | |
| WAXQ | 282 | FM | LIC | 104.3 | NEW YORK | | | NY | US | C | 40-44-54 | 84.23 | 68.39 | 15.84 |
| 23004 | BLH | 19960426KA | B | N | N | | 6 | 415 | | | 073-59-10 | 231.75 | CLOSE | |
| WAXQ 54.0 dBu desired distance: 66.6 km | | | | | Proposed 94.0 dBu undesired distance: 1.7 km | | | | | | | | | |
| Proposed 54.0 dBu desired distance: 21.9 km | | | | | WAXQ 94.0 dBu undesired distance: 7.6 km | | | | | | | | | |
| NEW | 283 | FX | APP | 104.5 | NEW HAVEN | | | CT | US | C | 41-17-45 | 20.87 | 15.43 | 5.44 |
| 139373 | BNPFT | 20030313ARM | D | N | N | | 0.006 | 70 | | | 072-58-27 | 65.86 | CLOSE | |
| NEW 60.0 dBu desired distance: 5.5 km | | | | | Proposed 100.0 dBu undesired distance: 1.1 km | | | | | | | | | |
| Proposed 60.0 dBu desired distance: 15.3 km | | | | | NEW 100.0 dBu undesired distance: 0.2 km | | | | | | | | | |
| WSPK | 284 | FM | LIC | 104.7 | POUGHKEEPSIE | | | NY | US | C | 41-29-19 | 69.23 | 125.41 | -56.18 |
| 19630 | BLH | 19840802CR | B | | N | | 7.4 | 381 | | | 073-56-52 | 295.92 | SHORT | |
| WSPK 54.0 dBu desired distance: 70.3 km | | | | | Proposed 48.0 dBu undesired distance: 32.4 km | | | | | | | | | |
| Proposed 54.0 dBu desired distance: 21.9 km | | | | | WSPK 48.0 dBu undesired distance: 103.5 km | | | | | | | | | |
| Note 1 | | | | | | | | | | | | | | |
| W285DE | 285 | FX | LIC | 104.9 | BRIDGEPORT | | | CT | US | C | 41-13-28 | 1.35 | 57.41 | -56.06 |
| 15398 | BLFT | 19930514TC | D | N | N | | 0.019 | 41 | | | 073-12-59 | 294.3 | SHORT | |
| W285DE 60.0 dBu desired distance: 7.0 km | | | | | Proposed 40.0 dBu undesired distance: 50.4 km | | | | | | | | | |
| Proposed 60.0 dBu desired distance: 15.3 km | | | | | W285DE 40.0 dBu undesired distance: 23.3 km | | | | | | | | | |
| WIHS | 285 | FM | LIC | 104.9 | MIDDLETOWN | | | CT | US | C | 41-30-18 | 55.39 | 101.49 | -46.1 |
| 13634 | BLH | 19891024KI | A | N | N | | 3.1 | 96 | | | 072-39-32 | 54.79 | SHORT | |
| WIHS 60.0 dBu desired distance: 30.3 km | | | | | Proposed 40.0 dBu undesired distance: 50.4 km | | | | | | | | | |
| Proposed 60.0 dBu desired distance: 15.3 km | | | | | WIHS 40.0 dBu undesired distance: 86.2 km | | | | | | | | | |
| Note 1 | | | | | | | | | | | | | | |
| WWPR-FM | 286 | FM | LIC | 105.1 | NEW YORK | | | NY | US | C | 40-44-54 | 84.23 | 120.1 | -35.87 |
| 6373 | BLH | 19940204KB | B | N | N | | 6 | 415 | | | 073-59-10 | 231.75 | SHORT | |
| WWPR-FM 54.0 dBu desired distance: 66.6 km | | | | | Proposed 48.0 dBu undesired distance: 32.4 km | | | | | | | | | |
| Proposed 54.0 dBu desired distance: 21.9 km | | | | | WWPR-FM 48.0 dBu undesired distance: 98.2 km | | | | | | | | | |
| Note 1 | | | | | | | | | | | | | | |
| NEW | 286 | FX | APP | 105.1 | OXFORD | | | CT | US | C | 41-21-43 | 17.47 | 31.34 | -13.87 |
| 143422 | BNPFT | 20030314AOY | D | N | N | | 0.01 | 129.7 | | | 073-06-48 | 24.95 | SHORT | |
| NEW 60.0 dBu desired distance: 8.4 km | | | | | Proposed 54.0 dBu undesired distance: 23.0 km | | | | | | | | | |
| Proposed 60.0 dBu desired distance: 15.3 km | | | | | NEW 54.0 dBu undesired distance: 11.8 km | | | | | | | | | |
| Note 1 | | | | | | | | | | | | | | |

FM Contour Study

du Treil, Lundin, & Rackley, Inc., Sarasota, Florida




Channel: 285 **Coordinates:** 041-13-10 073-12-06 (NAD 27) **ERP:** 0.23 kW **Max. HAAT:** 140 m

Comment: Proposed W285DE

| Callsign | Chan. | Service | Status | Freq. | City | State | Co. | Rec. | Latitude | Dist. (km) | Sep. (km) | Spac. (km) |
|---|-------|-------------|--------|---|------------|--------|----------|----------|-----------|-------------|--------------|---------------|
| Facility ID | ARN | | | Class | DA | 73.215 | ERP (kW) | HAAT (m) | Longitude | Bear. (deg) | Comment | |
| NEW | 286 | FX | APP | 105.1 | SHELTON | CT | US | C | 41-21-43 | 17.47 | 30.9 | -13.43 |
| 156042 | BNPFT | 20030317KFW | D | N | N | | 0.01 | 109.7 | 073-06-48 | 24.95 | SHORT | |
| NEW 60.0 dBu desired distance: 7.9 km | | | | Proposed 54.0 dBu undesired distance: 23.0 km | | | | | | | | |
| Proposed 60.0 dBu desired distance: 15.3 km | | | | NEW 54.0 dBu undesired distance: 11.3 km | | | | | | | | Note 1 |
| NEW | 286 | FX | APP | 105.1 | NEW HAVEN | CT | US | C | 41-18-25 | 25.16 | 32.46 | -7.3 |
| 147938 | BNPFT | 20030317AJT | D | D | N | | 0.1 | 44.1 | 072-55-29 | 67.11 | SHORT | |
| NEW 60.0 dBu desired distance: 9.5 km | | | | Proposed 54.0 dBu undesired distance: 23.0 km | | | | | | | | |
| Proposed 60.0 dBu desired distance: 15.3 km | | | | NEW 54.0 dBu undesired distance: 13.2 km | | | | | | | | Note 1 |
| W287AZ | 287 | FX | LIC | 105.3 | SOUTHPORT | CT | US | C | 41-08-53 | 8.96 | 15.74 | -6.78 |
| 156169 | BLFT | 20061106AAT | D | N | N | | 0.05 | 1.6 | 073-15-05 | 207.68 | SHORT | |
| W287AZ 60.0 dBu desired distance: 4.7 km | | | | Proposed 100.0 dBu undesired distance: 1.1 km | | | | | | | | |
| Proposed 60.0 dBu desired distance: 15.3 km | | | | W287AZ 100.0 dBu undesired distance: 0.5 km | | | | | | | | Note 1 |
| WDBY-FM1 | 288 | FB | LIC | 105.5 | BROOKFIELD | CT | US | C | 41-24-18 | 29.08 | 17.46 | 11.62 |
| 128387 | BLFTB | 20080424AAV | D | C | N | | 1.2 | | 073-26-48 | 315.32 | CLOSE | |
| WDBY-FM1 60.0 dBu desired distance: 16.4 km | | | | Proposed 100.0 dBu undesired distance: 1.1 km | | | | | | | | |
| Proposed 60.0 dBu desired distance: 15.3 km | | | | WDBY-FM1 100.0 dBu undesired distance: 1.6 km | | | | | | | | |

Note 1: Proposal complies with the contour overlap provisions of Section 73.1204
See Exhibit 17 and Figure 3.

Figure 3



COMPLIANCE WITH SECTION 74.1204

FM TRANSLATOR STATION W258BI
NEW LONDON, CONNECTICUT
CH 258D 0.23 kW (ND)

du Treil, Lundin & Rackley, Inc. Sarasota, Florida

NASSAU-SUFFOLK, NY
 Latitude 40-46-52
 Longitude 073-14-48
 Grid Size 31 x 31
 Micro FM 100 Watts at 30m HAAT
 Co-Channel and 1st Adjacent Protected
 2nd Adjacent Channel Not Protected
 3rd Adjacent Channel Not Protected
 I.F. Not Protected
 TV Channel 6 Protected
 CP Records Protected
 APP Records Protected
 FM Translators Protected
 TV Channel 6 Translators/LP Protected
 Auc83 FX App Records Not Protected

| Chan | Avail | Chan | Avail | Chan | Avail | Chan | Avail | Chan | Avail |
|-------|-------|------|-------|------|-------|------|-------|------|-------|
| 200 | 0 | 220 | 0 | 240 | 0 | 260 | 0 | 280 | 0 |
| 201 | 0 | 221 | 0 | 241 | 0 | 261 | 0 | 281 | 0 |
| 202 | 0 | 222 | 0 | 242 | 0 | 262 | 0 | 282 | 0 |
| 203 | 0 | 223 | 0 | 243 | 0 | 263 | 0 | 283 | 0 |
| 204 | 0 | 224 | 0 | 244 | 72 | 264 | 17 | 284 | 204 |
| 205 | 0 | 225 | 0 | 245 | 0 | 265 | 0 | 285 | 0 |
| 206 | 0 | 226 | 0 | 246 | 0 | 266 | 0 | 286 | 0 |
| 207 | 0 | 227 | 0 | 247 | 0 | 267 | 0 | 287 | 0 |
| 208 | 0 | 228 | 84 | 248 | 0 | 268 | 67 | 288 | 169 |
| 209 | 0 | 229 | 0 | 249 | 0 | 269 | 0 | 289 | 0 |
| 210 | 0 | 230 | 0 | 250 | 0 | 270 | 0 | 290 | 0 |
| 211 | 0 | 231 | 0 | 251 | 0 | 271 | 0 | 291 | 0 |
| 212 | 0 | 232 | 0 | 252 | 0 | 272 | 0 | 292 | 0 |
| 213 | 0 | 233 | 0 | 253 | 0 | 273 | 0 | 293 | 0 |
| 214 | 0 | 234 | 0 | 254 | 0 | 274 | 0 | 294 | 0 |
| 215 | 0 | 235 | 45 | 255 | 0 | 275 | 0 | 295 | 0 |
| 216 | 0 | 236 | 3 | 256 | 0 | 276 | 0 | 296 | 0 |
| 217 | 0 | 237 | 0 | 257 | 0 | 277 | 0 | 297 | 0 |
| 218 | 0 | 238 | 0 | 258 | 0 | 278 | 0 | 298 | 0 |
| 219 | 0 | 239 | 0 | 259 | 0 | 279 | 0 | 299 | 0 |
| | | | | | | | | 300 | 0 |
| ----- | | | | | | | | | |
| Total | 661 | | | | | | | | |

STAMFORD-NORWALK, CT
 Latitude 41-03-12
 Longitude 073-32-21
 Grid Size 31 x 31
 Micro FM 100 Watts at 30m HAAT
 Co-Channel and 1st Adjacent Protected
 2nd Adjacent Channel Not Protected
 3rd Adjacent Channel Not Protected
 I.F. Not Protected
 TV Channel 6 Protected
 CP Records Protected
 APP Records Protected
 FM Translators Protected
 TV Channel 6 Translators/LP Protected
 Auc83 FX App Records Not Protected

| Chan | Avail | Chan | Avail | Chan | Avail | Chan | Avail | Chan | Avail |
|------|-------|------|-------|------|-------|------|-------|------|-------|
| 200 | 0 | 220 | 0 | 240 | 0 | 260 | 0 | 280 | 0 |
| 201 | 0 | 221 | 0 | 241 | 0 | 261 | 0 | 281 | 0 |
| 202 | 0 | 222 | 0 | 242 | 0 | 262 | 0 | 282 | 0 |
| 203 | 0 | 223 | 0 | 243 | 0 | 263 | 0 | 283 | 0 |
| 204 | 0 | 224 | 0 | 244 | 0 | 264 | 0 | 284 | 0 |
| 205 | 0 | 225 | 0 | 245 | 0 | 265 | 0 | 285 | 0 |
| 206 | 0 | 226 | 0 | 246 | 0 | 266 | 0 | 286 | 0 |
| 207 | 0 | 227 | 0 | 247 | 0 | 267 | 0 | 287 | 0 |
| 208 | 0 | 228 | 0 | 248 | 0 | 268 | 0 | 288 | 130 |
| 209 | 0 | 229 | 0 | 249 | 0 | 269 | 0 | 289 | 0 |
| 210 | 0 | 230 | 0 | 250 | 0 | 270 | 0 | 290 | 0 |
| 211 | 0 | 231 | 0 | 251 | 0 | 271 | 0 | 291 | 0 |
| 212 | 0 | 232 | 1 | 252 | 0 | 272 | 0 | 292 | 0 |
| 213 | 0 | 233 | 0 | 253 | 0 | 273 | 0 | 293 | 0 |
| 214 | 0 | 234 | 0 | 254 | 0 | 274 | 0 | 294 | 0 |
| 215 | 0 | 235 | 0 | 255 | 0 | 275 | 0 | 295 | 0 |
| 216 | 0 | 236 | 0 | 256 | 0 | 276 | 0 | 296 | 0 |
| 217 | 0 | 237 | 0 | 257 | 0 | 277 | 0 | 297 | 0 |
| 218 | 0 | 238 | 0 | 258 | 0 | 278 | 0 | 298 | 0 |
| 219 | 0 | 239 | 0 | 259 | 0 | 279 | 0 | 299 | 0 |
| | | | | | | | | 300 | 0 |

 Total 131

BRIDGEPORT, CT
 Latitude 41-10-01
 Longitude 073-12-19
 Grid Size 31 x 31
 Micro FM 100 Watts at 30m HAAT
 Co-Channel and 1st Adjacent Protected
 2nd Adjacent Channel Not Protected
 3rd Adjacent Channel Not Protected
 I.F. Not Protected
 TV Channel 6 Protected
 CP Records Protected
 APP Records Protected
 FM Translators Protected
 TV Channel 6 Translators/LP Protected
 Auc83 FX App Records Not Protected

| Chan | Avail | Chan | Avail | Chan | Avail | Chan | Avail | Chan | Avail |
|-------|-------|------|-------|------|-------|------|-------|------|-------|
| 200 | 0 | 220 | 0 | 240 | 0 | 260 | 0 | 280 | 0 |
| 201 | 0 | 221 | 33 | 241 | 0 | 261 | 0 | 281 | 0 |
| 202 | 0 | 222 | 0 | 242 | 0 | 262 | 0 | 282 | 0 |
| 203 | 0 | 223 | 0 | 243 | 0 | 263 | 0 | 283 | 0 |
| 204 | 0 | 224 | 0 | 244 | 0 | 264 | 0 | 284 | 0 |
| 205 | 0 | 225 | 17 | 245 | 142 | 265 | 0 | 285 | 0 |
| 206 | 0 | 226 | 0 | 246 | 0 | 266 | 0 | 286 | 0 |
| 207 | 0 | 227 | 36 | 247 | 0 | 267 | 0 | 287 | 0 |
| 208 | 0 | 228 | 0 | 248 | 0 | 268 | 0 | 288 | 4 |
| 209 | 0 | 229 | 0 | 249 | 0 | 269 | 0 | 289 | 0 |
| 210 | 0 | 230 | 0 | 250 | 0 | 270 | 0 | 290 | 0 |
| 211 | 0 | 231 | 0 | 251 | 0 | 271 | 0 | 291 | 0 |
| 212 | 0 | 232 | 0 | 252 | 0 | 272 | 2 | 292 | 0 |
| 213 | 0 | 233 | 0 | 253 | 0 | 273 | 109 | 293 | 0 |
| 214 | 0 | 234 | 7 | 254 | 3 | 274 | 0 | 294 | 0 |
| 215 | 0 | 235 | 0 | 255 | 0 | 275 | 0 | 295 | 0 |
| 216 | 0 | 236 | 0 | 256 | 0 | 276 | 0 | 296 | 0 |
| 217 | 0 | 237 | 0 | 257 | 0 | 277 | 120 | 297 | 3 |
| 218 | 0 | 238 | 0 | 258 | 3 | 278 | 3 | 298 | 3 |
| 219 | 0 | 239 | 0 | 259 | 0 | 279 | 90 | 299 | 0 |
| | | | | | | | | 300 | 0 |
| ----- | | | | | | | | | |
| Total | 575 | | | | | | | | |

DANBURY, CT
 Latitude 41-23-41
 Longitude 073-27-16
 Grid Size 31 x 31
 Micro FM 100 Watts at 30m HAAT
 Co-Channel and 1st Adjacent Protected
 2nd Adjacent Channel Not Protected
 3rd Adjacent Channel Not Protected
 I.F. Not Protected
 TV Channel 6 Protected
 CP Records Protected
 APP Records Protected
 FM Translators Protected
 TV Channel 6 Translators/LP Protected
 Auc83 FX App Records Not Protected

| Chan | Avail | Chan | Avail | Chan | Avail | Chan | Avail | Chan | Avail |
|------|-------|------|-------|------|-------|------|-------|------|-------|
| 200 | 0 | 220 | 0 | 240 | 0 | 260 | 0 | 280 | 0 |
| 201 | 0 | 221 | 2 | 241 | 0 | 261 | 0 | 281 | 0 |
| 202 | 0 | 222 | 0 | 242 | 0 | 262 | 0 | 282 | 0 |
| 203 | 0 | 223 | 0 | 243 | 0 | 263 | 0 | 283 | 0 |
| 204 | 0 | 224 | 0 | 244 | 0 | 264 | 0 | 284 | 0 |
| 205 | 0 | 225 | 64 | 245 | 34 | 265 | 0 | 285 | 0 |
| 206 | 0 | 226 | 0 | 246 | 0 | 266 | 0 | 286 | 0 |
| 207 | 0 | 227 | 0 | 247 | 0 | 267 | 0 | 287 | 0 |
| 208 | 0 | 228 | 0 | 248 | 0 | 268 | 0 | 288 | 0 |
| 209 | 0 | 229 | 0 | 249 | 0 | 269 | 0 | 289 | 0 |
| 210 | 0 | 230 | 0 | 250 | 0 | 270 | 0 | 290 | 0 |
| 211 | 0 | 231 | 0 | 251 | 0 | 271 | 0 | 291 | 0 |
| 212 | 0 | 232 | 0 | 252 | 0 | 272 | 7 | 292 | 0 |
| 213 | 0 | 233 | 0 | 253 | 0 | 273 | 17 | 293 | 34 |
| 214 | 0 | 234 | 0 | 254 | 30 | 274 | 0 | 294 | 0 |
| 215 | 0 | 235 | 0 | 255 | 0 | 275 | 0 | 295 | 0 |
| 216 | 0 | 236 | 0 | 256 | 0 | 276 | 0 | 296 | 0 |
| 217 | 0 | 237 | 0 | 257 | 0 | 277 | 0 | 297 | 1 |
| 218 | 0 | 238 | 0 | 258 | 31 | 278 | 0 | 298 | 28 |
| 219 | 0 | 239 | 0 | 259 | 0 | 279 | 242 | 299 | 0 |
| | | | | | | | | 300 | 0 |

 Total 490

NEW HAVEN, CT
 Latitude 41-18-29
 Longitude 072-55-43
 Grid Size 31 x 31
 Micro FM 100 Watts at 30m HAAT
 Co-Channel and 1st Adjacent Protected
 2nd Adjacent Channel Not Protected
 3rd Adjacent Channel Not Protected
 I.F. Not Protected
 TV Channel 6 Protected
 CP Records Protected
 APP Records Protected
 FM Translators Protected
 TV Channel 6 Translators/LP Protected
 Auc83 FX App Records Not Protected

| Chan | Avail | Chan | Avail | Chan | Avail | Chan | Avail | Chan | Avail |
|-------|-------|------|-------|------|-------|------|-------|------|-------|
| 200 | 0 | 220 | 0 | 240 | 0 | 260 | 0 | 280 | 0 |
| 201 | 0 | 221 | 77 | 241 | 124 | 261 | 0 | 281 | 0 |
| 202 | 0 | 222 | 0 | 242 | 0 | 262 | 0 | 282 | 0 |
| 203 | 0 | 223 | 0 | 243 | 0 | 263 | 0 | 283 | 296 |
| 204 | 0 | 224 | 0 | 244 | 0 | 264 | 0 | 284 | 0 |
| 205 | 0 | 225 | 19 | 245 | 484 | 265 | 4 | 285 | 0 |
| 206 | 0 | 226 | 0 | 246 | 103 | 266 | 0 | 286 | 0 |
| 207 | 0 | 227 | 127 | 247 | 0 | 267 | 0 | 287 | 104 |
| 208 | 0 | 228 | 0 | 248 | 0 | 268 | 0 | 288 | 0 |
| 209 | 0 | 229 | 0 | 249 | 0 | 269 | 82 | 289 | 0 |
| 210 | 0 | 230 | 0 | 250 | 30 | 270 | 0 | 290 | 0 |
| 211 | 0 | 231 | 0 | 251 | 129 | 271 | 12 | 291 | 0 |
| 212 | 0 | 232 | 0 | 252 | 0 | 272 | 0 | 292 | 0 |
| 213 | 0 | 233 | 0 | 253 | 0 | 273 | 384 | 293 | 0 |
| 214 | 0 | 234 | 28 | 254 | 143 | 274 | 0 | 294 | 0 |
| 215 | 0 | 235 | 0 | 255 | 0 | 275 | 0 | 295 | 0 |
| 216 | 0 | 236 | 0 | 256 | 0 | 276 | 0 | 296 | 0 |
| 217 | 0 | 237 | 0 | 257 | 0 | 277 | 537 | 297 | 243 |
| 218 | 0 | 238 | 0 | 258 | 434 | 278 | 311 | 298 | 434 |
| 219 | 0 | 239 | 0 | 259 | 0 | 279 | 195 | 299 | 0 |
| | | | | | | | | | 300 |
| | | | | | | | | | 0 |
| ----- | | | | | | | | | |
| Total | 4300 | | | | | | | | |

The map displays the Long Island Sound area, including parts of New York, Connecticut, and New Jersey. Key locations labeled include Beacon, Fishkill, Putnam, Danbury, Waterbury, Meriden, Middletown, Naugatuck, Trumbull, Bridgeport, Milford, East Haven, Stamford, Norwalk, Westchester, White Plains, Yonkers, Mount Vernon, Bronx, Nassau, East Meadow, Elmont, Freeport, Long Beach, Kings, Queens, West Babylon, Lindenhurst, Commack, Centereach, Farmingville, Medford, East Patchogue, Bayport, Mastic Beach, Westhampton Beach, Westhampton, Center Moriches, Manorsville, Ridge, Middle Island, East Shoreham, Riverhead, Jamesport, and Hampton Bays. A dashed black circle indicates a 20.5 km Required LPFM Separation From Proposed W285DE [Per 73.807(d)]. A solid black circle indicates a 111.5 km Required LPFM Separation From WSPK, Ch. 284B, Poughkeepsie, NY [Per Section 73.807(a)]. A red rectangle outlines the Nassau-Suffolk 30'x30' Grid. A blue line indicates the Potential LPFM Ch. 284 Area. A scale bar at the bottom shows distances in Kilometers (15, 0, 15, 30, 45).

FM TRANSLATOR STATION W258BI
NEW LONDON, CONNECTICUT
CH 258D 0.23 kW (ND)

du Treil, Lundin & Rackley, Inc. Sarasota, Florida