

Non-Interference Compliance

Regarding Facility id 147981

Channel 250

Description of Exhibit 13 Contents

This exhibit demonstrates that the proposed facility complies with contour overlap and interference protection provisions in all of the applicable rule sections and that this application for a construction permit is in full compliance with 47 C.F.R. § 74.1204.

Let it be noted that should any actual real world interference occur, the applicant acknowledges that it will promptly suspend operation of this translator in accordance with 47 C.F.R. § 74.1203.

Page 2 of this exhibit is an explanation of the method used to demonstrate compliance with contour overlap and interference provisions based on 47 C.F.R. § 74.1204(d), which states:

[A]n application otherwise precluded by this section will be accepted if it can be demonstrated that no actual interference will occur due to intervening terrain, lack of population or such other factors as may be applicable.

Page 3 of this exhibit contains the tabulated data from the interference analysis, which shows all stations whose protected contours come within 50 km of the 34 dBμ F(50,10) contour of the proposed translator. These tabulated values were calculated using data from the FCC's CDBS files and 30 arc second terrain data. The column labeled "Adj" shows the number of channels difference between the entry and the proposed translator. The column labeled "Dist" shows the distance in km. The column labeled "Overlap" shows the area of contour overlap in square kilometers.

Page 4 of this exhibit is a portion of a USGS 1:24,000 scale 7.5 minute quadrangle at full scale with the calculated area of interference overlaid. The sheet includes the quadrangle name and measurement scale at the bottom-left corner (note: "Mt" refers to meters). The area of interference was calculated using the free space equation and 120 radials.

Page 5 of this exhibit is an aerial photo of the vicinity surrounding the proposed translator's tower site.

Compliance with 47 C.F.R. § 74.1204(d)

All authorized second and third adjacent stations with which the proposed translator has contour overlap are tabulated below. Column four show the station's signal level at the proposed translator's tower site, and column five gives the minimum value within the entire standard interfering contour of the proposed translator (100 dBμ for most classes, 94 for class B, 97 for class B1). The minimum second or third adjacent F(50,50) contour within the proposed translator's standard interfering contour was used to calculate the proposed translator's actual "worst-case" interfering contour.

Application_id	File Number	Callsign	Contour at Tower	Min. Contour
1077852	BLH20050803ADI	WYLD-FM	79.5	79.5
Minimum F(50,50) Contour of Adjacent Station within Proposed Translator's Standard Interfering Contour				79.5

FCC 02-244 at Section II.A.5 states that "when demonstrating that 'no actual interference will occur due to . . . other factors,' pursuant to Section 74.1204(d), an applicant may use the undesired-to-desired signal ratio method." The undesired-to-desired ratio for second and third adjacent stations required by § 74.1204(a) is 40 dB. Since the minimum protected contour strength within the proposed translator's standard interference contour is **79.5 dBμ**, this makes the proposed translator's worst-case interfering contour **119.5 dBμ**. By the free-space equation, this contour is calculated to extend a maximum of **117.5 m** from the transmit antenna.

The interfering contour of the proposed translator was calculated for 120 radials and plotted on the pertinent portion of a USGS quadrangle (page 4 of this exhibit). As demonstrated on the quadrangle, there are no populated structures or highways within the area of interference (Note: FCC 02-244 at Section II.A.6 states that USGS quadrangles "have been recognized as acceptable to demonstrate lack of population"). Hence, in accordance with 47 C.F.R. § 74.1204(d) and the clarification provided by the FCC in the decision *Re: Living Way Ministries* (FCC 02-244), a lack of population has been demonstrated within the area of interference and this application is therefore in full compliance with 47 C.F.R. § 74.1204.

Antenna Manufacturer: PSI
Antenna Model: FML-1-DA
CORAGL: 123 m
Maximum ERP: 0.25 kW
Interfering Contour: 119.5 dBμ
Max Int. Contour Distance: 117.5 m


Adjacent Channel Study **For Station K251BF, Facility_id: 147981**

Co-channel through third adjacent:

App_id	Fac_id	File_Number	Call	Licensee	Class	City	State	Status	ERP	RCAMSL	Chan	Adj	Dist	Overlap
1077852	11972	BLH-20050803ADI	WYLD-FM	CLEAR CHANNEL BROADCASTING LICENSES, INC	C0	NEW ORLEANS	LA	LIC	97.8	300	253	3	31.8	0.9638
1333421	147937	BMLFT-20090914ACD	K248BB	EDGEWATER BROADCASTING INC.	D	NEW ORLEANS	LA	LIC	0.01	225	248	2	36.1	0
1291442	84546	BLFT-20090126ADY	K249DI	PROVIDENCE EDUCATIONAL FOUNDATION	D	HOUMA	LA	LIC	0.2	91	249	1	70	0
1579437	189558	BLH-20131018AAF	KDLC	COAST RADIO GROUP, INC.	A	DULAC	LA	LIC	0.2	24	249	1	75	0
1602700	189558	BPH-20131018AAH	KDLC	COAST RADIO GROUP, INC.	C1	DULAC	LA	APP	100	157.9	249	1	89.2	0
1595063	197390	BNPL-20131114BSK	NEW	FIRST BAPTIST CHURCH, COVINGTON, LOUISIA	L1	COVINGTON	LA	APP	0	17	249	1	92.9	0
179734	72194	BLH-19921208KE	WCPR-FM	L&L LICENSEE, LLC	C2	WIGGINS	MS	LIC	50	177	250	0	135.4	0
83681	25518	BLH-19851122KD	WDGL	GUARANTY BROADCASTING COMPANY OF BATON R	C	BATON ROUGE	LA	LIC	95	464	251	1	144.4	0
1519864	25518	BPH-20121101ADP	WDGL	GUARANTY BROADCASTING COMPANY OF BATON R	C	BATON ROUGE	LA	CP	95	465	251	1	144.4	0
1235791	177829	BNPH-20080225ABD	NEW	WILLIAM KONOPNICKI	C1	MCNARY	AZ	APP	100	2521	249	1	1938	0
644278	151203	BNPFT-20030317CFW	NEW	RADIO ASSIST MINISTRY, INC.	D	SHOW LOW	AZ	APP	0.015	2385.2	247	3	1948.	0
1399096	11894	BLH-20100928ADE	KIKO-FM	1TV.COM, INC.	C2	CLAYPOOL	AZ	LIC	0.67	2352	247	3	2015.	0
1419081	37577	BSTA-20110228ADC	KRDE	LINDA C. CORSO	C1	SAN CARLOS	AZ	APP	2.1	2378	247	3	2016.	0

Intermediate Frequencies (53 and 54 channels difference):

App_id



Map prepared by the United States Geological Survey

Map prepared by USGS and NOS/NOAA

Map prepared by photogrammetric methods from aerial photographs of 1971. Topography by planetable surveys 1973


Map uses the American Datum of 1927 (NAD 27). Projection and scale: UTM, 1:250,000. Foot ticks: Louisiana coordinate system, south zone (not conformal conic)

Map uses 100-meter Universal Transverse Mercator ticks, zone 16


Map uses the American Datum of 1983 (NAD 83) is shown by dashed ticks. The values of the shift between NAD 27 and NAD 83 at minute intersections are obtainable from National Geodetic Survey NADCON software

Map covers a subsidence area. Evaluate relief and elevation data based on recent sources

Map shows permitted, land lines have not been established or shown because of insufficient data



UTM GRID AND 1994 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



THIS MAP IS FOR SALE BY U.S. GEOLOGICAL SURVEY AND LOUISIANA DEPARTMENT OF TRANSPORTATION AND PARISHES A FOLDER DESCRIBING

