

Census data selected: 1990

Post DTV Transition Database Selected

TV INTERFERENCE and SPACING ANALYSIS PROGRAM

Date: 04-24-2010 Time: 11:40:34

Record Selected for Analysis

WAAU USERRECORD-01 US
Channel 23 ERP 15. kW HAAT 54. m RCAMSL 00130 m STRINGENT MASK
Latitude 033-28-33 Longitude 0082-00-38
Status APP Zone 2 Border
Last update Cutoff date Docket
Comments
Applicant

Cell Size for Service Analysis 1.0 km/side

Distance Increments for Longley-Rice Analysis 1.00 km

Not full service station

Facility meets maximum power limit

Azimuth (Deg)	ERP (kW)	HAAT (m)	51.0 dBu F(50,90) (km)
0.0	15.000	52.6	35.4
45.0	15.000	33.0	30.1
90.0	15.000	63.9	37.6
135.0	15.000	91.8	41.7
180.0	15.000	82.2	40.4
225.0	15.000	34.3	30.5
270.0	15.000	33.0	30.1
315.0	15.000	45.4	33.6

Contour Overlap to Proposed Station

Contour Overlap Evaluation to Proposed Station Complete

Proposed facility OK to FCC Monitoring Stations

Proposed facility OK toward West Virginia quiet zone

Proposed facility OK toward Table Mountain

Proposed facility is beyond the Canadian coordination distance

Proposed facility is beyond the Mexican coordination distance

Proposed station is OK toward AM broadcast stations

Start of Interference Analysis

Proposed Station

Channel	Call	City/State	ARN
23	WAAU		USERRECORD01

Stations Potentially Affected by Proposed Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
16	WBK-CA	AUGUSTA GA	2.3	LIC	BLTTL	-20001215AAV
21	W21CA	COLUMBIA SC	115.0	LIC	BLTTL	-20031001ALE
22	W22AC	HARTWELL & ROYSTON GA	126.3	LIC	BLTT	-20021204AAN
22	WJCL	SAVANNAH GA	169.6	CP MOD	BMPCDT	-20080619AFS
22	WAZS-LP	NORTH CHARLESTON SC	187.5	LIC	BLTTL	-20060623AAY
23	W23DJ	DOTHAN AL	401.1	CP MOD	BMPTTL	-20070511AAQ
23	W23DJ	DOTHAN AL	401.1	LIC	BLTT	-20070622ACF
23	WUBF-LP	JACKSONVILLE FL	348.3	CP	BDISTTL	-20061024AGD
23	W23AQ	LAKE CITY FL	374.6	CP	BDFCDTT	-20060331ACU
23	W23DN	ATLANTA GA	218.6	APP	BSTA	-20060628ACK
23	W23DN	ATLANTA GA	218.6	LIC	BLTT	-20070126AFM
23	WGGD-LP	CLEVELAND GA	201.5	LIC	BLTTL	-20080818ADD
23	WJSP-TV	COLUMBUS GA	259.8	CP MOD	BMPEDT	-20070907ACX
23	WGGD-LP	GAINESVILLE GA	191.8	APP	BMPTTL	-20080818ADC
23	W23BQ	ASHEVILLE NC	235.0	CP	BDFCDTL	-20060403ARD
23	W23BQ	ASHEVILLE, ETC. NC	235.0	LIC	BLTT	-20000222ABJ
23	W23BQ	ASHEVILLE, ETC. NC	235.0	CP	BPTTL	-20051115ABJ
23	WBTB	CHARLOTTE NC	223.1	LIC	BLCDDT	-19991025AEB
23	W23AF	CULLOWHEE NC	229.6	LIC	BLTT	-19901231JH
23	W31BS	ORANGEBURG SC	106.4	CP	BDISDTA	-20060703ABW
23	WPXK	JELLICO TN	364.1	LIC	BLCDDT	-20020510AAJ
23	WPXK	JELLICO TN	331.7	APP	BPCDDT	-20080620AGZ
23	WJDG-LP	GRUNDY VA	401.7	CP MOD	BMPTTL	-20060327AIV
23	WJDG-LP	GRUNDY VA	398.8	LIC	BLTTL	-20060614ABA
24	WNEG-TV	TOCCOA GA	177.7	CP MOD	BMPCDT	-20080410ABJ
25	W25CQ	STATESBORO GA	130.4	LIC	BLTT	-19990603JE
31	W31BS	ORANGEBURG SC	106.4	LIC	BLTTL	-19980529JJ

%%%

Analysis of Interference to Affected Station 1

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
16	WBK-CA	AUGUSTA GA	BLTTL	-20001215AAV

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
14	WMYA-TV	ANDERSON SC	132.3	APP	BMPCDT	-20080620ADM
14	WMYA-TV	ANDERSON SC	132.3	PLN	DTVPLN	-DTVP0510
14	WMYA-TV	ANDERSON SC	132.3	CP MOD	BMPCDT	-20060629ACU
16	WYGA-LD	ATLANTA GA	217.3	CP	BDCCDTL	-20060928AGS
16	WYBU-CA	COLUMBUS GA	303.2	APP	BMPDTA	-20080804AEN
16	WYBU-CA	COLUMBUS GA	303.2	CP	BDFCDTA	-20060331BKI
16	WELF-TV	DALTON GA	348.8	CP	BPCDDT	-20080312ABP
16	WELF-TV	DALTON GA	348.8	PLN	DTVPLN	-DTVP0561
16	WELF-TV	DALTON GA	348.8	LIC	BLCDDT	-20060301ADC
16	WELF-TV	DALTON GA	348.8	APP	BPCDDT	-20080617ADR
16	WGXA	MACON GA	163.2	LIC	BLCDDT	-20070501AAI
16	WGXA	MACON GA	163.2	PLN	DTVPLN	-DTVP0562
16	WPDW-LD	PEARSON GA	254.5	CP	BDCCDTL	-20061026ADF
16	WPDE-TV	FLORENCE SC	268.4	LIC	BLCDDT	-20030121ADB
16	WPDE-TV	FLORENCE SC	268.4	PLN	DTVPLN	-DTVP0581
16	WPDE-TV	FLORENCE SC	268.5	CP	BPCDDT	-20080317AHU
16	WGGs-TV	GREENVILLE SC	166.7	PLN	DTVPLN	-DTVP0582
16	WGGs-TV	GREENVILLE SC	166.7	APP	BMPCDT	-20080619AAM
16	WGGs-TV	GREENVILLE SC	166.7	CP	BPCDDT	-20080317AGV
16	NEW	KNOXVILLE TN	330.7	APP	BSFDTL	-20060630AIM

16	NEW	KNOXVILLE TN	330.8	APP	BSFDTL	-20060630CXG
18	WNEH	GREENWOOD SC	100.6	LIC	BLEDT	-20050322AGH
18	WNEH	GREENWOOD SC	100.6	PLN	DTVPLN	-DTVP0650
18	WNEH	GREENWOOD SC	100.6	CP	BPEDT	-20080620ACH
30	WAGT	AUGUSTA GA	20.1	LIC	BLCDT	-20030530AON
30	WAGT	AUGUSTA GA	20.1	PLN	DTVPLN	-DTVP1106
31	WFXG-DR	AUGUSTA GA	19.6	APP	BPRM	-20080620AON
23	WAAU		2.3	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 2

Analysis of current record

Channel	Call	City/State	Application Ref. No.
21	W21CA	COLUMBIA SC	BLTTL -20031001ALE

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
14	WMYA-TV	ANDERSON SC	135.4	APP	BMPCDT -20080620ADM
14	WMYA-TV	ANDERSON SC	135.4	PLN	DTVPLN -DTVP0510
14	WMYA-TV	ANDERSON SC	135.4	CP MOD	BMPCDT -20060629ACU
17	WLTX	COLUMBIA SC	20.4	LIC	BLCDT -20050701AAC
17	WLTX	COLUMBIA SC	20.4	PLN	DTVPLN -DTVP0619
18	WNEH	GREENWOOD SC	114.6	LIC	BLEDT -20050322AGH
18	WNEH	GREENWOOD SC	114.6	PLN	DTVPLN -DTVP0650
18	WNEH	GREENWOOD SC	114.6	CP	BPEDT -20080620ACH
20	W20CN	CHARLESTON SC	173.9	CP	BDFCDTT -20060331AYW
21	WPBA	ATLANTA GA	311.2	LIC	BLEDT -20041013ABK
21	WPBA	ATLANTA GA	311.2	PLN	DTVPLN -DTVP0756
21	W34BN	CHARLOTTE NC	127.3	LIC	BLDTA -20071129AEP
21	W21CR-D	JEFFERSON NC	271.2	CP	BDCCDTT -20060918ABW
21	NEW	RALEIGH NC	286.6	APP	BSFDTL -20060630BLB
21	NEW	RALEIGH NC	286.3	APP	BSFDTL -20060630AKJ
21	NEW	SMITHFIELD/SELMA NC	294.2	APP	BSFDTL -20060630CYQ
21	W21CI	STATESVILLE NC	194.4	APP	BDFCDTT -20060331AVP
21	WWMB	FLORENCE SC	155.6	APP	BMPCDT -20080620ALY
21	WWMB	FLORENCE SC	155.5	PLN	DTVPLN -DTVP0781
21	WWMB	FLORENCE SC	155.6	CP	BPCDT -20080617ABZ
21	WHNS	GREENVILLE SC	199.7	PLN	DTVPLN -DTVP0782
21	WHNS	GREENVILLE SC	199.7	APP	BMPCDT -20080619AFO
21	WHNS	GREENVILLE SC	199.7	CP	BPCDT -20080225ABE
28	WRJA-TV	SUMTER SC	68.3	LIC	BLEDT -20040805ABA
28	WRJA-TV	SUMTER SC	68.3	PLN	DTVPLN -DTVP1056
36	W58CZ	AUGUSTA GA	107.1	CP	BDISDTT -20060331AII
36	W36DL-D	COLUMBIA SC	21.0	CP	BDCCDTL -20061027AEO
23	WAAU		115.0	APP	USERRECORD-01

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 3

Analysis of current record

Channel	Call	City/State	Application Ref. No.
22	W22AC	HARTWELL & ROYSTON GA	BLTT -20021204AAN

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
14	WMYA-TV	ANDERSON SC	71.6	APP	BMPCDT	-20080620ADM
14	WMYA-TV	ANDERSON SC	71.6	PLN	DTVPLN	-DTVP0510
14	WMYA-TV	ANDERSON SC	71.6	CP MOD	BMPCDT	-20060629ACU
18	WNEH	GREENWOOD SC	70.9	LIC	BLEDT	-20050322AGH
18	WNEH	GREENWOOD SC	70.9	PLN	DTVPLN	-DTVP0650
18	WNEH	GREENWOOD SC	70.9	CP	BPEDT	-20080620ACH
19	WGCL-TV	ATLANTA GA	140.8	CP	BPCDT	-20040220ACX
19	WGCL-TV	ATLANTA GA	140.8	PLN	DTVPLN	-DTVP0674
19	WGCL-TV	ATLANTA GA	140.9	LIC	BLCDT	-19981211KE
20	WPCH-TV	ATLANTA GA	140.8	LIC	BLCDT	-20050204AAD
20	WPCH-TV	ATLANTA GA	140.8	PLN	DTVPLN	-DTVP0723
21	W21CA	COLUMBIA SC	182.2	CP	BDFCDTT	-20060403AOF
21	WHNS	GREENVILLE SC	99.4	PLN	DTVPLN	-DTVP0782
21	WHNS	GREENVILLE SC	99.4	APP	BMPCDT	-20080619AFO
21	WHNS	GREENVILLE SC	99.4	CP	BPCDT	-20080225ABE
22	WBMM	TUSKEGEE AL	374.8	CP	BPCDT	-20080618ADG
22	WBMM	TUSKEGEE AL	375.8	PLN	DTVPLN	-DTVP0791
22	WSKC-CA	ATLANTA GA	142.3	LIC	BLTTA	-20051013AAE
22	WSKC-CA	ATLANTA GA	142.3	APP	BSTA	-20071116ABO
22	WSKC-CA	ATLANTA GA	142.3	CP	BDFCDTA	-20061201AJF
22	WSKC-CA	ATLANTA GA	142.3	APP	BMPDTA	-20080804ABS
22	WJCL	SAVANNAH GA	291.3	PLN	DTVPLN	-DTVP0798
22	WJCL	SAVANNAH GA	291.4	CP MOD	BMPCDT	-20080619AFS
22	WCNC-TV	CHARLOTTE NC	198.0	LIC	BLCDT	-20031211ABN
22	WCNC-TV	CHARLOTTE NC	198.0	PLN	DTVPLN	-DTVP0813
22	WCNC-TV	CHARLOTTE NC	198.0	APP	BPCDT	-20080617AEH
22	WCTE	COOKEVILLE TN	300.8	CP	BPEDT	-20080317ADB
22	WCTE	COOKEVILLE TN	300.8	PLN	DTVPLN	-DTVP0824
22	WCTE	COOKEVILLE TN	300.8	APP	BMPEDT	-20080620ADW
22	WCTD-LP	DUCKTOWN TN	160.4	LIC	BLTTL	-20070622ADD
22	WRKV-LP	ROANOKE VA	405.1	CP	BDCCDTL	-20061030APZ
23	W23BQ	ASHEVILLE NC	148.4	CP	BDFCDTL	-20060403ARD
23	W31BS	ORANGEBURG SC	194.9	CP	BDISDTA	-20060703ABW
24	WNEG-TV	TOCCOA GA	51.6	CP MOD	BMPCDT	-20080410ABJ
24	WNEG-TV	TOCCOA GA	51.6	PLN	DTVPLN	-DTVP0880
25	WATL	ATLANTA GA	140.8	LIC	BLCDT	-20020716AAH
25	WATL	ATLANTA GA	140.8	PLN	DTVPLN	-DTVP0919
25	WUNF-TV	ASHEVILLE NC	124.8	PLN	DTVPLN	-DTVP0929
25	WUNF-TV	ASHEVILLE NC	124.8	APP	BPEDT	-20080619AEH
25	WUNF-TV	ASHEVILLE NC	124.8	LIC	BLEDT	-20030401BAI
30	WAGT	AUGUSTA GA	143.3	LIC	BLCDT	-20030530AON
30	WAGT	AUGUSTA GA	143.3	PLN	DTVPLN	-DTVP1106
36	WYFF	GREENVILLE SC	93.9	CP	BPCDT	-20080317ABT
36	WYFF	GREENVILLE SC	93.8	PLN	DTVPLN	-DTVP1347
23	WAAU		126.3	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 4

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
22	WJCL	SAVANNAH GA	BMPCDT	-20080619AFS

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
22	WOFL	ORLANDO FL	384.7	LIC	BLCDT	-20000706AEZ
22	WOFL	ORLANDO FL	384.7	PLN	DTVPLN	-DTVP0797
22	WOFL	ORLANDO FL	384.7	CP	BPCDT	-20080618ADS
22	WCNC-TV	CHARLOTTE NC	365.9	LIC	BLCDT	-20031211ABN
22	WCNC-TV	CHARLOTTE NC	365.9	PLN	DTVPLN	-DTVP0813
22	WCNC-TV	CHARLOTTE NC	365.9	APP	BPCDT	-20080617AEH

23 WAAU 169.6 APP USERRECORD-01
Proposal causes no interference

#####

Analysis of Interference to Affected Station 5

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
22	WAZS-LP	NORTH CHARLESTON SC	BLTTL	-20060623AAY

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
21	W21CA	COLUMBIA SC	149.4	CP	BDFCDTT	-20060403AOF
22	WJCL	SAVANNAH GA	150.9	PLN	DTVPLN	-DTVP0798
22	WJCL	SAVANNAH GA	150.9	CP MOD	BMPCDT	-20080619AFS
22	WCNC-TV	CHARLOTTE NC	286.2	LIC	BLCDT	-20031211ABN
22	WCNC-TV	CHARLOTTE NC	286.2	PLN	DTVPLN	-DTVP0813
22	WCNC-TV	CHARLOTTE NC	286.2	APP	BPCDT	-20080617AEH
22	W22CJ	JACKSONVILLE NC	320.3	CP	BDFCDTT	-20060329AIX
23	W31BS	ORANGEBURG SC	121.4	CP	BDISDTA	-20060703ABW
24	WTAT-TV	CHARLESTON SC	38.1	PLN	DTVPLN	-DTVP0901
24	WTAT-TV	CHARLESTON SC	38.1	CP MOD	BMPCDT	-20080620ADZ
36	WMMP	CHARLESTON SC	38.1	PLN	DTVPLN	-DTVP1346
36	WMMP	CHARLESTON SC	38.1	CP	BPCDT	-20080317AHL
36	WMMP	CHARLESTON SC	38.1	APP	BMPCDT	-20080620AJI
23	WAAU		187.5	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 6

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
23	W23DJ	DOTHAN AL	BMPTTL	-20070511AAQ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
15	WRBL	COLUMBUS GA	132.6	CP MOD	BMPCDT	-20060410AEC
15	WRBL	COLUMBUS GA	133.3	PLN	DTVPLN	-DTVP0526
16	WCOV-TV	MONTGOMERY AL	113.0	CP	BPCDT	-19991021ACM
16	WCOV-TV	MONTGOMERY AL	113.0	PLN	DTVPLN	-DTVP0557
20	WCOV-DR	MONTGOMERY AL	113.0	APP	BPRM	-20080819ADH
21	WDHN	DOTHAN AL	4.1	CP MOD	BMPCDT	-20080114ABC
21	WDHN	DOTHAN AL	4.1	PLN	DTVPLN	-DTVP0750
22	WBMM	TUSKEGEE AL	108.9	CP	BPCDT	-20080618ADG
22	WBMM	TUSKEGEE AL	108.5	PLN	DTVPLN	-DTVP0791
23	WDPM-DT	MOBILE AL	225.6	CP MOD	BMPCDT	-20080602AUO
23	960920WX	MOBILE AL	229.0	PLN	DTVPLN	-DTVP0831
23	W23AQ	LAKE CITY FL	275.5	CP	BDFCDTT	-20060331ACU
23	WJSP-TV	COLUMBUS GA	190.7	CP MOD	BMPEDT	-20070907ACX
23	WJSP-TV	COLUMBUS GA	190.7	PLN	DTVPLN	-DTVP0840
23	NEW	BILOXI MS	341.8	APP	BSFDTT	-20060630CRN
24	WXPC-LD	PANAMA CITY FL	107.7	CP	BDCCDTL	-20061010AKC
24	WTLF	TALLAHASSEE FL	120.8	LIC	BLCDT	-20030303ABF
24	WTLF	TALLAHASSEE FL	120.8	PLN	DTVPLN	-DTVP0878
24	WTLF	TALLAHASSEE FL	120.8	CP	BPCDT	-20040514ACK
27	WTXL-TV	TALLAHASSEE FL	145.8	CP MOD	BMPCDT	-20080609AAL

27	WTXL-TV	TALLAHASSEE FL	145.8	PLN	DTVPLN	-DTVP0993
38	WFSG	PANAMA CITY FL	110.1	CP	BPEDT	-20080620AFH
38	WFSG	PANAMA CITY FL	110.1	PLN	DTVPLN	-DTVP1361
38	WFSG	PANAMA CITY FL	110.1	LIC	BLEDT	-20030303AAP
38	W38EE-D	TALLAHASSEE FL	130.5	CP	BDCCDTL	-20061024ADV
23	WAAU		401.1	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 7

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	W23DJ	DOTHAN AL	BLTT -20070622ACF

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
15	WRBL	COLUMBUS GA	132.6	CP MOD	BMPCDT -20060410AEC
15	WRBL	COLUMBUS GA	133.3	PLN	DTVPLN -DTVP0526
16	WCOV-TV	MONTGOMERY AL	113.0	CP	BPCDT -19991021ACM
16	WCOV-TV	MONTGOMERY AL	113.0	PLN	DTVPLN -DTVP0557
20	WCOV-DR	MONTGOMERY AL	113.0	APP	BPRM -20080819ADH
21	WDHN	DOTHAN AL	4.1	CP MOD	BMPCDT -20080114ABC
21	WDHN	DOTHAN AL	4.1	PLN	DTVPLN -DTVP0750
22	WBMM	TUSKEGEE AL	108.9	CP	BPCDT -20080618ADG
22	WBMM	TUSKEGEE AL	108.5	PLN	DTVPLN -DTVP0791
23	WDPM-DT	MOBILE AL	225.6	CP MOD	BMPCDT -20080602AUO
23	960920WX	MOBILE AL	229.0	PLN	DTVPLN -DTVP0831
23	W23AQ	LAKE CITY FL	275.5	CP	BDFCDTT -20060331ACU
23	WJSP-TV	COLUMBUS GA	190.7	CP MOD	BMPEDT -20070907ACX
23	WJSP-TV	COLUMBUS GA	190.7	PLN	DTVPLN -DTVP0840
23	NEW	BILOXI MS	341.8	APP	BSFDDT -20060630CRN
24	WXPC-LD	PANAMA CITY FL	107.7	CP	BDCCDTL -20061010AKC
24	WTLF	TALLAHASSEE FL	120.8	LIC	BLCDT -20030303ABF
24	WTLF	TALLAHASSEE FL	120.8	PLN	DTVPLN -DTVP0878
24	WTLF	TALLAHASSEE FL	120.8	CP	BPCDT -20040514ACK
27	WTXL-TV	TALLAHASSEE FL	145.8	CP MOD	BMPCDT -20080609AAL
27	WTXL-TV	TALLAHASSEE FL	145.8	PLN	DTVPLN -DTVP0993
38	WFSG	PANAMA CITY FL	110.1	CP	BPEDT -20080620AFH
38	WFSG	PANAMA CITY FL	110.1	PLN	DTVPLN -DTVP1361
38	WFSG	PANAMA CITY FL	110.1	LIC	BLEDT -20030303AAP
38	W38EE-D	TALLAHASSEE FL	130.5	CP	BDCCDTL -20061024ADV
23	WAAU		401.1	APP	USERRECORD-01

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 8

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WUBF-LP	JACKSONVILLE FL	BDISTTL -20061024AGD

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
16	WCJB-TV	GAINESVILLE FL	112.0	LIC	BLCDT -20071119AJB

16	WCJB-TV	GAINESVILLE FL	112.0	PLN	DTVPLN	-DTVP0559
19	WTEV-TV	JACKSONVILLE FL	16.2	LIC	BLCDT	-20030328ANV
19	WTEV-TV	JACKSONVILLE FL	16.2	PLN	DTVPLN	-DTVP0671
23	NEW	CLEARWATER FL	283.4	APP	BSFDTL	-20060630BWM
23	W23AQ	LAKE CITY FL	101.2	CP	BDFCDTT	-20060331ACU
23	WMFE-TV	ORLANDO FL	203.7	CP MOD	BMPEDT	-20010615BEG
23	WMFE-TV	ORLANDO FL	203.7	PLN	DTVPLN	-DTVP0839
23	W23CN	SEBRING FL	323.6	APP	BDFCDTT	-20081006ABW
23	NEW	ST. PETERSBURG FL	300.2	APP	BSFDTL	-20060630BLJ
23	NEW	ST. PETERSBURG FL	261.3	APP	BSFDTL	-20060630BKY
23	NEW	TAMPA FL	276.9	APP	BSFDTL	-20060630AIR
23	W31BS	ORANGEBURG SC	388.4	CP	BDISDTA	-20060703ABW
24	WPXC-TV	BRUNSWICK GA	52.9	LIC	BLCDT	-20060607ABQ
24	WPXC-TV	BRUNSWICK GA	52.9	PLN	DTVPLN	-DTVP0879
24	WPXC-TV	BRUNSWICK GA	52.9	CP	BPCDT	-20080619AFQ
31	WOGX	OCALA FL	125.1	LIC	BLCDT	-20020730ABS
31	WOGX	OCALA FL	125.1	PLN	DTVPLN	-DTVP1137
23	WAAU		348.3	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 9

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	W23AQ	LAKE CITY FL	BDFCDTT -20060331ACU

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
23	NEW	CLEARWATER FL	261.8	APP	BSFDTL -20060630BWM
23	WMFE-TV	ORLANDO FL	236.3	CP MOD	BMPEDT -20010615BEG
23	WMFE-TV	ORLANDO FL	236.3	PLN	DTVPLN -DTVP0839
23	W23CN	SEBRING FL	328.4	APP	BDFCDTT -20081006ABW
23	NEW	ST. PETERSBURG FL	266.0	APP	BSFDTL -20060630BLJ
23	NEW	ST. PETERSBURG FL	220.1	APP	BSFDTL -20060630BKY
23	NEW	TAMPA FL	248.1	APP	BSFDTL -20060630AIR
23	WJSP-TV	COLUMBUS GA	351.4	CP MOD	BMPEDT -20070907ACX
23	WJSP-TV	COLUMBUS GA	351.4	PLN	DTVPLN -DTVP0840
24	WPXC-TV	BRUNSWICK GA	121.5	LIC	BLCDT -20060607ABQ
24	WPXC-TV	BRUNSWICK GA	121.5	PLN	DTVPLN -DTVP0879
24	WPXC-TV	BRUNSWICK GA	121.5	CP	BPCDT -20080619AFQ
23	WAAU		374.6	APP	USERRECORD-01

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 10

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	W23DN	ATLANTA GA	BSTA -20060628ACK

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
16	WGXA	MACON GA	138.1	LIC	BLCDT -20070501AAI
16	WGXA	MACON GA	138.1	PLN	DTVPLN -DTVP0562

19	WGCL-TV	ATLANTA GA	0.0	CP	BPCDT	-20040220ACX
19	WGCL-TV	ATLANTA GA	0.0	PLN	DTVPLN	-DTVP0674
19	WGCL-TV	ATLANTA GA	0.1	LIC	BLCDT	-19981211KE
20	WPCH-TV	ATLANTA GA	0.0	LIC	BLCDT	-20050204AAD
20	WPCH-TV	ATLANTA GA	0.0	PLN	DTVPLN	-DTVP0723
21	WPBA	ATLANTA GA	5.4	LIC	BLEDT	-20041013ABK
21	WPBA	ATLANTA GA	5.3	PLN	DTVPLN	-DTVP0756
22	WSKC-CA	ATLANTA GA	30.8	LIC	BLTTA	-20051013AAE
22	WSKC-CA	ATLANTA GA	30.8	APP	BSTA	-20071116ABO
22	WSKC-CA	ATLANTA GA	30.8	CP	BDFCDTA	-20061201AJF
22	WSKC-CA	ATLANTA GA	30.8	APP	BMPDTA	-20080804ABS
23	WGGD-LP	CLEVELAND GA	92.1	LIC	BLTTL	-20080818ADD
23	WJSP-TV	COLUMBUS GA	111.3	CP MOD	BMPEDT	-20070907ACX
23	WJSP-TV	COLUMBUS GA	111.3	PLN	DTVPLN	-DTVP0840
23	WGGD-LP	GAINESVILLE GA	51.9	APP	BMPTTL	-20080818ADC
23	W23BQ	ASHEVILLE NC	265.0	CP	BDFCDTL	-20060403ARD
23	WBTB	CHARLOTTE NC	336.4	LIC	BLCDT	-19991025AEB
23	WBTB	CHARLOTTE NC	336.4	PLN	DTVPLN	-DTVP0852
23	W31BS	ORANGEBURG SC	315.8	CP	BDISDTA	-20060703ABW
23	WPXK	JELICO TN	265.9	LIC	BLCDT	-20020510AAJ
23	WPXK	JELICO TN	265.9	PLN	DTVPLN	-DTVP0861
23	WPXK	JELICO TN	245.7	APP	BPCDT	-20080620AGZ
23	WNAB	NASHVILLE TN	352.8	LIC	BLCDT	-20040712AAO
23	WNAB	NASHVILLE TN	352.8	PLN	DTVPLN	-DTVP0863
24	WNEG-TV	TOCCOA GA	126.4	CP MOD	BMPCDT	-20080410ABJ
24	WNEG-TV	TOCCOA GA	126.4	PLN	DTVPLN	-DTVP0880
25	WATL	ATLANTA GA	0.0	LIC	BLCDT	-20020716AAH
25	WATL	ATLANTA GA	0.0	PLN	DTVPLN	-DTVP0919
27	WAGA	ATLANTA GA	1.2	LIC	BLCDT	-20060728AEL
27	WAGA	ATLANTA GA	1.2	PLN	DTVPLN	-DTVP0995
38	W38CU	ATLANTA GA	17.6	CP	BPTTA	-20030624ABT
38	W38CU	ATLANTA GA	17.6	LIC	BLTTA	-20030701BJB
23	WAAU		218.6	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 11

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	W23DN	ATLANTA GA	BLTT -20070126AFM

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
16	WGXA	MACON GA	138.1	LIC	BLCDT -20070501AAI
16	WGXA	MACON GA	138.1	PLN	DTVPLN -DTVP0562
19	WGCL-TV	ATLANTA GA	0.0	CP	BPCDT -20040220ACX
19	WGCL-TV	ATLANTA GA	0.0	PLN	DTVPLN -DTVP0674
19	WGCL-TV	ATLANTA GA	0.1	LIC	BLCDT -19981211KE
20	WPCH-TV	ATLANTA GA	0.0	LIC	BLCDT -20050204AAD
20	WPCH-TV	ATLANTA GA	0.0	PLN	DTVPLN -DTVP0723
21	WPBA	ATLANTA GA	5.4	LIC	BLEDT -20041013ABK
21	WPBA	ATLANTA GA	5.3	PLN	DTVPLN -DTVP0756
22	WSKC-CA	ATLANTA GA	30.8	LIC	BLTTA -20051013AAE
22	WSKC-CA	ATLANTA GA	30.8	APP	BSTA -20071116ABO
22	WSKC-CA	ATLANTA GA	30.8	CP	BDFCDTA -20061201AJF
22	WSKC-CA	ATLANTA GA	30.8	APP	BMPDTA -20080804ABS
23	WGGD-LP	CLEVELAND GA	92.1	LIC	BLTTL -20080818ADD
23	WJSP-TV	COLUMBUS GA	111.3	CP MOD	BMPEDT -20070907ACX
23	WJSP-TV	COLUMBUS GA	111.3	PLN	DTVPLN -DTVP0840
23	WGGD-LP	GAINESVILLE GA	51.9	APP	BMPTTL -20080818ADC
23	W23BQ	ASHEVILLE NC	265.0	CP	BDFCDTL -20060403ARD
23	WBTB	CHARLOTTE NC	336.4	LIC	BLCDT -19991025AEB

23	WBTB	CHARLOTTE NC	336.4	PLN	DTVPLN	-DTVP0852
23	W31BS	ORANGEBURG SC	315.8	CP	BDISDTA	-20060703ABW
23	WPXK	JELLICO TN	265.9	LIC	BLCDD	-20020510AAJ
23	WPXK	JELLICO TN	265.9	PLN	DTVPLN	-DTVP0861
23	WPXK	JELLICO TN	245.7	APP	BPCDD	-20080620AGZ
23	WNAB	NASHVILLE TN	352.8	LIC	BLCDD	-20040712AAO
23	WNAB	NASHVILLE TN	352.8	PLN	DTVPLN	-DTVP0863
24	WNEG-TV	TOCCOA GA	126.4	CP MOD	BMPCDD	-20080410ABJ
24	WNEG-TV	TOCCOA GA	126.4	PLN	DTVPLN	-DTVP0880
25	WATL	ATLANTA GA	0.0	LIC	BLCDD	-20020716AAH
25	WATL	ATLANTA GA	0.0	PLN	DTVPLN	-DTVP0919
27	WAGA	ATLANTA GA	1.2	LIC	BLCDD	-20060728AEL
27	WAGA	ATLANTA GA	1.2	PLN	DTVPLN	-DTVP0995
38	W38CU	ATLANTA GA	17.6	CP	BPTTA	-20030624ABT
38	W38CU	ATLANTA GA	17.6	LIC	BLTTA	-20030701BJB
23	WAAU		218.6	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 12

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WGGD-LP	CLEVELAND GA	BLTTL -20080818ADD

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
16	WGGG-TV	GREENVILLE SC	136.3	PLN	DTVPLN -DTVP0582
16	WGGG-TV	GREENVILLE SC	136.3	APP	BMPCDD -20080619AAM
16	WGGG-TV	GREENVILLE SC	136.3	CP	BPCDD -20080317AGV
19	WGCL-TV	ATLANTA GA	92.1	CP	BPCDD -20040220ACX
19	WGCL-TV	ATLANTA GA	92.1	PLN	DTVPLN -DTVP0674
19	WGCL-TV	ATLANTA GA	92.1	LIC	BLCDD -19981211KE
20	WPCH-TV	ATLANTA GA	92.1	LIC	BLCDD -20050204AAD
20	WPCH-TV	ATLANTA GA	92.1	PLN	DTVPLN -DTVP0723
21	WPBA	ATLANTA GA	96.5	LIC	BLEDD -20041013ABK
21	WPBA	ATLANTA GA	96.4	PLN	DTVPLN -DTVP0756
21	WHNS	GREENVILLE SC	127.0	PLN	DTVPLN -DTVP0782
21	WHNS	GREENVILLE SC	127.0	APP	BMPCDD -20080619AFO
21	WHNS	GREENVILLE SC	127.0	CP	BPCDD -20080225ABE
22	WSKC-CA	ATLANTA GA	77.2	CP	BDFCDTA -20061201AJF
22	WSKC-CA	ATLANTA GA	77.2	APP	BMPDDA -20080804ABS
23	W23DN	ATLANTA GA	92.1	APP	BSTA -20060628ACK
23	W23DN	ATLANTA GA	92.1	LIC	BLTT -20070126AFM
23	WJSP-TV	COLUMBUS GA	201.8	CP MOD	BMPEDD -20070907ACX
23	WJSP-TV	COLUMBUS GA	201.8	PLN	DTVPLN -DTVP0840
23	W23BQ	ASHEVILLE NC	175.0	CP	BDFCDTL -20060403ARD
23	W23BQ	ASHEVILLE, ETC. NC	175.0	CP	BPTTL -20051115ABJ
23	WBTB	CHARLOTTE NC	257.0	LIC	BLCDD -19991025AEB
23	WBTB	CHARLOTTE NC	257.0	PLN	DTVPLN -DTVP0852
23	W23AF	CULLOWHEE NC	105.3	LIC	BLTT -19901231JH
23	W31BS	ORANGEBURG SC	277.6	CP	BDISDTA -20060703ABW
23	WPXK	JELLICO TN	191.6	LIC	BLCDD -20020510AAJ
23	WPXK	JELLICO TN	191.6	PLN	DTVPLN -DTVP0861
23	WPXK	JELLICO TN	165.8	APP	BPCDD -20080620AGZ
23	WNAB	NASHVILLE TN	333.6	LIC	BLCDD -20040712AAO
23	WNAB	NASHVILLE TN	333.6	PLN	DTVPLN -DTVP0863
24	WNEG-TV	TOCCOA GA	41.8	CP MOD	BMPCDD -20080410ABJ
24	WNEG-TV	TOCCOA GA	41.8	PLN	DTVPLN -DTVP0880
25	WATL	ATLANTA GA	92.1	LIC	BLCDD -20020716AAH
25	WATL	ATLANTA GA	92.1	PLN	DTVPLN -DTVP0919
25	WUNF-TV	ASHEVILLE NC	139.8	PLN	DTVPLN -DTVP0929
25	WUNF-TV	ASHEVILLE NC	139.8	APP	BPEDT -20080619AEH

25	WUNF-TV	ASHEVILLE NC	139.8	LIC	BLEDT	-20030401BAI
27	WAGA	ATLANTA GA	92.7	LIC	BLCDT	-20060728AEL
27	WAGA	ATLANTA GA	92.7	PLN	DTVPLN	-DTVP0995
27	WUNW	CANTON NC	143.5	CP	BPEDT	-20080402AAN
27	WUNW	CANTON NC	143.5	APP	BMPEDT	-20080929AHM
38	W38CU	ATLANTA GA	75.1	CP	BPTTA	-20030624ABT
38	W38CU	ATLANTA GA	75.1	LIC	BLTTA	-20030701BJB
38	W38DW	BLAIRSVILLE GA	0.1	LIC	BLTTL	-20080626ACE
23	WAAU		201.5	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 13

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
23	WJSP-TV	COLUMBUS GA	BMPEDT	-20070907ACX

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
22	WBMM	TUSKEGEE AL	145.6	CP	BPCDT	-20080618ADG
22	WBMM	TUSKEGEE AL	146.6	PLN	DTVPLN	-DTVP0791
23	WDPM-DT	MOBILE AL	370.8	CP MOD	BMPCDT	-20080602AUO
23	960920WX	MOBILE AL	373.4	PLN	DTVPLN	-DTVP0831
23	WBTW	CHARLOTTE NC	427.2	LIC	BLCDT	-19991025AEB
23	WBTW	CHARLOTTE NC	427.2	PLN	DTVPLN	-DTVP0852
23	WPXK	JELLICO TN	374.4	LIC	BLCDT	-20020510AAJ
23	WPXK	JELLICO TN	374.4	PLN	DTVPLN	-DTVP0861
23	WPXK	JELLICO TN	356.0	APP	BPCDT	-20080620AGZ
23	WNAB	NASHVILLE TN	424.8	LIC	BLCDT	-20040712AAO
23	WNAB	NASHVILLE TN	424.8	PLN	DTVPLN	-DTVP0863
23	WAAU		259.8	APP	USERRECORD-01	

Total scenarios = 8

Result key: 1
Scenario 1 Affected station 13 WJSP-TV
Before Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP

HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	260	24.0
lost to ATV IX only	260	24.0
lost to all IX	260	24.0

Potential Interfering Stations Included in above Scenario 1

22A AL TUSKEGEE	BPCDT	20080618ADG	CP
23A AL MOBILE	BMPCDT	20080602AUO	CP

After Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP

HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0

lost to additional IX by ATV	393	27.0
lost to ATV IX only	393	27.0
lost to all IX	393	27.0

Potential Interfering Stations Included in above Scenario 1

22A AL TUSKEGEE	BPCDT	20080618ADG	CP
23A AL MOBILE	BMPCDT	20080602AUO	CP
23A	USERRECORD01		APP

Percent new IX = 0.0138%

Result key: 2
 Scenario 2 Affected station 13 WJSP-TV
 Before Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP
 HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	260	23.0
lost to ATV IX only	260	23.0
lost to all IX	260	23.0

Potential Interfering Stations Included in above Scenario 2

22A AL TUSKEGEE	BPCDT	20080618ADG	CP
23A AL MOBILE	DTVPLN	DTVP0831	PLN

After Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP
 HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	393	26.0
lost to ATV IX only	393	26.0
lost to all IX	393	26.0

Potential Interfering Stations Included in above Scenario 2

22A AL TUSKEGEE	BPCDT	20080618ADG	CP
23A AL MOBILE	DTVPLN	DTVP0831	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0138%

Result key: 3
 Scenario 3 Affected station 13 WJSP-TV
 Before Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP
 HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	260	28.0
lost to ATV IX only	260	28.0
lost to all IX	260	28.0

Potential Interfering Stations Included in above Scenario 3

22A AL TUSKEGEE	DTVPLN	DTVP0791	PLN
23A AL MOBILE	BMPCDT	20080602AUO	CP

After Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP
 HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	393	31.0
lost to ATV IX only	393	31.0
lost to all IX	393	31.0

Potential Interfering Stations Included in above Scenario 3

22A AL TUSKEGEE	DTVPLN	DTVP0791	PLN
23A AL MOBILE	BMPCDT	20080602AUO	CP
23A	USERRECORD01		APP

Percent new IX = 0.0138%

Result key: 4
 Scenario 4 Affected station 13 WJSP-TV
 Before Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP
 HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	260	27.0
lost to ATV IX only	260	27.0
lost to all IX	260	27.0

Potential Interfering Stations Included in above Scenario 4

22A AL TUSKEGEE	DTVPLN	DTVP0791	PLN
23A AL MOBILE	DTVPLN	DTVP0831	PLN

After Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP
 HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	393	30.0
lost to ATV IX only	393	30.0
lost to all IX	393	30.0

Potential Interfering Stations Included in above Scenario 4

22A AL TUSKEGEE	DTVPLN	DTVP0791	PLN
23A AL MOBILE	DTVPLN	DTVP0831	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0138%

Result key: 5
 Scenario 5 Affected station 13 WJSP-TV
 Before Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP

HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	350	29.0
lost to ATV IX only	350	29.0
lost to all IX	350	29.0

Potential Interfering Stations Included in above Scenario 5

22A AL TUSKEGEE	BPCDT	20080618ADG	CP
23A AL MOBILE	BMPCDT	20080602AUO	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP

After Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP

HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	483	32.0
lost to ATV IX only	483	32.0
lost to all IX	483	32.0

Potential Interfering Stations Included in above Scenario 5

22A AL TUSKEGEE	BPCDT	20080618ADG	CP
23A AL MOBILE	BMPCDT	20080602AUO	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A	USERRECORD01		APP

Percent new IX = 0.0138%

Result key: 6
Scenario 6 Affected station 13 WJSP-TV
Before Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP

HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	350	28.0
lost to ATV IX only	350	28.0
lost to all IX	350	28.0

Potential Interfering Stations Included in above Scenario 6

22A AL TUSKEGEE	BPCDT	20080618ADG	CP
23A AL MOBILE	DTVPLN	DTVP0831	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP

After Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP

HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	483	31.0
lost to ATV IX only	483	31.0
lost to all IX	483	31.0

Potential Interfering Stations Included in above Scenario 6

22A AL TUSKEGEE	BPCDT	20080618ADG	CP
23A AL MOBILE	DTVPLN	DTVP0831	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A	USERRECORD01		APP

Percent new IX = 0.0138%

Result key: 7
 Scenario 7 Affected station 13 WJSP-TV
 Before Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP
 HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	350	33.0
lost to ATV IX only	350	33.0
lost to all IX	350	33.0

Potential Interfering Stations Included in above Scenario 7

22A AL TUSKEGEE	DTVPLN	DTVP0791	PLN
23A AL MOBILE	BMPCDT	20080602AUO	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP

After Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP
 HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	483	36.0
lost to ATV IX only	483	36.0
lost to all IX	483	36.0

Potential Interfering Stations Included in above Scenario 7

22A AL TUSKEGEE	DTVPLN	DTVP0791	PLN
23A AL MOBILE	BMPCDT	20080602AUO	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A	USERRECORD01		APP

Percent new IX = 0.0138%

Result key: 8
 Scenario 8 Affected station 13 WJSP-TV
 Before Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP
 HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	350	32.0
lost to ATV IX only	350	32.0
lost to all IX	350	32.0

Potential Interfering Stations Included in above Scenario 8

22A AL TUSKEGEE	DTVPLN	DTVP0791	PLN
23A AL MOBILE	DTVPLN	DTVP0831	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP

After Analysis

Results for: 23A GA COLUMBUS BMPEDT 20070907ACX CP
 HAAT 444.0 m, ATV ERP 177.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	968289	25102.2
not affected by terrain losses	966751	24987.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	483	35.0
lost to ATV IX only	483	35.0
lost to all IX	483	35.0

Potential Interfering Stations Included in above Scenario 8

22A AL TUSKEGEE	DTVPLN	DTVP0791	PLN
23A AL MOBILE	DTVPLN	DTVP0831	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A	USERRECORD01		APP

Percent new IX = 0.0138%

Worst case new IX 0.0138% Scenario 5

#####

Analysis of Interference to Affected Station 14

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
23	WGGD-LP	GAINESVILLE GA	BMPTTL	-20080818ADC

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
19	WGCL-TV	ATLANTA GA	51.9	CP	BPCDT	-20040220ACX
19	WGCL-TV	ATLANTA GA	51.9	PLN	DTVPLN	-DTVP0674
19	WGCL-TV	ATLANTA GA	52.0	LIC	BLCDDT	-19981211KE
20	WPCH-TV	ATLANTA GA	51.9	LIC	BLCDDT	-20050204AAD
20	WPCH-TV	ATLANTA GA	51.9	PLN	DTVPLN	-DTVP0723
21	WPBA	ATLANTA GA	55.5	LIC	BLEDT	-20041013ABK
21	WPBA	ATLANTA GA	55.4	PLN	DTVPLN	-DTVP0756
22	WSKC-CA	ATLANTA GA	48.7	LIC	BLTTA	-20051013AAE
22	WSKC-CA	ATLANTA GA	48.7	APP	BSTA	-20071116ABO
22	WSKC-CA	ATLANTA GA	48.7	CP	BDFCDTA	-20061201AJF
22	WSKC-CA	ATLANTA GA	48.7	APP	BMPDTA	-20080804ABS
23	W23DN	ATLANTA GA	51.9	APP	BSTA	-20060628ACK
23	W23DN	ATLANTA GA	51.9	LIC	BLTT	-20070126AFM
23	WJSP-TV	COLUMBUS GA	158.9	CP MOD	BMPEDT	-20070907ACX
23	WJSP-TV	COLUMBUS GA	158.9	PLN	DTVPLN	-DTVP0840
23	W23BQ	ASHEVILLE NC	213.3	CP	BDFCDTL	-20060403ARD
23	W23BQ	ASHEVILLE, ETC. NC	213.3	CP	BPTTL	-20051115ABJ
23	WBTV	CHARLOTTE NC	285.8	LIC	BLCDDT	-19991025AEB
23	WBTV	CHARLOTTE NC	285.8	PLN	DTVPLN	-DTVP0852
23	W31BS	ORANGEBURG SC	280.3	CP	BDISDTA	-20060703ABW
23	WPXK	JELLICO TN	231.5	LIC	BLCDDT	-20020510AAJ
23	WPXK	JELLICO TN	231.5	PLN	DTVPLN	-DTVP0861
23	WPXK	JELLICO TN	207.4	APP	BPCDT	-20080620AGZ
23	WNAB	NASHVILLE TN	351.9	LIC	BLCDDT	-20040712AAO
23	WNAB	NASHVILLE TN	351.9	PLN	DTVPLN	-DTVP0863
24	WNEG-TV	TOCCOA GA	74.5	CP MOD	BMPCDT	-20080410ABJ
24	WNEG-TV	TOCCOA GA	74.5	PLN	DTVPLN	-DTVP0880

25	WATL	ATLANTA GA	51.9	LIC	BLCDDT	-20020716AAH
25	WATL	ATLANTA GA	51.9	PLN	DTVPLN	-DTVP0919
27	WAGA	ATLANTA GA	52.3	LIC	BLCDDT	-20060728AEL
27	WAGA	ATLANTA GA	52.3	PLN	DTVPLN	-DTVP0995
38	W38CU	ATLANTA GA	34.3	CP	BPTTA	-20030624ABT
38	W38CU	ATLANTA GA	34.3	LIC	BLTTA	-20030701BJB
38	W38DW	BLAIRSVILLE GA	43.7	LIC	BLTTL	-20080626ACE
23	WAAU		191.8	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 15

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	W23BQ	ASHEVILLE NC	BDFCDTL -20060403ARD

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	WCNC-TV	CHARLOTTE NC	112.5	LIC	BLCDDT -20031211ABN
22	WCNC-TV	CHARLOTTE NC	112.5	PLN	DTVPLN -DTVP0813
22	WCNC-TV	CHARLOTTE NC	112.5	APP	BPCDDT -20080617AEH
23	WGGD-LP	CLEVELAND GA	175.0	LIC	BLTTL -20080818ADD
23	WJSP-TV	COLUMBUS GA	369.4	CP MOD	BMPEDT -20070907ACX
23	WJSP-TV	COLUMBUS GA	369.4	PLN	DTVPLN -DTVP0840
23	W23DM-D	FALMOUTH KY	385.3	LIC	BLDDT -20080815ABC
23	WBTB	CHARLOTTE NC	110.7	LIC	BLCDDT -19991025AEB
23	WBTB	CHARLOTTE NC	110.7	PLN	DTVPLN -DTVP0852
23	W23AF	CULLOWHEE NC	77.7	LIC	BLTT -19901231JH
23	W31BS	ORANGEBURG SC	239.4	CP	BDISDTA -20060703ABW
23	WPXK	JELLICO TN	180.5	LIC	BLCDDT -20020510AAJ
23	WPXK	JELLICO TN	180.5	PLN	DTVPLN -DTVP0861
23	WPXK	JELLICO TN	149.6	APP	BPCDDT -20080620AGZ
23	W18BG	DANVILLE VA	299.1	CP	BDISDDT -20060331BHB
23	WSAZ-TV	HUNTINGTON WV	327.4	CP MOD	BMPCDDT -20080414AAQ
23	WSAZ-TV	HUNTINGTON WV	327.4	PLN	DTVPLN -DTVP0870
23	WSAZ-TV	HUNTINGTON WV	327.4	APP	BMPCDDT -20080619AAD
23	WAAU		235.0	APP	USERRECORD-01

Total scenarios = 26

Result key: 9
Scenario 1 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 1

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 1

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 10
 Scenario 2 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 2

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 2

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 11
Scenario 3 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 3

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 3

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 12
Scenario 4 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 4

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN

23A WV HUNTINGTON DTVPLN DTVP0870 PLN

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 4

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 13
Scenario 5 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 5

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 5

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 14
Scenario 6 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 6

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 6

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 15
Scenario 7 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 7

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP

23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 7

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 16
 Scenario 8 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 8

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 8

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

23A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 17
Scenario 9 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 9

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 9

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 18
Scenario 10 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 10

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDDT	19991025AEB	LIC

23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 10

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 19
 Scenario 11 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 11

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 11

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDT	20020510AAJ	LIC

23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 20
Scenario 12 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE	BDFCDTL	20060403ARD	CP
HAAT 645.0 m, ATV ERP 4.0 kW			
	POPULATION	AREA (sq km)	
within Noise Limited Contour	322882	5849.9	
not affected by terrain losses	282729	4757.8	
lost to NTSC IX	806	32.8	
lost to additional IX by ATV	15717	419.0	
lost to ATV IX only	16426	440.8	
lost to all IX	16523	451.8	

Potential Interfering Stations Included in above Scenario 12

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC ASHEVILLE	BDFCDTL	20060403ARD	CP
HAAT 645.0 m, ATV ERP 4.0 kW			
	POPULATION	AREA (sq km)	
within Noise Limited Contour	322882	5849.9	
not affected by terrain losses	282729	4757.8	
lost to NTSC IX	806	32.8	
lost to additional IX by ATV	15717	420.0	
lost to ATV IX only	16426	441.8	
lost to all IX	16523	452.7	

Potential Interfering Stations Included in above Scenario 12

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 21
Scenario 13 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE	BDFCDTL	20060403ARD	CP
HAAT 645.0 m, ATV ERP 4.0 kW			
	POPULATION	AREA (sq km)	
within Noise Limited Contour	322882	5849.9	
not affected by terrain losses	282729	4757.8	
lost to NTSC IX	806	32.8	
lost to additional IX by ATV	15717	419.0	
lost to ATV IX only	16426	440.8	
lost to all IX	16523	451.8	

Potential Interfering Stations Included in above Scenario 13

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
------------------	-------	-------------	-----

23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 13

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 22
 Scenario 14 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 14

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 14

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP

23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 23
Scenario 15 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	414.0
lost to ATV IX only	17347	436.9
lost to all IX	17444	446.8

Potential Interfering Stations Included in above Scenario 15

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	415.0
lost to ATV IX only	17347	437.9
lost to all IX	17444	447.8

Potential Interfering Stations Included in above Scenario 15

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 24
Scenario 16 Affected station 15 W23BQ
Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	414.0
lost to ATV IX only	17347	436.9
lost to all IX	17444	446.8

Potential Interfering Stations Included in above Scenario 16

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	415.0
lost to ATV IX only	17347	437.9
lost to all IX	17444	447.8

Potential Interfering Stations Included in above Scenario 16

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 25
 Scenario 17 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	414.0
lost to ATV IX only	17347	436.9
lost to all IX	17444	446.8

Potential Interfering Stations Included in above Scenario 17

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	415.0
lost to ATV IX only	17347	437.9
lost to all IX	17444	447.8

Potential Interfering Stations Included in above Scenario 17

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	BLCDT	19991025AEB	LIC

23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 26
 Scenario 18 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 18

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 18

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 27
 Scenario 19 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 19

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 19

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 28
 Scenario 20 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 20

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 20

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
------------------	-------	-------------	-----

23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 29
 Scenario 21 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 21

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 21

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 30
 Scenario 22 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 22

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 22

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 31

Scenario 23 Affected station 15 W23BQ

Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	419.0
lost to ATV IX only	16426	440.8
lost to all IX	16523	451.8

Potential Interfering Stations Included in above Scenario 23

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP

HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	15717	420.0
lost to ATV IX only	16426	441.8
lost to all IX	16523	452.7

Potential Interfering Stations Included in above Scenario 23

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 32
 Scenario 24 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	414.0
lost to ATV IX only	17347	436.9
lost to all IX	17444	446.8

Potential Interfering Stations Included in above Scenario 24

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	415.0
lost to ATV IX only	17347	437.9
lost to all IX	17444	447.8

Potential Interfering Stations Included in above Scenario 24

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 33
 Scenario 25 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	414.0
lost to ATV IX only	17347	436.9
lost to all IX	17444	446.8

Potential Interfering Stations Included in above Scenario 25

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	415.0
lost to ATV IX only	17347	437.9
lost to all IX	17444	447.8

Potential Interfering Stations Included in above Scenario 25

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 34
 Scenario 26 Affected station 15 W23BQ
 Before Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	414.0
lost to ATV IX only	17347	436.9
lost to all IX	17444	446.8

Potential Interfering Stations Included in above Scenario 26

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC ASHEVILLE BDFCDTL 20060403ARD CP
 HAAT 645.0 m, ATV ERP 4.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	322882	5849.9
not affected by terrain losses	282729	4757.8
lost to NTSC IX	806	32.8
lost to additional IX by ATV	16638	415.0
lost to ATV IX only	17347	437.9
lost to all IX	17444	447.8

Potential Interfering Stations Included in above Scenario 26

23N GA CLEVELAND	BLTTL	20080818ADD	LIC
23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0000%

Worst case new IX 0.0000% Scenario 1

#####

Analysis of Interference to Affected Station 16

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
23	W23BQ	ASHEVILLE, ETC. NC	BLTT	-20000222ABJ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
16	WGGG-TV	GREENVILLE SC	69.8	PLN	DTVPLN	-DTVP0582
16	WGGG-TV	GREENVILLE SC	69.8	APP	BMPCDT	-20080619AAM
16	WGGG-TV	GREENVILLE SC	69.8	CP	BPCDT	-20080317AGV
21	WHNS	GREENVILLE SC	50.7	PLN	DTVPLN	-DTVP0782
21	WHNS	GREENVILLE SC	50.7	APP	BMPCDT	-20080619AFO
21	WHNS	GREENVILLE SC	50.7	CP	BPCDT	-20080225ABE
22	WCNC-TV	CHARLOTTE NC	112.5	LIC	BLCDDT	-20031211ABN
22	WCNC-TV	CHARLOTTE NC	112.5	PLN	DTVPLN	-DTVP0813
22	WCNC-TV	CHARLOTTE NC	112.5	APP	BPCDT	-20080617AEH
23	WGGD-LP	CLEVELAND GA	175.1	LIC	BLTTL	-20080818ADD
23	WJSP-TV	COLUMBUS GA	369.4	CP MOD	BMPEDT	-20070907ACX
23	WJSP-TV	COLUMBUS GA	369.4	PLN	DTVPLN	-DTVP0840
23	WGGD-LP	GAINESVILLE GA	213.3	APP	BMPTTL	-20080818ADC
23	W23DM-D	FALMOUTH KY	385.3	LIC	BLDTT	-20080815ABC
23	WBTV	CHARLOTTE NC	110.7	LIC	BLCDDT	-19991025AEB
23	WBTV	CHARLOTTE NC	110.7	PLN	DTVPLN	-DTVP0852
23	W23AF	CULLOWHEE NC	77.7	LIC	BLTT	-19901231JH
23	W31BS	ORANGEBURG SC	239.4	CP	BDISDTA	-20060703ABW
23	WPXK	JELLICO TN	180.5	LIC	BLCDDT	-20020510AAJ
23	WPXK	JELLICO TN	180.5	PLN	DTVPLN	-DTVP0861
23	WPXK	JELLICO TN	149.6	APP	BPCDT	-20080620AGZ
23	W18BG	DANVILLE VA	299.0	CP	BDISDTT	-20060331BHB
23	WJDG-LP	GRUNDY VA	194.6	CP MOD	BMPTTL	-20060327AIV
23	WSAZ-TV	HUNTINGTON WV	327.4	CP MOD	BMPCDT	-20080414AAQ
23	WSAZ-TV	HUNTINGTON WV	327.4	PLN	DTVPLN	-DTVP0870
23	WSAZ-TV	HUNTINGTON WV	327.4	APP	BMPCDT	-20080619AAD
25	WUNF-TV	ASHEVILLE NC	37.3	PLN	DTVPLN	-DTVP0929
25	WUNF-TV	ASHEVILLE NC	37.3	APP	BPEDT	-20080619AEH
25	WUNF-TV	ASHEVILLE NC	37.3	LIC	BLEDT	-20030401BAI
27	WUNW	CANTON NC	47.3	CP	BPEDT	-20080402AAN
27	WUNW	CANTON NC	47.3	APP	BMPEDT	-20080929AHM
27	WKPT-TV	KINGSPORT TN	98.5	CP MOD	BMPCDT	-20050303AAJ
27	WKPT-TV	KINGSPORT TN	98.5	PLN	DTVPLN	-DTVP1017
38	W38CN	CHARLOTTE NC	112.5	CP	BDFCDTT	-20060328ADI
38	WEMT	GREENEVILLE TN	58.8	LIC	BLCDDT	-20050606AHR
38	WEMT	GREENEVILLE TN	58.8	PLN	DTVPLN	-DTVP1380
23	WAAU		235.0	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 17

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	W23BQ	ASHEVILLE, ETC. NC	BPTTL -20051115ABJ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
16	WGGG-TV	GREENVILLE SC	69.8	PLN	DTVPLN -DTVP0582
16	WGGG-TV	GREENVILLE SC	69.8	APP	BMPCDT -20080619AAM
16	WGGG-TV	GREENVILLE SC	69.8	CP	BPCDT -20080317AGV
21	WHNS	GREENVILLE SC	50.7	PLN	DTVPLN -DTVP0782
21	WHNS	GREENVILLE SC	50.7	APP	BMPCDT -20080619AFO
21	WHNS	GREENVILLE SC	50.7	CP	BPCDT -20080225ABE
22	WCNC-TV	CHARLOTTE NC	112.5	LIC	BLCDDT -20031211ABN
22	WCNC-TV	CHARLOTTE NC	112.5	PLN	DTVPLN -DTVP0813
22	WCNC-TV	CHARLOTTE NC	112.5	APP	BPCDT -20080617AEH
23	WGGD-LP	CLEVELAND GA	175.0	LIC	BLTTL -20080818ADD
23	WJSP-TV	COLUMBUS GA	369.4	CP MOD	BMPEDT -20070907ACX
23	WJSP-TV	COLUMBUS GA	369.4	PLN	DTVPLN -DTVP0840
23	WGGD-LP	GAINESVILLE GA	213.3	APP	BMPTTL -20080818ADC
23	W23DM-D	FALMOUTH KY	385.3	LIC	BLDTT -20080815ABC
23	WBTW	CHARLOTTE NC	110.7	LIC	BLCDDT -19991025AEB
23	WBTW	CHARLOTTE NC	110.7	PLN	DTVPLN -DTVP0852
23	W23AF	CULLOWHEE NC	77.7	LIC	BLTT -19901231JH
23	W31BS	ORANGEBURG SC	239.4	CP	BDISDTA -20060703ABW
23	WPXK	JELICO TN	180.5	LIC	BLCDDT -20020510AAJ
23	WPXK	JELICO TN	180.5	PLN	DTVPLN -DTVP0861
23	WPXK	JELICO TN	149.6	APP	BPCDT -20080620AGZ
23	W18BG	DANVILLE VA	299.1	CP	BDISDTT -20060331BHB
23	WJDG-LP	GRUNDY VA	194.6	CP MOD	BMPTTL -20060327AIV
23	WSAZ-TV	HUNTINGTON WV	327.4	CP MOD	BMPCDT -20080414AAQ
23	WSAZ-TV	HUNTINGTON WV	327.4	PLN	DTVPLN -DTVP0870
23	WSAZ-TV	HUNTINGTON WV	327.4	APP	BMPCDT -20080619AAD
25	WUNF-TV	ASHEVILLE NC	37.3	PLN	DTVPLN -DTVP0929
25	WUNF-TV	ASHEVILLE NC	37.3	APP	BPEDT -20080619AEH
25	WUNF-TV	ASHEVILLE NC	37.3	LIC	BLEDT -20030401BAI
27	WUNW	CANTON NC	47.3	CP	BPEDT -20080402AAN
27	WUNW	CANTON NC	47.3	APP	BMPEDT -20080929AHM
27	WKPT-TV	KINGSPORT TN	98.5	CP MOD	BMPCDT -20050303AAJ
27	WKPT-TV	KINGSPORT TN	98.5	PLN	DTVPLN -DTVP1017
38	W38CN	CHARLOTTE NC	112.5	CP	BDFCDTT -20060328ADI
38	WEMT	GREENEVILLE TN	58.8	LIC	BLCDDT -20050606AHR
38	WEMT	GREENEVILLE TN	58.8	PLN	DTVPLN -DTVP1380
23	WAAU		235.0	APP	USERRECORD-01

Proposal causes no interference

#####

Analysis of Interference to Affected Station 18

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WBTW	CHARLOTTE NC	BLCDDT -19991025AEB

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	WCNC-TV	CHARLOTTE NC	2.4	LIC	BLCDDT -20031211ABN
22	WCNC-TV	CHARLOTTE NC	2.4	PLN	DTVPLN -DTVP0813
22	WCNC-TV	CHARLOTTE NC	2.4	APP	BPCDT -20080617AEH
23	WJSP-TV	COLUMBUS GA	427.2	CP MOD	BMPEDT -20070907ACX
23	WJSP-TV	COLUMBUS GA	427.2	PLN	DTVPLN -DTVP0840

23	WUNK-TV	GREENVILLE NC	325.3	APP	BPEDT	-20080617AAR
23	WUNK-TV	GREENVILLE NC	325.3	PLN	DTVPLN	-DTVP0853
23	WUNK-TV	GREENVILLE NC	325.3	LIC	BLEDT	-20021007ABG
23	WPXK	JELLICO TN	289.7	LIC	BLCDDT	-20020510AAJ
23	WPXK	JELLICO TN	289.7	PLN	DTVPLN	-DTVP0861
23	WPXK	JELLICO TN	259.7	APP	BPCDDT	-20080620AGZ
23	WSAZ-TV	HUNTINGTON WV	361.5	CP MOD	BMPCDDT	-20080414AAQ
23	WSAZ-TV	HUNTINGTON WV	361.5	PLN	DTVPLN	-DTVP0870
23	WSAZ-TV	HUNTINGTON WV	361.5	APP	BMPCDDT	-20080619AAD
24	WNEG-TV	TOCCOA GA	215.5	CP MOD	BMPCDDT	-20080410ABJ
24	WNEG-TV	TOCCOA GA	215.5	PLN	DTVPLN	-DTVP0880
23	WAAU		223.1	APP	USERRECORD-01	

Total scenarios = 97

Result key: 35
 Scenario 1 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATB ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATB	3323	170.2
lost to ATB IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 1

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATB ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATB	4029	198.0
lost to ATB IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 1

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 36
 Scenario 2 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATB ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8

not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 2

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 2

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 37
Scenario 3 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 3

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 3

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 38
 Scenario 4 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 4

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 4

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 39
 Scenario 5 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 5

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 5

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 40

Scenario 6 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 6

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 6

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC

23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 41
Scenario 7 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 7

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 7

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 42
Scenario 8 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 8

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC

23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 8

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 43
 Scenario 9 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 9

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 9

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 44
 Scenario 10 Affected station 18 WBTW
 Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 10

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLC DT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 10

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLC DT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 45
 Scenario 11 Affected station 18 WBTW
 Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 11

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 11

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 46

Scenario 12 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 12

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 12

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 47

Scenario 13 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 13

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 13

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 48
 Scenario 14 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 14

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3

lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 14

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 49
 Scenario 15 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 15

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 15

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 50
 Scenario 16 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3

lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 16

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 16

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 51
Scenario 17 Affected station 18 WBTB
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	524.5
lost to ATV IX only	11947	524.5
lost to all IX	11947	524.5

Potential Interfering Stations Included in above Scenario 17

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	552.3
lost to ATV IX only	12653	552.3
lost to all IX	12653	552.3

Potential Interfering Stations Included in above Scenario 17

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 52
 Scenario 18 Affected station 18 WBTW
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	524.5
lost to ATV IX only	11947	524.5
lost to all IX	11947	524.5

Potential Interfering Stations Included in above Scenario 18

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	552.3
lost to ATV IX only	12653	552.3
lost to all IX	12653	552.3

Potential Interfering Stations Included in above Scenario 18

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 53
 Scenario 19 Affected station 18 WBTW
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	526.4
lost to ATV IX only	11947	526.4
lost to all IX	11947	526.4

Potential Interfering Stations Included in above Scenario 19

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	554.3
lost to ATV IX only	12653	554.3
lost to all IX	12653	554.3

Potential Interfering Stations Included in above Scenario 19

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 54

Scenario 20 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	524.5
lost to ATV IX only	11947	524.5
lost to all IX	11947	524.5

Potential Interfering Stations Included in above Scenario 20

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	552.3
lost to ATV IX only	12653	552.3
lost to all IX	12653	552.3

Potential Interfering Stations Included in above Scenario 20

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN

23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 55
Scenario 21 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	524.5
lost to ATV IX only	11947	524.5
lost to all IX	11947	524.5

Potential Interfering Stations Included in above Scenario 21

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	552.3
lost to ATV IX only	12653	552.3
lost to all IX	12653	552.3

Potential Interfering Stations Included in above Scenario 21

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 56
Scenario 22 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	526.4
lost to ATV IX only	11947	526.4
lost to all IX	11947	526.4

Potential Interfering Stations Included in above Scenario 22

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN

23A WV HUNTINGTON BMPCDT 20080619AAD APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	554.3
lost to ATV IX only	12653	554.3
lost to all IX	12653	554.3

Potential Interfering Stations Included in above Scenario 22

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 57
Scenario 23 Affected station 18 WBTB
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11936	542.4
lost to ATV IX only	11936	542.4
lost to all IX	11936	542.4

Potential Interfering Stations Included in above Scenario 23

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12826	571.2
lost to ATV IX only	12826	571.2
lost to all IX	12826	571.2

Potential Interfering Stations Included in above Scenario 23

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0302%

Result key: 58
Scenario 24 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11936	542.4
lost to ATV IX only	11936	542.4
lost to all IX	11936	542.4

Potential Interfering Stations Included in above Scenario 24

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12826	571.2
lost to ATV IX only	12826	571.2
lost to all IX	12826	571.2

Potential Interfering Stations Included in above Scenario 24

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0302%

Result key: 59
Scenario 25 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11936	544.4
lost to ATV IX only	11936	544.4
lost to all IX	11936	544.4

Potential Interfering Stations Included in above Scenario 25

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12826	573.2
lost to ATV IX only	12826	573.2
lost to all IX	12826	573.2

Potential Interfering Stations Included in above Scenario 25

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0302%

Result key: 60

Scenario 26 Affected station 18 WBTB

Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 26

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 26

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 61

Scenario 27 Affected station 18 WBTB

Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 27

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 27

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 62
Scenario 28 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	172.2
lost to ATV IX only	3323	172.2
lost to all IX	3323	172.2

Potential Interfering Stations Included in above Scenario 28

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0

lost to additional IX by ATV	4029	200.0
lost to ATV IX only	4029	200.0
lost to all IX	4029	200.0

Potential Interfering Stations Included in above Scenario 28

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 63
 Scenario 29 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 29

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 29

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 64
 Scenario 30 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0

lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 30

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 30

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 65
Scenario 31 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	172.2
lost to ATV IX only	3323	172.2
lost to all IX	3323	172.2

Potential Interfering Stations Included in above Scenario 31

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	200.0
lost to ATV IX only	4029	200.0
lost to all IX	4029	200.0

Potential Interfering Stations Included in above Scenario 31

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 66
 Scenario 32 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	188.1
lost to ATV IX only	3312	188.1
lost to all IX	3312	188.1

Potential Interfering Stations Included in above Scenario 32

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	216.9
lost to ATV IX only	4202	216.9
lost to all IX	4202	216.9

Potential Interfering Stations Included in above Scenario 32

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 67
 Scenario 33 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	188.1
lost to ATV IX only	3312	188.1
lost to all IX	3312	188.1

Potential Interfering Stations Included in above Scenario 33

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	216.9
lost to ATV IX only	4202	216.9
lost to all IX	4202	216.9

Potential Interfering Stations Included in above Scenario 33

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 68
Scenario 34 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	190.1
lost to ATV IX only	3312	190.1
lost to all IX	3312	190.1

Potential Interfering Stations Included in above Scenario 34

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	218.9
lost to ATV IX only	4202	218.9
lost to all IX	4202	218.9

Potential Interfering Stations Included in above Scenario 34

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP

23A USERRECORD01 APP

Percent new IX = 0.0301%

Result key: 69
Scenario 35 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 35

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 35

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 70
Scenario 36 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 36

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 36

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 71
 Scenario 37 Affected station 18 WBTW
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	172.2
lost to ATV IX only	3323	172.2
lost to all IX	3323	172.2

Potential Interfering Stations Included in above Scenario 37

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	200.0
lost to ATV IX only	4029	200.0
lost to all IX	4029	200.0

Potential Interfering Stations Included in above Scenario 37

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 72

Scenario 38 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 38

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 38

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 73

Scenario 39 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 39

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 39

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 74
 Scenario 40 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	172.2
lost to ATV IX only	3323	172.2
lost to all IX	3323	172.2

Potential Interfering Stations Included in above Scenario 40

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	200.0
lost to ATV IX only	4029	200.0
lost to all IX	4029	200.0

Potential Interfering Stations Included in above Scenario 40

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 75
 Scenario 41 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	188.1
lost to ATV IX only	3312	188.1
lost to all IX	3312	188.1

Potential Interfering Stations Included in above Scenario 41

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDIT	20021007ABG	LIC
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	216.9
lost to ATV IX only	4202	216.9
lost to all IX	4202	216.9

Potential Interfering Stations Included in above Scenario 41

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDIT	20021007ABG	LIC
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 76

Scenario 42 Affected station 18 WBTB

Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	188.1
lost to ATV IX only	3312	188.1
lost to all IX	3312	188.1

Potential Interfering Stations Included in above Scenario 42

22A NC CHARLOTTE	BLCDDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDIT	20021007ABG	LIC
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	216.9

lost to ATV IX only	4202	216.9
lost to all IX	4202	216.9

Potential Interfering Stations Included in above Scenario 42

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 77
 Scenario 43 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	190.1
lost to ATV IX only	3312	190.1
lost to all IX	3312	190.1

Potential Interfering Stations Included in above Scenario 43

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	218.9
lost to ATV IX only	4202	218.9
lost to all IX	4202	218.9

Potential Interfering Stations Included in above Scenario 43

22A NC CHARLOTTE	BLCDT	20031211ABN	LIC
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 78
 Scenario 44 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	524.5

lost to ATV IX only	11947	524.5
lost to all IX	11947	524.5

Potential Interfering Stations Included in above Scenario 44

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	552.3
lost to ATV IX only	12653	552.3
lost to all IX	12653	552.3

Potential Interfering Stations Included in above Scenario 44

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 79
Scenario 45 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	524.5
lost to ATV IX only	11947	524.5
lost to all IX	11947	524.5

Potential Interfering Stations Included in above Scenario 45

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	552.3
lost to ATV IX only	12653	552.3
lost to all IX	12653	552.3

Potential Interfering Stations Included in above Scenario 45

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 80
 Scenario 46 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	526.4
lost to ATV IX only	11947	526.4
lost to all IX	11947	526.4

Potential Interfering Stations Included in above Scenario 46

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	554.3
lost to ATV IX only	12653	554.3
lost to all IX	12653	554.3

Potential Interfering Stations Included in above Scenario 46

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 81
 Scenario 47 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	524.5
lost to ATV IX only	11947	524.5
lost to all IX	11947	524.5

Potential Interfering Stations Included in above Scenario 47

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	552.3
lost to ATV IX only	12653	552.3
lost to all IX	12653	552.3

Potential Interfering Stations Included in above Scenario 47

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 82
Scenario 48 Affected station 18 WBTB
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	524.5
lost to ATV IX only	11947	524.5
lost to all IX	11947	524.5

Potential Interfering Stations Included in above Scenario 48

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	552.3
lost to ATV IX only	12653	552.3
lost to all IX	12653	552.3

Potential Interfering Stations Included in above Scenario 48

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 83

Scenario 49 Affected station 18 WBTB
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11947	526.4
lost to ATV IX only	11947	526.4
lost to all IX	11947	526.4

Potential Interfering Stations Included in above Scenario 49

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12653	554.3
lost to ATV IX only	12653	554.3
lost to all IX	12653	554.3

Potential Interfering Stations Included in above Scenario 49

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 84

Scenario 50 Affected station 18 WBTB
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11936	542.4
lost to ATV IX only	11936	542.4
lost to all IX	11936	542.4

Potential Interfering Stations Included in above Scenario 50

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12826	571.2
lost to ATV IX only	12826	571.2
lost to all IX	12826	571.2

Potential Interfering Stations Included in above Scenario 50

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0302%

Result key: 85

Scenario 51 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11936	542.4
lost to ATV IX only	11936	542.4
lost to all IX	11936	542.4

Potential Interfering Stations Included in above Scenario 51

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12826	571.2
lost to ATV IX only	12826	571.2
lost to all IX	12826	571.2

Potential Interfering Stations Included in above Scenario 51

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0302%

Result key: 86

Scenario 52 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11936	544.4
lost to ATV IX only	11936	544.4
lost to all IX	11936	544.4

Potential Interfering Stations Included in above Scenario 52

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	12826	573.2
lost to ATV IX only	12826	573.2
lost to all IX	12826	573.2

Potential Interfering Stations Included in above Scenario 52

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0302%

Result key: 87
Scenario 53 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 53

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
--	------------	--------------

within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 53

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 88
 Scenario 54 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 54

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 54

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 89
 Scenario 55 Affected station 18 WBTB
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
--	------------	--------------

within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	172.2
lost to ATV IX only	3323	172.2
lost to all IX	3323	172.2

Potential Interfering Stations Included in above Scenario 55

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	200.0
lost to ATV IX only	4029	200.0
lost to all IX	4029	200.0

Potential Interfering Stations Included in above Scenario 55

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 90
Scenario 56 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 56

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0

lost to all IX 4029 198.0

Potential Interfering Stations Included in above Scenario 56

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 91
Scenario 57 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 57

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 57

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 92
Scenario 58 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	172.2
lost to ATV IX only	3323	172.2

lost to all IX 3323 172.2

Potential Interfering Stations Included in above Scenario 58

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	200.0
lost to ATV IX only	4029	200.0
lost to all IX	4029	200.0

Potential Interfering Stations Included in above Scenario 58

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 93

Scenario 59 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	188.1
lost to ATV IX only	3312	188.1
lost to all IX	3312	188.1

Potential Interfering Stations Included in above Scenario 59

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	216.9
lost to ATV IX only	4202	216.9
lost to all IX	4202	216.9

Potential Interfering Stations Included in above Scenario 59

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
------------------	--------	----------	-----

23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 94
Scenario 60 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	188.1
lost to ATV IX only	3312	188.1
lost to all IX	3312	188.1

Potential Interfering Stations Included in above Scenario 60

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	216.9
lost to ATV IX only	4202	216.9
lost to all IX	4202	216.9

Potential Interfering Stations Included in above Scenario 60

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 95
Scenario 61 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	190.1
lost to ATV IX only	3312	190.1
lost to all IX	3312	190.1

Potential Interfering Stations Included in above Scenario 61

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
------------------	--------	----------	-----

23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	218.9
lost to ATV IX only	4202	218.9
lost to all IX	4202	218.9

Potential Interfering Stations Included in above Scenario 61

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 96
 Scenario 62 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 62

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 62

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 97
Scenario 63 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 63

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 63

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 98
Scenario 64 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	172.2
lost to ATV IX only	3323	172.2
lost to all IX	3323	172.2

Potential Interfering Stations Included in above Scenario 64

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	200.0
lost to ATV IX only	4029	200.0
lost to all IX	4029	200.0

Potential Interfering Stations Included in above Scenario 64

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLED T	20021007ABG	LIC
23A TN JELLICO	BLC DT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 99

Scenario 65 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 65

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLED T	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 65

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLED T	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 100

Scenario 66 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	170.2
lost to ATV IX only	3323	170.2
lost to all IX	3323	170.2

Potential Interfering Stations Included in above Scenario 66

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLED T	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	198.0
lost to ATV IX only	4029	198.0
lost to all IX	4029	198.0

Potential Interfering Stations Included in above Scenario 66

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLED T	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 101

Scenario 67 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3323	172.2
lost to ATV IX only	3323	172.2
lost to all IX	3323	172.2

Potential Interfering Stations Included in above Scenario 67

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLED T	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8

not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4029	200.0
lost to ATV IX only	4029	200.0
lost to all IX	4029	200.0

Potential Interfering Stations Included in above Scenario 67

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 102
 Scenario 68 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	188.1
lost to ATV IX only	3312	188.1
lost to all IX	3312	188.1

Potential Interfering Stations Included in above Scenario 68

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	216.9
lost to ATV IX only	4202	216.9
lost to all IX	4202	216.9

Potential Interfering Stations Included in above Scenario 68

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 103
 Scenario 69 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8

not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	188.1
lost to ATV IX only	3312	188.1
lost to all IX	3312	188.1

Potential Interfering Stations Included in above Scenario 69

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	216.9
lost to ATV IX only	4202	216.9
lost to all IX	4202	216.9

Potential Interfering Stations Included in above Scenario 69

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 104
Scenario 70 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3312	190.1
lost to ATV IX only	3312	190.1
lost to all IX	3312	190.1

Potential Interfering Stations Included in above Scenario 70

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4202	218.9
lost to ATV IX only	4202	218.9
lost to all IX	4202	218.9

Potential Interfering Stations Included in above Scenario 70

22A NC CHARLOTTE	DTVPLN	DTVP0813	PLN
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 105
 Scenario 71 Affected station 18 WBTW
 Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13215	575.2
lost to ATV IX only	13215	575.2
lost to all IX	13215	575.2

Potential Interfering Stations Included in above Scenario 71

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLC DT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13921	603.1
lost to ATV IX only	13921	603.1
lost to all IX	13921	603.1

Potential Interfering Stations Included in above Scenario 71

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLC DT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 106
 Scenario 72 Affected station 18 WBTW
 Before Analysis

Results for: 23A NC CHARLOTTE BLC DT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13215	575.2
lost to ATV IX only	13215	575.2
lost to all IX	13215	575.2

Potential Interfering Stations Included in above Scenario 72

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13921	603.1
lost to ATV IX only	13921	603.1
lost to all IX	13921	603.1

Potential Interfering Stations Included in above Scenario 72

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 107
Scenario 73 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13215	577.2
lost to ATV IX only	13215	577.2
lost to all IX	13215	577.2

Potential Interfering Stations Included in above Scenario 73

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BLCDDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13921	605.1
lost to ATV IX only	13921	605.1
lost to all IX	13921	605.1

Potential Interfering Stations Included in above Scenario 73

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP

23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 108
Scenario 74 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13215	575.2
lost to ATV IX only	13215	575.2
lost to all IX	13215	575.2

Potential Interfering Stations Included in above Scenario 74

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13921	603.1
lost to ATV IX only	13921	603.1
lost to all IX	13921	603.1

Potential Interfering Stations Included in above Scenario 74

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 109
Scenario 75 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13215	575.2
lost to ATV IX only	13215	575.2
lost to all IX	13215	575.2

Potential Interfering Stations Included in above Scenario 75

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP

23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13921	603.1
lost to ATV IX only	13921	603.1
lost to all IX	13921	603.1

Potential Interfering Stations Included in above Scenario 75

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 110
 Scenario 76 Affected station 18 WBTW
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13215	577.2
lost to ATV IX only	13215	577.2
lost to all IX	13215	577.2

Potential Interfering Stations Included in above Scenario 76

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13921	605.1
lost to ATV IX only	13921	605.1
lost to all IX	13921	605.1

Potential Interfering Stations Included in above Scenario 76

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 111
 Scenario 77 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13204	593.1
lost to ATV IX only	13204	593.1
lost to all IX	13204	593.1

Potential Interfering Stations Included in above Scenario 77

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	14094	622.0
lost to ATV IX only	14094	622.0
lost to all IX	14094	622.0

Potential Interfering Stations Included in above Scenario 77

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0302%

Result key: 112
 Scenario 78 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13204	593.1
lost to ATV IX only	13204	593.1
lost to all IX	13204	593.1

Potential Interfering Stations Included in above Scenario 78

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	14094	622.0
lost to ATV IX only	14094	622.0
lost to all IX	14094	622.0

Potential Interfering Stations Included in above Scenario 78

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0302%

Result key: 113

Scenario 79 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	13204	595.1
lost to ATV IX only	13204	595.1
lost to all IX	13204	595.1

Potential Interfering Stations Included in above Scenario 79

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	14094	624.0
lost to ATV IX only	14094	624.0
lost to all IX	14094	624.0

Potential Interfering Stations Included in above Scenario 79

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BPEDT	20080617AAR	APP
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0302%

Result key: 114

Scenario 80 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	220.9
lost to ATV IX only	4591	220.9
lost to all IX	4591	220.9

Potential Interfering Stations Included in above Scenario 80

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	248.8
lost to ATV IX only	5297	248.8
lost to all IX	5297	248.8

Potential Interfering Stations Included in above Scenario 80

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 115
 Scenario 81 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	220.9
lost to ATV IX only	4591	220.9
lost to all IX	4591	220.9

Potential Interfering Stations Included in above Scenario 81

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3

lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	248.8
lost to ATV IX only	5297	248.8
lost to all IX	5297	248.8

Potential Interfering Stations Included in above Scenario 81

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 116
 Scenario 82 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	222.9
lost to ATV IX only	4591	222.9
lost to all IX	4591	222.9

Potential Interfering Stations Included in above Scenario 82

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	250.8
lost to ATV IX only	5297	250.8
lost to all IX	5297	250.8

Potential Interfering Stations Included in above Scenario 82

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 117
 Scenario 83 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3

lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	220.9
lost to ATV IX only	4591	220.9
lost to all IX	4591	220.9

Potential Interfering Stations Included in above Scenario 83

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	248.8
lost to ATV IX only	5297	248.8
lost to all IX	5297	248.8

Potential Interfering Stations Included in above Scenario 83

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 118
Scenario 84 Affected station 18 WBTB
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	220.9
lost to ATV IX only	4591	220.9
lost to all IX	4591	220.9

Potential Interfering Stations Included in above Scenario 84

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	248.8
lost to ATV IX only	5297	248.8
lost to all IX	5297	248.8

Potential Interfering Stations Included in above Scenario 84

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 119
 Scenario 85 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	222.9
lost to ATV IX only	4591	222.9
lost to all IX	4591	222.9

Potential Interfering Stations Included in above Scenario 85

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	250.8
lost to ATV IX only	5297	250.8
lost to all IX	5297	250.8

Potential Interfering Stations Included in above Scenario 85

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 120
 Scenario 86 Affected station 18 WBTV
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4580	238.8
lost to ATV IX only	4580	238.8
lost to all IX	4580	238.8

Potential Interfering Stations Included in above Scenario 86

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5470	267.7
lost to ATV IX only	5470	267.7
lost to all IX	5470	267.7

Potential Interfering Stations Included in above Scenario 86

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 121

Scenario 87 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4580	238.8
lost to ATV IX only	4580	238.8
lost to all IX	4580	238.8

Potential Interfering Stations Included in above Scenario 87

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5470	267.7
lost to ATV IX only	5470	267.7
lost to all IX	5470	267.7

Potential Interfering Stations Included in above Scenario 87

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP

23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 122
Scenario 88 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4580	240.8
lost to ATV IX only	4580	240.8
lost to all IX	4580	240.8

Potential Interfering Stations Included in above Scenario 88

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5470	269.7
lost to ATV IX only	5470	269.7
lost to all IX	5470	269.7

Potential Interfering Stations Included in above Scenario 88

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	DTVPLN	DTVP0853	PLN
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 123
Scenario 89 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	220.9
lost to ATV IX only	4591	220.9
lost to all IX	4591	220.9

Potential Interfering Stations Included in above Scenario 89

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC

23A WV HUNTINGTON BMPCDT 20080414AAQ CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	248.8
lost to ATV IX only	5297	248.8
lost to all IX	5297	248.8

Potential Interfering Stations Included in above Scenario 89

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 124
Scenario 90 Affected station 18 WBTW
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	220.9
lost to ATV IX only	4591	220.9
lost to all IX	4591	220.9

Potential Interfering Stations Included in above Scenario 90

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	248.8
lost to ATV IX only	5297	248.8
lost to all IX	5297	248.8

Potential Interfering Stations Included in above Scenario 90

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 125
Scenario 91 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	222.9
lost to ATV IX only	4591	222.9
lost to all IX	4591	222.9

Potential Interfering Stations Included in above Scenario 91

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	250.8
lost to ATV IX only	5297	250.8
lost to all IX	5297	250.8

Potential Interfering Stations Included in above Scenario 91

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BLCDT	20020510AAJ	LIC
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 126
Scenario 92 Affected station 18 WBTV
Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	220.9
lost to ATV IX only	4591	220.9
lost to all IX	4591	220.9

Potential Interfering Stations Included in above Scenario 92

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	248.8
lost to ATV IX only	5297	248.8
lost to all IX	5297	248.8

Potential Interfering Stations Included in above Scenario 92

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 127

Scenario 93 Affected station 18 WBTB

Before Analysis

Results for: 23A NC CHARLOTTE BLCDD 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	220.9
lost to ATV IX only	4591	220.9
lost to all IX	4591	220.9

Potential Interfering Stations Included in above Scenario 93

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDD 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	248.8
lost to ATV IX only	5297	248.8
lost to all IX	5297	248.8

Potential Interfering Stations Included in above Scenario 93

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 128

Scenario 94 Affected station 18 WBTB

Before Analysis

Results for: 23A NC CHARLOTTE BLCDD 19991025AEB LIC

HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4591	222.9
lost to ATV IX only	4591	222.9
lost to all IX	4591	222.9

Potential Interfering Stations Included in above Scenario 94

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5297	250.8
lost to ATV IX only	5297	250.8
lost to all IX	5297	250.8

Potential Interfering Stations Included in above Scenario 94

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	DTVPLN	DTVP0861	PLN
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0239%

Result key: 129

Scenario 95 Affected station 18 WBTV

Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4580	238.8
lost to ATV IX only	4580	238.8
lost to all IX	4580	238.8

Potential Interfering Stations Included in above Scenario 95

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0

lost to additional IX by ATV	5470	267.7
lost to ATV IX only	5470	267.7
lost to all IX	5470	267.7

Potential Interfering Stations Included in above Scenario 95

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080414AAQ	CP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 130
 Scenario 96 Affected station 18 WBTW
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4580	238.8
lost to ATV IX only	4580	238.8
lost to all IX	4580	238.8

Potential Interfering Stations Included in above Scenario 96

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN

After Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5470	267.7
lost to ATV IX only	5470	267.7
lost to all IX	5470	267.7

Potential Interfering Stations Included in above Scenario 96

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	DTVPLN	DTVP0870	PLN
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Result key: 131
 Scenario 97 Affected station 18 WBTW
 Before Analysis

Results for: 23A NC CHARLOTTE BLCDT 19991025AEB LIC
 HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0

lost to additional IX by ATV	4580	240.8
lost to ATV IX only	4580	240.8
lost to all IX	4580	240.8

Potential Interfering Stations Included in above Scenario 97

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP

After Analysis

Results for: 23A NC CHARLOTTE BLCDDT 19991025AEB LIC
HAAT 565.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3070110	46372.8
not affected by terrain losses	2961146	44209.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5470	269.7
lost to ATV IX only	5470	269.7
lost to all IX	5470	269.7

Potential Interfering Stations Included in above Scenario 97

22A NC CHARLOTTE	BPCDT	20080617AEH	APP
23A NC GREENVILLE	BLEDT	20021007ABG	LIC
23A TN JELLICO	BPCDT	20080620AGZ	APP
23A WV HUNTINGTON	BMPCDT	20080619AAD	APP
23A	USERRECORD01		APP

Percent new IX = 0.0301%

Worst case new IX 0.0302% Scenario 77

#####

Analysis of Interference to Affected Station 19

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
23	W23AF	CULLOWHEE NC	BLTT	-19901231JH

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
16	WGGG-TV	GREENVILLE SC	80.5	PLN	DTVPLN	-DTVP0582
16	WGGG-TV	GREENVILLE SC	80.5	APP	BMPCDT	-20080619AAM
16	WGGG-TV	GREENVILLE SC	80.5	CP	BPCDT	-20080317AGV
20	WBXX-TV	CROSSVILLE TN	137.8	CP	BPCDT	-20080618ABT
20	WBXX-TV	CROSSVILLE TN	137.8	PLN	DTVPLN	-DTVP0740
20	WBXX-TV	CROSSVILLE TN	137.8	APP	BPCDT	-20080619AKH
21	WHNS	GREENVILLE SC	47.0	PLN	DTVPLN	-DTVP0782
21	WHNS	GREENVILLE SC	47.0	APP	BMPCDT	-20080619AFO
21	WHNS	GREENVILLE SC	47.0	CP	BPCDT	-20080225ABE
22	WSKC-CA	ATLANTA GA	180.4	CP	BDFCDTA	-20061201AJF
22	WSKC-CA	ATLANTA GA	180.4	APP	BMPDTA	-20080804ABS
23	WGGD-LP	CLEVELAND GA	105.3	LIC	BLTTL	-20080818ADD
23	WJSP-TV	COLUMBUS GA	306.4	CP MOD	BMPEDT	-20070907ACX
23	WJSP-TV	COLUMBUS GA	306.4	PLN	DTVPLN	-DTVP0840
23	WGGD-LP	GAINESVILLE GA	147.5	APP	BMPTTL	-20080818ADC
23	W23DM-D	FALMOUTH KY	387.8	LIC	BLDTT	-20080815ABC
23	W23BQ	ASHEVILLE NC	77.7	CP	BDFCDTL	-20060403ARD
23	W23BQ	ASHEVILLE, ETC. NC	77.7	CP	BPTTL	-20051115ABJ
23	WBTB	CHARLOTTE NC	180.6	LIC	BLCDDT	-19991025AEB

23	WBTB	CHARLOTTE NC	180.6	PLN	DTVPLN	-DTVP0852
23	W31BS	ORANGEBURG SC	267.1	CP	BDISDTA	-20060703ABW
23	WPXK	JELLICO TN	137.5	LIC	BLCDD	-20020510AAJ
23	WPXK	JELLICO TN	137.5	PLN	DTVPLN	-DTVP0861
23	WPXK	JELLICO TN	104.2	APP	BPCDD	-20080620AGZ
23	WNAB	NASHVILLE TN	343.1	LIC	BLCDD	-20040712AAO
23	WNAB	NASHVILLE TN	343.1	PLN	DTVPLN	-DTVP0863
23	W18BG	DANVILLE VA	376.5	CP	BDISDTT	-20060331BHB
23	WSAZ-TV	HUNTINGTON WV	366.4	CP MOD	BMPCDD	-20080414AAQ
23	WSAZ-TV	HUNTINGTON WV	366.4	PLN	DTVPLN	-DTVP0870
23	WSAZ-TV	HUNTINGTON WV	366.4	APP	BMPCDD	-20080619AAD
24	WNEG-TV	TOCCOA GA	78.7	CP MOD	BMPCDD	-20080410ABJ
24	WNEG-TV	TOCCOA GA	78.7	PLN	DTVPLN	-DTVP0880
24	W24AU	CASHIERS NC	20.1	LIC	BLTT	-19930212IE
25	WUNF-TV	ASHEVILLE NC	40.5	PLN	DTVPLN	-DTVP0929
25	WUNF-TV	ASHEVILLE NC	40.5	APP	BPEDT	-20080619AEH
25	WUNF-TV	ASHEVILLE NC	40.5	LIC	BLEDT	-20030401BAI
26	WATE-TV	KNOXVILLE TN	104.1	LIC	BMLCDD	-20041203AEG
26	WATE-TV	KNOXVILLE TN	104.1	PLN	DTVPLN	-DTVP0977
27	WUNW	CANTON NC	38.3	CP	BPEDT	-20080402AAN
27	WUNW	CANTON NC	38.3	APP	BMPEDD	-20080929AHM
30	WVLT-TV	KNOXVILLE TN	104.2	LIC	BLCDD	-20040420AAF
30	WVLT-TV	KNOXVILLE TN	104.2	PLN	DTVPLN	-DTVP1121
30	WVLT-TV	KNOXVILLE TN	104.2	APP	BPCDD	-20080618AAM
38	WEMT	GREENEVILLE TN	90.3	LIC	BLCDD	-20050606AHR
38	WEMT	GREENEVILLE TN	90.3	PLN	DTVPLN	-DTVP1380
23	WAAU		229.6	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 20

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	W31BS	ORANGEBURG SC	BDISDTA -20060703ABW

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
23	WJSP-TV	COLUMBUS GA	366.0	CP MOD	BMPEDD -20070907ACX
23	WJSP-TV	COLUMBUS GA	366.0	PLN	DTVPLN -DTVP0840
23	W23BQ	ASHEVILLE NC	239.4	CP	BDFCDTL -20060403ARD
23	WBTB	CHARLOTTE NC	177.6	LIC	BLCDD -19991025AEB
23	WBTB	CHARLOTTE NC	177.6	PLN	DTVPLN -DTVP0852
23	WUNK-TV	GREENVILLE NC	361.7	APP	BPEDT -20080617AAR
23	WUNK-TV	GREENVILLE NC	361.7	PLN	DTVPLN -DTVP0853
23	WUNK-TV	GREENVILLE NC	361.7	LIC	BLEDT -20021007ABG
23	WPXK	JELLICO TN	370.4	APP	BPCDD -20080620AGZ
23	W18BG	DANVILLE VA	357.3	CP	BDISDTT -20060331BHB
23	WAAU		106.4	APP	USERRECORD-01

Total scenarios = 4

Result key: 132
Scenario 1 Affected station 20 W31BS
Before Analysis

Results for: 23A SC ORANGEBURG BDISDTA 20060703ABW CP

HAAT 264.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	607593	8907.9
not affected by terrain losses	607593	8907.9
lost to NTSC IX	0	0.0

lost to additional IX by ATV	9469	312.4
lost to ATV IX only	9469	312.4
lost to all IX	9469	312.4

Potential Interfering Stations Included in above Scenario 1

23A NC CHARLOTTE BLCDT 19991025AEB LIC

After Analysis

Results for: 23A SC ORANGEBURG BDISDTA 20060703ABW CP
HAAT 264.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	607593	8907.9
not affected by terrain losses	607593	8907.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9492	314.4
lost to ATV IX only	9492	314.4
lost to all IX	9492	314.4

Potential Interfering Stations Included in above Scenario 1

23A NC CHARLOTTE BLCDT 19991025AEB LIC
23A USERRECORD01 APP

Percent new IX = 0.0038%

Result key: 133
Scenario 2 Affected station 20 W31BS
Before Analysis

Results for: 23A SC ORANGEBURG BDISDTA 20060703ABW CP
HAAT 264.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	607593	8907.9
not affected by terrain losses	607593	8907.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9469	312.4
lost to ATV IX only	9469	312.4
lost to all IX	9469	312.4

Potential Interfering Stations Included in above Scenario 2

23A NC CHARLOTTE DTVPLN DTVP0852 PLN

After Analysis

Results for: 23A SC ORANGEBURG BDISDTA 20060703ABW CP
HAAT 264.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	607593	8907.9
not affected by terrain losses	607593	8907.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9492	314.4
lost to ATV IX only	9492	314.4
lost to all IX	9492	314.4

Potential Interfering Stations Included in above Scenario 2

23A NC CHARLOTTE DTVPLN DTVP0852 PLN
23A USERRECORD01 APP

Percent new IX = 0.0038%

Result key: 134
Scenario 3 Affected station 20 W31BS
Before Analysis

Results for: 23A SC ORANGEBURG BDISDTA 20060703ABW CP

HAAT 264.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	607593	8907.9
not affected by terrain losses	607593	8907.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9469	312.4
lost to ATV IX only	9469	312.4
lost to all IX	9469	312.4

Potential Interfering Stations Included in above Scenario 3

23A NC CHARLOTTE BLCDT 19991025AEB LIC

After Analysis

Results for: 23A SC ORANGEBURG BDISDTA 20060703ABW CP

HAAT 264.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	607593	8907.9
not affected by terrain losses	607593	8907.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9492	314.4
lost to ATV IX only	9492	314.4
lost to all IX	9492	314.4

Potential Interfering Stations Included in above Scenario 3

23A NC CHARLOTTE BLCDT 19991025AEB LIC
23A USERRECORD01 APP

Percent new IX = 0.0038%

Result key: 135

Scenario 4 Affected station 20 W31BS

Before Analysis

Results for: 23A SC ORANGEBURG BDISDTA 20060703ABW CP

HAAT 264.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	607593	8907.9
not affected by terrain losses	607593	8907.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9469	312.4
lost to ATV IX only	9469	312.4
lost to all IX	9469	312.4

Potential Interfering Stations Included in above Scenario 4

23A NC CHARLOTTE DTVPLN DTVP0852 PLN

After Analysis

Results for: 23A SC ORANGEBURG BDISDTA 20060703ABW CP

HAAT 264.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	607593	8907.9
not affected by terrain losses	607593	8907.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9492	314.4
lost to ATV IX only	9492	314.4
lost to all IX	9492	314.4

Potential Interfering Stations Included in above Scenario 4

23A NC CHARLOTTE DTVPLN DTVP0852 PLN

Percent new IX = 0.0038%

Worst case new IX 0.0038% Scenario 1

#####

Analysis of Interference to Affected Station 21

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WPXK	JELLICO TN	BLCDT -20020510AAJ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	WCTE	COOKEVILLE TN	99.9	CP	BPEDT -20080317ADB
22	WCTE	COOKEVILLE TN	99.9	PLN	DTVPLN -DTVP0824
22	WCTE	COOKEVILLE TN	99.9	APP	BMPEDT -20080620ADW
23	WJSP-TV	COLUMBUS GA	374.4	CP MOD	BMPEDT -20070907ACX
23	WJSP-TV	COLUMBUS GA	374.4	PLN	DTVPLN -DTVP0840
23	WBTW	CHARLOTTE NC	289.7	LIC	BLCDT -19991025AEB
23	WBTW	CHARLOTTE NC	289.7	PLN	DTVPLN -DTVP0852
23	WNAB	NASHVILLE TN	229.9	LIC	BLCDT -20040712AAO
23	WNAB	NASHVILLE TN	229.9	PLN	DTVPLN -DTVP0863
23	WSAZ-TV	HUNTINGTON WV	312.4	CP MOD	BMPCDT -20080414AAQ
23	WSAZ-TV	HUNTINGTON WV	312.4	PLN	DTVPLN -DTVP0870
23	WSAZ-TV	HUNTINGTON WV	312.4	APP	BMPCDT -20080619AAD
24	WNEG-TV	TOCCOA GA	192.8	CP MOD	BMPCDT -20080410ABJ
24	WNEG-TV	TOCCOA GA	192.8	PLN	DTVPLN -DTVP0880
24	WKPI-TV	PIKEVILLE KY	194.1	LIC	BLEDT -20020313ABL
24	WKPI-TV	PIKEVILLE KY	194.1	PLN	DTVPLN -DTVP0885
23	WAAU		364.1	APP	USERRECORD-01

Proposal causes no interference

#####

Analysis of Interference to Affected Station 22

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WPXK	JELLICO TN	BPCDT -20080620AGZ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	WCTE	COOKEVILLE TN	126.2	CP	BPEDT -20080317ADB
22	WCTE	COOKEVILLE TN	126.2	PLN	DTVPLN -DTVP0824
22	WCTE	COOKEVILLE TN	126.2	APP	BMPEDT -20080620ADW
23	WJSP-TV	COLUMBUS GA	356.0	CP MOD	BMPEDT -20070907ACX
23	WJSP-TV	COLUMBUS GA	356.0	PLN	DTVPLN -DTVP0840
23	WBTW	CHARLOTTE NC	259.7	LIC	BLCDT -19991025AEB
23	WBTW	CHARLOTTE NC	259.7	PLN	DTVPLN -DTVP0852
23	WNAB	NASHVILLE TN	256.5	LIC	BLCDT -20040712AAO
23	WNAB	NASHVILLE TN	256.5	PLN	DTVPLN -DTVP0863
23	WSAZ-TV	HUNTINGTON WV	318.9	CP MOD	BMPCDT -20080414AAQ
23	WSAZ-TV	HUNTINGTON WV	318.9	PLN	DTVPLN -DTVP0870
23	WSAZ-TV	HUNTINGTON WV	318.9	APP	BMPCDT -20080619AAD
24	WNEG-TV	TOCCOA GA	162.8	CP MOD	BMPCDT -20080410ABJ
24	WNEG-TV	TOCCOA GA	162.8	PLN	DTVPLN -DTVP0880
24	WKPI-TV	PIKEVILLE KY	192.0	LIC	BLEDT -20020313ABL
24	WKPI-TV	PIKEVILLE KY	192.0	PLN	DTVPLN -DTVP0885

23 WAAU 331.7 APP USERRECORD-01
Proposal causes no interference

#####

Analysis of Interference to Affected Station 23

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
23	WJDG-LP	GRUNDY VA	BMPTTL	-20060327AIV

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
20	WWCW	LYNCHBURG VA	141.0	CP MOD	BMPCDT	-20080619AJT
20	WWCW	LYNCHBURG VA	141.0	PLN	DTVPLN	-DTVP0745
22	WRKV-LP	ROANOKE VA	91.9	CP	BDCCDTL	-20061030APZ
23	W23DM-D	FALMOUTH KY	331.0	LIC	BLDTT	-20080815ABC
23	W23BQ	ASHEVILLE NC	194.6	CP	BDFCDTL	-20060403ARD
23	W23BQ	ASHEVILLE, ETC. NC	194.6	CP	BPTTL	-20051115ABJ
23	WBTV	CHARLOTTE NC	184.7	LIC	BLCDT	-19991025AEB
23	WBTV	CHARLOTTE NC	184.7	PLN	DTVPLN	-DTVP0852
23	WUNK-TV	GREENVILLE NC	360.0	APP	BPEDT	-20080617AAR
23	WUNK-TV	GREENVILLE NC	360.0	PLN	DTVPLN	-DTVP0853
23	WUNK-TV	GREENVILLE NC	360.0	LIC	BLEDT	-20021007ABG
23	W23BZ	COLUMBUS OH	357.5	CP	BDFCDTT	-20060329ALU
23	W31BS	ORANGEBURG SC	361.4	CP	BDISDTA	-20060703ABW
23	WPXK	JELLICO TN	287.2	LIC	BLCDT	-20020510AAJ
23	WPXK	JELLICO TN	287.2	PLN	DTVPLN	-DTVP0861
23	WPXK	JELLICO TN	273.1	APP	BPCDT	-20080620AGZ
23	W18BG	DANVILLE VA	162.7	CP	BDISDTT	-20060331BHB
23	WSAZ-TV	HUNTINGTON WV	188.5	CP MOD	BMPCDT	-20080414AAQ
23	WSAZ-TV	HUNTINGTON WV	188.5	PLN	DTVPLN	-DTVP0870
23	WSAZ-TV	HUNTINGTON WV	188.5	APP	BMPCDT	-20080619AAD
23	W27DC-D	ROMNEY WV	332.8	APP	BDISDTT	-20080912ADF
24	WKPI-TV	PIKEVILLE KY	122.5	LIC	BLEDT	-20020313ABL
24	WKPI-TV	PIKEVILLE KY	122.5	PLN	DTVPLN	-DTVP0885
26	WBRA-DR	ROANOKE VA	92.9	APP	BPRM	-20080620AOI
27	WKPT-TV	KINGSPORT TN	107.8	CP MOD	BMPCDT	-20050303AAJ
27	WKPT-TV	KINGSPORT TN	107.9	PLN	DTVPLN	-DTVP1017
30	WSLS-TV	ROANOKE VA	93.6	CP	BPCDT	-20080619ABS
30	WSLS-TV	ROANOKE VA	93.6	PLN	DTVPLN	-DTVP1126
31	WXII-TV	WINSTON-SALEM NC	102.0	LIC	BLCDT	-20050627AAU
31	WXII-TV	WINSTON-SALEM NC	102.0	PLN	DTVPLN	-DTVP1153
23	WAAU		401.7	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 24

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
23	WJDG-LP	GRUNDY VA	BLTTL	-20060614ABA

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
16	WKHA	HAZARD KY	140.2	LIC	BLEDT	-20020205AAW
16	WKHA	HAZARD KY	140.2	PLN	DTVPLN	-DTVP0569
22	WRKV-LP	ROANOKE VA	129.7	CP	BDCCDTL	-20061030APZ

23	W23DM-D	FALMOUTH KY	298.2	LIC	BLDTT	-20080815ABC
23	W23BQ	ASHEVILLE NC	178.4	CP	BDFCDTL	-20060403ARD
23	W23BQ	ASHEVILLE, ETC. NC	178.4	CP	BPTTL	-20051115ABJ
23	WBTV	CHARLOTTE NC	191.2	LIC	BLCDDT	-19991025AEB
23	WBTV	CHARLOTTE NC	191.2	PLN	DTVPLN	-DTVP0852
23	W23BZ	COLUMBUS OH	339.5	CP	BDFCDTT	-20060329ALU
23	W31BS	ORANGEBURG SC	368.7	CP	BDISDTA	-20060703ABW
23	WPXK	JELLICO TN	251.6	LIC	BLCDDT	-20020510AAJ
23	WPXK	JELLICO TN	251.6	PLN	DTVPLN	-DTVP0861
23	WPXK	JELLICO TN	239.5	APP	BPCDDT	-20080620AGZ
23	W18BG	DANVILLE VA	201.3	CP	BDISDTT	-20060331BHB
23	WSAZ-TV	HUNTINGTON WV	170.7	CP MOD	BMPCDDT	-20080414AAQ
23	WSAZ-TV	HUNTINGTON WV	170.7	PLN	DTVPLN	-DTVP0870
23	WSAZ-TV	HUNTINGTON WV	170.7	APP	BMPCDDT	-20080619AAD
23	W27DC-D	ROMNEY WV	356.8	APP	BDISDTT	-20080912ADF
24	WKPI-TV	PIKEVILLE KY	84.5	LIC	BLEDT	-20020313ABL
24	WKPI-TV	PIKEVILLE KY	84.5	PLN	DTVPLN	-DTVP0885
26	WBRA-DR	ROANOKE VA	130.6	APP	BPRM	-20080620AOI
27	WKPT-TV	KINGSPORT TN	82.9	CP MOD	BMPCDDT	-20050303AAJ
27	WKPT-TV	KINGSPORT TN	82.9	PLN	DTVPLN	-DTVP1017
30	WSLS-TV	ROANOKE VA	131.2	CP	BPCDDT	-20080619ABS
30	WSLS-TV	ROANOKE VA	131.2	PLN	DTVPLN	-DTVP1126
31	WXII-TV	WINSTON-SALEM NC	133.7	LIC	BLCDDT	-20050627AAU
31	WXII-TV	WINSTON-SALEM NC	133.7	PLN	DTVPLN	-DTVP1153
23	WAAU		398.8	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 25

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
24	WNEG-TV	TOCCOA GA	BMPCDDT	-20080410ABJ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
23	WBTV	CHARLOTTE NC	215.5	LIC	BLCDDT	-19991025AEB
23	WBTV	CHARLOTTE NC	215.5	PLN	DTVPLN	-DTVP0852
23	WPXK	JELLICO TN	192.8	LIC	BLCDDT	-20020510AAJ
23	WPXK	JELLICO TN	192.8	PLN	DTVPLN	-DTVP0861
23	WPXK	JELLICO TN	162.8	APP	BPCDDT	-20080620AGZ
24	WHIQ	HUNTSVILLE AL	289.3	LIC	BLEDT	-20060927ALU
24	WHIQ	HUNTSVILLE AL	289.3	PLN	DTVPLN	-DTVP0871
24	WKPI-TV	PIKEVILLE KY	306.6	LIC	BLEDT	-20020313ABL
24	WKPI-TV	PIKEVILLE KY	306.6	PLN	DTVPLN	-DTVP0885
24	WTAT-TV	CHARLESTON SC	386.8	PLN	DTVPLN	-DTVP0901
24	WTAT-TV	CHARLESTON SC	386.8	CP MOD	BMPCDDT	-20080620ADZ
25	WATL	ATLANTA GA	126.4	LIC	BLCDDT	-20020716AAH
25	WATL	ATLANTA GA	126.4	PLN	DTVPLN	-DTVP0919
25	WUNF-TV	ASHEVILLE NC	106.1	PLN	DTVPLN	-DTVP0929
25	WUNF-TV	ASHEVILLE NC	106.1	APP	BPEDT	-20080619AEH
25	WUNF-TV	ASHEVILLE NC	106.1	LIC	BLEDT	-20030401BAI
23	WAAU		177.7	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 26

Analysis of current record

Channel	Call	City/State	Application Ref. No.
25	W25CQ	STATESBORO GA	BLTT -19990603JE

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	WJCL	SAVANNAH GA	44.9	PLN	DTVPLN -DTVP0798
22	WJCL	SAVANNAH GA	45.0	CP MOD	BMPCDT -20080619AFS
25	WATL	ATLANTA GA	296.3	LIC	BLCDDT -20020716AAH
25	WATL	ATLANTA GA	296.3	PLN	DTVPLN -DTVP0919
25	W25CP	VALDOSTA GA	229.8	CP	BDFCDTT -20060302AAS
25	WQIX-LD	VIDALIA GA	94.2	CP	BDFCDTL -20080903ABP
25	WUNF-TV	ASHEVILLE NC	357.5	PLN	DTVPLN -DTVP0929
25	WUNF-TV	ASHEVILLE NC	357.5	APP	BPEDT -20080619AEH
25	WUNF-TV	ASHEVILLE NC	357.5	LIC	BLEDT -20030401BAI
26	W26CF	SUMMERVILLE SC	162.5	CP	BDFCDTT -20060403AOI
28	WTGS	HARDEEVILLE SC	45.7	PLN	DTVPLN -DTVP1055
28	WTGS	HARDEEVILLE SC	45.7	CP	BPCDDT -20080718AAH
33	WEBA-TV	ALLENDALE SC	98.6	LIC	BLEDT -20050915AAY
33	WEBA-TV	ALLENDALE SC	98.6	PLN	DTVPLN -DTVP1229
39	WSAV-TV	SAVANNAH GA	47.7	LIC	BLCDDT -20050705AAP
39	WSAV-TV	SAVANNAH GA	47.7	PLN	DTVPLN -DTVP1399
23	WAAU		130.4	APP	USERRECORD-01

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 27

Analysis of current record

Channel	Call	City/State	Application Ref. No.
31	W31BS	ORANGEBURG SC	BLTTL -19980529JJ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
28	WRJA-TV	SUMTER SC	61.0	LIC	BLEDT -20040805ABA
28	WRJA-TV	SUMTER SC	61.0	PLN	DTVPLN -DTVP1056
30	WAGT	AUGUSTA GA	94.3	LIC	BLCDDT -20030530AON
30	WAGT	AUGUSTA GA	94.3	PLN	DTVPLN -DTVP1106
30	W30CV-D	HILTON HEAD ISLAND SC	181.4	CP	BDCCDTL -20061030AFX
31	WFXG-DR	AUGUSTA GA	93.9	APP	BPRM -20080620AON
31	WDMA-CA	MACON GA	276.1	LIC	BLTTA -20060321ABK
31	WUBX-LD	DURHAM, ETC. NC	314.2	CP	BDCCDTL -20061027AAK
31	W60DA	FRANKLIN, ETC NC	280.1	CP	BDISDTT -20070910ADF
31	W31AZ	HENDERSONVILLE NC	213.6	CP	BDFCDTL -20060403AQZ
31	WUNU	LUMBERTON NC	206.0	PLN	DTVPLN -DTVP1152
31	WUNU	LUMBERTON NC	206.0	CP MOD	BMPEDT -20080617AAP
31	W31AN	MURPHY NC	318.6	CP	BDFCDTT -20060727AFW
31	WHIG-LD	ROCKY MOUNT NC	370.9	CP	BDCCDTL -20061012AAZ
31	W28AO	SPRUCE PINE NC	257.1	CP	BDISDTT -20070905ACS
31	WXII-TV	WINSTON-SALEM NC	292.6	LIC	BLCDDT -20050627AAU
31	WXII-TV	WINSTON-SALEM NC	292.6	PLN	DTVPLN -DTVP1153
31	W31DF-D	MYRTLE BEACH SC	174.4	CP	BDCCDTL -20061027AEQ
31	WJNI-LP	NORTH CHARLESTON SC	121.4	CP	BDCCDTL -20061023AHQ
32	WRLK-TV	COLUMBIA SC	37.5	LIC	BMLEDT -20040826AAL
32	WRLK-TV	COLUMBIA SC	37.5	PLN	DTVPLN -DTVP1195
32	WRLK-TV	COLUMBIA SC	37.5	CP	BPEDT -20080620ACO
33	WEBA-TV	ALLENDALE SC	79.4	LIC	BLEDT -20050915AAY
33	WEBA-TV	ALLENDALE SC	79.4	PLN	DTVPLN -DTVP1229
39	WKTC	SUMTER SC	39.9	CP MOD	BMPCDDT -20040625AAR
39	WKTC	SUMTER SC	39.9	PLN	DTVPLN -DTVP1416

45	WJPM-TV	FLORENCE SC	121.8	CP	BPEDT	-20080620ACG
45	WJPM-TV	FLORENCE SC	121.8	PLN	DTVPLN	-DTVP1633
45	WJPM-TV	FLORENCE SC	121.8	LIC	BLEDT	-20050324ACE
23	WAAU		106.4	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 28

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WAAU		USERRECORD-01

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
23	W23AQ	LAKE CITY FL	374.6	CP	BDFCDTT -20060331ACU
23	WJSP-TV	COLUMBUS GA	259.8	CP MOD	BMPEDT -20070907ACX
23	WJSP-TV	COLUMBUS GA	259.8	PLN	DTVPLN -DTVP0840
23	W23BQ	ASHEVILLE NC	235.0	CP	BDFCDTL -20060403ARD
23	WBTB	CHARLOTTE NC	223.1	LIC	BLCDDT -19991025AEB
23	WBTB	CHARLOTTE NC	223.1	PLN	DTVPLN -DTVP0852
23	W31BS	ORANGEBURG SC	106.4	CP	BDISDTA -20060703ABW
23	WPXK	JELLICO TN	364.1	LIC	BLCDDT -20020510AAJ
23	WPXK	JELLICO TN	364.1	PLN	DTVPLN -DTVP0861
23	WPXK	JELLICO TN	331.7	APP	BPCDDT -20080620AGZ

Total scenarios = 2

Result key: 136
Scenario 1 Affected station 28 WAAU
Before Analysis

Results for: 23A USERRECORD01 APP

HAAT 54.0 m, ATV ERP 15.0 kW	
	POPULATION AREA (sq km)
within Noise Limited Contour	375522 4207.6
not affected by terrain losses	375522 4207.6
lost to NTSC IX	0 0.0
lost to additional IX by ATV	4012 241.2
lost to ATV IX only	4012 241.2
lost to all IX	4012 241.2

Potential Interfering Stations Included in above Scenario 1

23A NC CHARLOTTE	BLCDDT	19991025AEB	LIC
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP

Result key: 137
Scenario 2 Affected station 28 WAAU
Before Analysis

Results for: 23A USERRECORD01 APP

HAAT 54.0 m, ATV ERP 15.0 kW	
	POPULATION AREA (sq km)
within Noise Limited Contour	375522 4207.6
not affected by terrain losses	375522 4207.6
lost to NTSC IX	0 0.0
lost to additional IX by ATV	4012 241.2
lost to ATV IX only	4012 241.2
lost to all IX	4012 241.2

Potential Interfering Stations Included in above Scenario 2

23A NC CHARLOTTE	DTVPLN	DTVP0852	PLN
23A SC ORANGEBURG	BDISDTA	20060703ABW	CP

#####

FINISHED FINISHED FINISHED FINISHED FINISHED FINISHED