


FIGURE 1 DA-D AMENDED



CHARLES A. HECHT & ASSOCIATES, INC. - NOVEMBER 2006

Callsign	: KMPC	T#	Field	Phase	Spacing	Orientation	Height	Top Load	Tower Ref
Frequency	: 1540 kHz	1	0.914	111.2	0.0	0.0	110.0	0.0	0
Power	: 50.000 kw	2	1.000	0.0	88.9	233.5	110.0	0.0	0
ERSS	: 3168 mV/m/km	3	0.383	205.9	184.7	233.5	110.0	0.0	0
Theoret. Pattern RMS	: 2359 mV/m/km	4	0.185	326.3	137.1	170.0	110.0	0.0	0
Standard Pattern RMS	: 2478 mV/m/km	5	0.485	143.1	186.6	195.9	110.0	0.0	0
Modified Pattern RMS	:	6	0.179	72.5	257.1	210.0	110.0	0.0	0
Latitude	: 34-04-43.0 N								
Longitude	: 118-11-05.0 W								
Number Augmentations	: 0								

Azim	Field [mV/m]
0.0	638.190
5.0	567.019
10.0	549.965
15.0	583.497
20.0	651.097
25.0	732.882
30.0	812.956
35.0	880.809
40.0	930.830
45.0	961.954
50.0	977.619
55.0	985.658
60.0	997.511
65.0	1025.965
70.0	1081.276
75.0	1167.338
80.0	1280.481
85.0	1411.315
90.0	1547.537
95.0	1675.964
100.0	1783.571
105.0	1858.059
110.0	1888.420
115.0	1865.761
120.0	1784.464
125.0	1643.841
130.0	1450.773
135.0	1225.099
140.0	1012.103
145.0	901.373
150.0	991.135
155.0	1268.941
160.0	1648.658
165.0	2066.385
170.0	2485.423
175.0	2883.014
180.0	3243.653
185.0	3556.345
190.0	3813.353
195.0	4009.546

Azim	Field [mV/m]
200.0	4142.002
205.0	4209.782
210.0	4213.866
215.0	4157.237
220.0	4045.160
225.0	3885.654
230.0	3690.184
235.0	3474.487
240.0	3259.242
245.0	3069.809
250.0	2933.566
255.0	2873.477
260.0	2899.240
265.0	3001.742
270.0	3155.693
275.0	3328.063
280.0	3486.221
285.0	3602.807
290.0	3657.874
295.0	3639.578
300.0	3544.111
305.0	3375.125
310.0	3142.661
315.0	2861.626
320.0	2549.900
325.0	2226.240
330.0	1908.180
335.0	1610.180
340.0	1342.321
345.0	1109.919
350.0	914.505
355.0	756.380