

N. Lat. = 43 03 21.0 W. Lng. = 89 32 06.0
HAAT and Distance to Contour,
FCC, FM 2-10 Mi, 51 pts Method - GLOBE 30 SEC

60 dBu Distances To Contour

Azi.	AV EL	HAAT	ERP kW	dBk	Field	60-F5
000	300.7	379.9	0.1700	-7.70	1.000	22.99
030	284.6	396.0	0.1700	-7.70	1.000	23.43
060	269.6	411.0	0.1700	-7.70	1.000	23.84
090	282.7	397.9	0.1700	-7.70	1.000	23.48
120	299.2	381.4	0.1700	-7.70	1.000	23.03
150	314.0	366.6	0.1700	-7.70	1.000	22.61
180	298.3	382.3	0.1700	-7.70	1.000	23.05
210	306.7	373.9	0.1700	-7.70	1.000	22.82
240	327.7	352.9	0.1700	-7.70	1.000	22.22
270	323.6	357.0	0.1700	-7.70	1.000	22.33
300	293.2	387.4	0.1700	-7.70	1.000	23.20
330	324.6	356.0	0.1700	-7.70	1.000	22.30

Ave El= 302.06 M HAAT= 378.54 M AMSL= 680.6

MADISON ,WI

Call: WHA

Coordinates: N 43 2 30 W 89 24 31

Frequency: 970 kHz Number of contours: 1

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers : Contour levels in mV/m. 2.000
-----	-----	-----
0.0	683.74	59.70
5.0	683.74	59.70
10.0	683.74	59.70
15.0	683.74	59.70
20.0	683.74	59.70
25.0	683.74	59.70
30.0	683.74	59.70
35.0	683.74	59.70
40.0	683.74	59.70
45.0	683.74	59.70
50.0	683.74	59.70
55.0	683.74	59.70
60.0	683.74	59.70
65.0	683.74	59.70
70.0	683.74	59.70
75.0	683.74	59.70
80.0	683.74	59.70
85.0	683.74	59.70
90.0	683.74	59.70
95.0	683.74	59.70
100.0	683.74	59.70
105.0	683.74	59.70
110.0	683.74	59.70
115.0	683.74	59.70
120.0	683.74	59.70
125.0	683.74	59.70
130.0	683.74	59.70
135.0	683.74	59.70
140.0	683.74	59.70
145.0	683.74	59.70
150.0	683.74	59.70
155.0	683.74	59.70
160.0	683.74	59.70
165.0	683.74	59.70
170.0	683.74	59.70
175.0	683.74	59.70
180.0	683.74	59.70
185.0	683.74	59.70
190.0	683.74	59.70
195.0	683.74	59.70
200.0	683.74	59.70
205.0	683.74	59.70
210.0	683.74	59.70
215.0	683.74	59.70
220.0	683.74	59.70
225.0	683.74	59.70
230.0	683.74	59.70

235.0	683.74	59.70
240.0	683.74	59.70
245.0	683.74	59.70
250.0	683.74	59.70
255.0	683.74	59.70
260.0	683.74	58.96
265.0	683.74	57.92
270.0	683.74	57.11
275.0	683.74	56.48
280.0	683.74	56.01
285.0	683.74	55.68
290.0	683.74	55.49
295.0	683.74	55.43
300.0	683.74	55.49
305.0	683.74	55.68
310.0	683.74	55.78
315.0	683.74	55.99
320.0	683.74	56.34
325.0	683.74	56.83
330.0	683.74	57.49
335.0	683.74	58.34
340.0	683.74	59.41
345.0	683.74	59.70
350.0	683.74	59.70
355.0	683.74	59.70