

## Exhibit 13

Point: WRHC Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
	719.0	6.3	9.7	1345.9	86.115	23.1799	23.1799
CMOR	498.8	29.7	15.0	270.3	133.481	7.2163	24.2772
XERUV	1835.1	64.9	.3	1130.0	21.548	4.8700	
XERUV	1841.6	65.1	.3	982.7	21.412	4.2085	
CMHO	560.0	326.9	13.1	141.0	116.171	3.2750	

\* - indicates an adjacent channel station.

Point: WNZF Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
	1128.9	359.2	4.7	1374.5	43.993	12.0934	12.0934
XERUV	1925.8	52.0	.0	1131.2	18.918	4.2800	12.8284
WRHC	424.7	347.5	17.8	125.5	150.755	3.7837	13.3748
CMOR	858.8	9.9	7.6	293.7	63.715	3.7431	13.8887
XERUV	1930.5	52.3	.0	983.1	18.831	3.7025	14.3737
WRHC	408.9	349.3	18.5	81.4	157.141	2.5597	
CBE	1424.9	173.5	2.6	490.3	23.378	2.2924	
WSDK	1576.9	211.8	1.7	491.1	19.380	1.9034	

\* - indicates an adjacent channel station.

Point: NEW Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERUV	1484.2	341.1	2.2	1123.8	28.836	6.4813	6.4813
XERUV	1477.2	341.3	2.2	980.5	29.044	5.6954	8.6281
KNSH	320.8	180.5	23.4	128.1	200.424	5.1349	10.0405
XENU	563.1	335.9	13.1	172.7	106.441	3.6774	10.6928
	2521.2	308.4	.0	1384.0	11.340	3.1388	11.1439
KXEX	1721.8	102.3	.9	648.5	18.616	2.4143	
XE0032	1272.6	5.6	3.6	303.1	36.540	2.2151	
XETAM	970.9	343.9	6.2	210.1	52.566	2.2086	

\* - indicates an adjacent channel station.

Point: KWRN Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XEBG	225.3	356.7	32.1	261.3	269.205	14.0697	14.0697
XEBG	225.4	356.8	32.0	240.5	269.147	12.9436	19.1178
KXEX	352.3	134.0	21.4	223.0	182.080	8.1194	20.7706

KNZR	*	192.5	115.9	36.4	519.5	302.128	3.1388
XERUV		2597.4	314.0	.0	1131.2	10.885	2.4627
KMRI		821.6	214.8	8.1	193.8	60.326	2.3380

\* - indicates an adjacent channel station.

Point: KNSH                      Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERUV	1786.2	344.9	.6	1129.3	20.432	4.6145	4.6145
XERUV	1779.7	345.1	.6	982.4	20.549	4.0373	6.1314
	2689.3	314.6	.0	1384.0	9.510	2.6323	6.6725
KXEX	1628.4	91.7	1.4	581.5	19.879	2.3119	7.0617
XENU	863.2	345.2	7.5	179.1	58.380	2.0908	7.3647
KWRN	1388.0	83.6	2.8	351.0	26.834	1.8839	7.6019
XEBG	1417.4	74.7	2.6	352.0	26.369	1.8564	
XEBG	1417.9	74.7	2.6	323.8	26.354	1.7065	
KESJ	829.2	231.7	10.1	133.0	57.462	1.5280	

\* - indicates an adjacent channel station.

Point: KXEX                      Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
KZDG	224.9	111.3	46.2	140.0	273.500	7.6587	7.6587
KZDG	225.0	111.4	46.2	139.9	273.440	7.6506	10.8254
XEBG	542.9	331.5	13.6	334.1	109.971	7.3477	13.0835
XEBG	542.8	331.5	13.6	307.3	110.011	6.7608	14.7271
KNZR	*	180.6	334.4	38.1	935.4	315.582	5.9037
KMRI		811.8	239.8	8.2	193.6	60.596	2.3466
KWRN		352.3	315.6	21.4	59.7	182.080	2.1736
XERUV		2944.0	315.4	.0	1131.2	8.275	1.8721

\* - indicates an adjacent channel station.

Point: NEW                      Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
KXEX	443.8	98.5	17.0	602.9	140.610	16.9559	16.9559
KWRN	257.7	47.7	28.6	268.7	244.656	13.1490	21.4569
XEBG	436.1	24.1	17.3	323.1	143.637	9.2818	23.3784
XEBG	436.4	24.1	17.3	297.2	143.527	8.5324	24.8868
KMRI	578.2	207.8	12.7	187.1	98.818	3.6974	
XERUV	2551.2	319.8	.0	1131.2	10.904	2.4669	
KKOV	1234.3	146.9	3.9	380.9	29.465	2.2448	

\* - indicates an adjacent channel station.

Point: KZDG                      Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XEBG	735.2	320.8	9.4	344.0	73.145	5.0318	5.0318
XEBG	734.9	320.9	9.4	316.4	73.179	4.6303	6.8380
KNZR	* 380.2	311.5	19.9	996.9	167.868	3.3470	7.6132
KXEX	225.0	292.8	32.1	50.7	273.440	2.7753	8.1032
KMPC	* 532.3	317.3	13.9	1105.1	112.618	2.4891	8.4769
KWRN	567.9	307.4	12.9	103.2	103.494	2.1351	8.7416
KMRI	950.3	251.4	6.5	195.5	47.237	1.8472	
XERUV	3164.8	314.5	.0	1131.2	7.098	1.6058	
KKOV	902.3	178.7	7.0	152.9	49.783	1.5225	

\* - indicates an adjacent channel station.

Point: KESJ                      Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERUV	2263.7	4.6	.0	1131.2	12.201	2.7604	2.7604
CBE	1031.1	259.1	5.6	392.5	34.635	2.7185	3.8743
	2630.3	333.0	.0	1384.0	9.002	2.4916	4.6064
XERUV	2260.2	4.8	.0	983.1	12.228	2.4043	5.1961
KNSH	829.2	47.4	8.0	145.0	57.462	1.6664	5.4568
KXEL	* 335.3	219.6	34.7	317.2	181.842	1.1534	
KDCO	889.5	87.1	7.2	101.1	48.540	.9813	
XENU	1438.9	16.4	2.5	182.0	25.104	.9136	

\* - indicates an adjacent channel station.

Point: WLTI                      Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
CBE	328.3	220.2	22.9	201.4	183.329	7.3863	7.3863
KXEL	* 630.1	111.1	11.4	2156.0	78.095	3.3675	8.1177
	2328.8	350.7	.0	1384.0	11.286	3.1239	8.6980
XERUV	2518.6	23.4	.0	1131.2	9.834	2.2248	8.9780
XERUV	2518.4	23.6	.0	983.1	9.832	1.9331	
CHIN	* 645.7	232.7	11.1	661.4	72.390	.9576	
CMOR	2023.9	353.5	.0	303.5	14.222	.8633	

\* - indicates an adjacent channel station.

Point: KDCO                      Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
KESJ	889.5	273.8	7.2	390.3	48.540	3.7886	3.7886
KMRI	583.9	96.9	12.5	187.3	93.887	3.5177	5.1699

KNSH	618.0	333.0	11.7	142.3	89.597	2.5502	5.7647
XERUV	2397.7	342.4	.0	1131.2	11.176	2.5284	6.2948
KWRN	1210.0	57.0	4.1	350.9	32.422	2.2757	6.6935
XERUV	2390.9	342.5	.0	983.1	11.229	2.2078	7.0482
KXEX	1325.0	70.3	5.1	395.1	27.101	2.1417	7.3664
XEBG	1335.4	48.8	3.1	351.7	28.050	1.9731	7.6261
KXEL	* 1112.5	261.1	4.9	2934.1	31.548	1.8513	
XEBG	1335.9	48.8	3.1	323.5	28.035	1.8138	
	3246.8	320.0	.0	1384.0	5.942	1.6448	

\* - indicates an adjacent channel station.

Point: KMRI Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
KXEX	811.8	54.8	8.2	368.1	60.596	4.4605	4.4605
KZDG	950.5	64.9	6.5	466.0	47.225	4.4010	6.2662
KZDG	950.3	64.9	6.5	465.7	47.237	4.3997	7.6565
KWRN	821.6	31.7	8.1	301.2	60.326	3.6345	8.4754
XEBG	1014.2	24.5	5.8	349.5	44.205	3.0902	9.0212
KRPI	1226.5	133.5	3.9	606.5	25.230	3.0606	9.5262
KKOV	1009.0	119.1	5.8	380.3	38.319	2.9143	9.9620
XEBG	1014.5	24.5	5.8	321.5	44.186	2.8411	10.3592
KRPI	1263.2	132.6	3.7	536.9	23.808	2.5564	
NEW	578.2	25.9	21.1	114.7	98.818	2.2675	
XERUV	2758.0	331.9	.0	1131.2	8.518	1.9270	

\* - indicates an adjacent channel station.

Point: WSDK Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
CBE	841.6	89.2	7.8	1631.1	45.784	14.9359	14.9359
WQEW	* 161.3	37.4	41.4	1506.5	328.399	9.8950	17.9162
WITK	260.1	76.2	28.4	194.6	228.489	8.8906	20.0008
WDCD	* 134.2	135.8	60.4	471.6	355.320	3.3515	
	2628.2	15.7	.0	1384.0	8.672	2.4003	
XERUV	3366.9	37.2	.0	1131.2	5.234	1.1841	

\* - indicates an adjacent channel station.

Point: WITK Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
CBE	599.2	96.9	12.2	1505.9	80.675	24.2972	24.2972
WQEW	* 171.6	294.7	39.6	542.9	317.982	3.4524	
	2500.4	10.5	.0	1384.0	9.644	2.6695	
WSDK	260.1	258.2	42.0	36.2	228.489	1.6523	

\* - indicates an adjacent channel station.

Point: KKOV Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
KZDG	902.3	358.8	7.0	1464.9	49.783	14.5858	14.5858
KZDG	902.6	358.8	7.0	1464.9	49.757	14.5782	20.6221
KRPI	355.5	178.9	21.2	251.7	163.765	8.2426	22.2084
KRPI	375.0	173.4	31.7	225.6	153.451	6.9249	23.2630
KXEX	1010.2	348.5	5.8	641.1	41.581	5.3317	
KXPA	* 217.7	186.8	33.0	460.1	268.837	2.4737	
KMRI	1009.0	306.3	5.8	196.2	38.319	1.5036	

\* - indicates an adjacent channel station.

Point: KRPI Frequency: 1550 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
KKOV	355.5	359.0	21.2	1157.8	163.765	37.9201	37.9201
KRPI	38.3	116.6	75.0	283.3	445.366	25.2348	45.5492
KZDG	1257.7	358.9	3.7	1480.7	27.051	8.0106	
KZDG	1258.0	358.9	3.7	1480.6	27.041	8.0075	
KXPA	* 142.6	347.6	44.9	488.0	343.581	3.3536	

\* - indicates an adjacent channel station.

Point: YNACW Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XEINFO	1596.2	119.4	3.2	1894.7	8.641	3.2745	3.2745
XEFAJ	1603.5	118.9	3.2	1510.2	8.508	2.5696	4.1624
KGOW	2208.0	151.7	.0	3813.9	3.148	2.4010	4.8052
CMDR	1316.4	203.2	5.3	304.7	14.868	.9062	
XECHZ	884.1	124.6	10.2	141.4	30.630	.8660	
CMIR	1347.8	217.8	5.0	305.4	14.022	.8564	

Point: XECHZ Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XEINFO	715.3	115.3	13.4	1386.9	97.167	26.9525	26.9525
XEFAJ	723.7	114.2	13.2	1399.3	96.009	26.8693	38.0578
KGOW	1493.9	168.4	3.9	2149.8	26.673	11.4681	
YNACW	884.1	306.2	10.2	302.4	76.940	4.6539	
XE	719.2	135.4	13.3	207.6	96.622	4.0115	

Point: XELAC Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XEFAJ	354.0	243.2	27.6	779.9	154.910	24.1616	24.1616
XEINFO	369.9	243.0	26.5	430.1	150.828	12.9734	27.4243
XERIO	404.8	145.1	24.4	267.5	142.316	7.6138	
XEZW	530.4	202.4	18.7	193.6	120.285	4.6576	
XE	596.6	232.1	16.5	203.3	111.834	4.5469	

Point: XELAC1 Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XEFAJ	354.0	243.2	27.6	779.9	154.910	24.1616	24.1616
XEINFO	369.9	243.0	26.5	430.1	150.828	12.9734	27.4243
XERIO	404.8	145.1	24.4	267.5	142.316	7.6138	
XEZW	530.4	202.4	18.7	193.6	120.285	4.6576	
XE	596.6	232.1	16.5	203.3	111.834	4.5469	

Point: XEFAJ Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XEINFO	16.0	236.5	85.2	108.5	449.780	9.7558	9.7558
XELAC1	354.0	62.3	27.6	256.1	154.910	7.9338	12.5746
XERIO	566.9	106.7	17.4	284.8	115.410	6.5731	14.1890
XE	260.0	216.0	35.8	161.7	190.139	6.1494	
XEZW	347.8	161.0	28.1	176.0	156.659	5.5155	
XELAC	354.0	62.3	27.6	142.1	154.910	4.4028	

Point: XEINFO Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XELAC1	369.9	62.0	26.5	259.5	150.828	7.8284	7.8284
XERIO	576.8	105.4	17.1	285.5	114.197	6.5198	10.1879
XE	245.2	214.7	37.4	157.2	198.024	6.2248	11.9390
XEZW	344.0	158.5	28.3	175.5	157.879	5.5400	
XEFAJ	16.0	56.5	85.2	52.8	449.780	4.7493	
XELAC	369.9	62.0	26.5	144.8	150.828	4.3687	

Point: XEMAS Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XELAC1	302.2	19.6	31.7	242.5	172.005	8.3408	8.3408
XERIO	332.3	97.9	29.2	252.9	161.706	8.1788	11.6817
XEZW	228.7	205.4	39.4	148.5	209.537	6.2245	13.2366

XE	371.7	256.8	26.4	184.7	150.380	5.5537
XEFAJ	243.7	300.5	37.6	116.0	198.987	4.6180
XELAC	302.2	19.6	31.7	131.5	172.005	4.5253

Point: CMJM                      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
CMIR	366.9	122.9	26.7	212.6	60.346	2.5660	2.5660
CMDR	686.5	118.3	14.0	278.7	40.167	2.2388	3.4054
WQEW	2308.3	185.0	.0	2289.0	2.771	1.2688	
WPAD	2264.3	143.3	.0	1351.2	2.925	.7905	
YNACW	1426.3	50.6	4.4	308.0	12.082	.7443	

Point: XEMAS                      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XELAC1	300.7	19.8	31.8	242.0	172.540	8.3503	8.3503
XERIO	333.3	98.2	29.1	253.1	161.391	8.1702	11.6824
XEZW	230.1	205.0	39.3	149.0	208.531	6.2135	13.2321
XE	371.5	256.5	26.4	184.6	150.425	5.5545	
XEFAJ	242.2	300.2	37.8	118.9	200.010	4.7564	
XELAC	300.7	19.8	31.8	131.2	172.540	4.5269	

Point: XERIO                      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
KTXZ	1237.2	214.5	6.0	1233.2	43.113	10.6333	10.6333
XEINFO	576.8	287.3	17.1	419.2	114.197	9.5750	14.3090
XELAC1	404.8	325.8	24.4	266.1	142.316	7.5734	16.1896
XEZW	452.3	250.3	21.9	188.1	132.365	4.9801	
XE	653.2	139.5	14.9	205.6	104.921	4.3138	
XELAC	404.8	325.8	24.4	150.1	142.316	4.2711	

Point: XE                          Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XEFAJ	260.0	35.5	35.8	244.5	190.140	9.2985	9.2985
XELAC1	596.6	50.6	16.5	286.1	111.834	6.3989	11.2875
XEZW	287.1	113.9	33.1	164.6	178.183	5.8667	12.7211
XERIO	689.3	85.5	14.0	291.5	100.561	5.8629	
KTXZ	998.4	180.6	8.6	374.9	64.283	4.8201	
XEMAS	371.7	75.6	26.4	133.6	150.380	4.0187	

Point: CMIR                      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
-----	-----	-----	-----	-----	-----	-----	-----
CMDR	321.0	114.4	30.1	192.4	65.884	2.5355	2.5355
CMJM	366.9	303.9	26.7	149.5	60.346	1.8044	3.1120
WQEW	2148.1	193.7	.3	2526.5	3.396	1.7162	3.5539
WPAD	1939.5	148.0	1.3	1418.9	4.573	1.2977	
KGOW	1924.3	113.8	1.3	981.8	4.691	.9210	
YNACW	1347.8	35.6	5.0	307.8	14.022	.8631	

Point: XEZW                      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
-----	-----	-----	-----	-----	-----	-----	-----
XERIO	452.3	68.8	21.9	274.1	132.365	7.2551	7.2551
XELAC1	530.4	21.8	18.7	281.2	120.285	6.7642	9.9192
XE	287.1	294.8	33.1	168.8	178.183	6.0151	11.6005
XEMAS	228.7	25.0	39.4	105.3	209.537	4.4115	
XEFAJ	347.8	341.4	28.1	127.9	156.658	4.0068	
XEMAS	230.1	24.7	39.3	95.1	208.531	3.9669	

Point: CMDR                      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
-----	-----	-----	-----	-----	-----	-----	-----
CMIR	321.0	295.5	30.1	192.4	65.884	2.5355	2.5355
WPAD	1695.5	154.7	2.6	1480.1	7.037	2.0832	3.2815
WQEW	2091.0	202.4	.5	2694.6	3.654	1.9695	3.8272
KGOW	1605.3	115.0	3.2	1107.6	8.476	1.8775	
CMJM	686.5	300.5	14.0	196.7	40.167	1.5804	
XEFAJ	1867.0	74.6	1.6	900.8	5.169	.9313	

Point: XE                          Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
-----	-----	-----	-----	-----	-----	-----	-----
KNZR	1483.2	134.1	4.0	1631.7	27.224	8.8840	8.8840
KTXZ	1188.2	245.9	6.5	895.1	46.892	8.3947	12.2228
XEJPV1	707.6	197.7	13.6	340.1	98.246	6.6818	13.9300
XERIO	653.2	321.2	14.9	290.1	104.921	6.0875	
XEGYS	353.8	137.7	27.6	181.9	154.957	5.6379	
XENVA2	815.5	148.0	11.4	209.7	84.720	3.5526	

Point: XEGYS                      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
-----	-----	-----	-----	-----	-----	-----	-----
KNZR	1129.4	134.3	7.1	1588.3	51.961	16.5054	16.5054
XEJPV1	599.4	227.7	16.4	331.4	111.495	7.3899	
XE	353.8	318.8	27.6	181.8	154.957	5.6332	



Point: KGOW Frequency: 1560 kHz

\* - indicates an adjacent channel station.

\* - indicates an adjacent channel station.

Point: XEJPV1      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (deg.s.)	Theta (deg.s.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
-----------------	------------------	---------------------	-------------------	---------------------	--------------------	--------------------	---------------

XERF	*	754.3	25.2	9.1	5943.1	70.414	8.3695	8.3695
XEJPV1		921.3	60.2	6.8	354.7	52.082	3.6947	9.1488
WQEW		2137.4	261.7	.0	1377.3	9.536	2.6267	9.5184
KKAA		1112.4	175.4	4.9	301.9	32.417	1.9571	
KNZR		1950.3	83.3	.0	574.5	14.289	1.6419	
WPAD		816.6	260.0	14.5	129.7	59.449	1.5421	

\* - indicates an adjacent channel station.

Point: KNZR                      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XENVA2	697.7	305.2	10.1	211.2	78.924	3.3335	3.3335
XEJPV1	1247.6	292.6	3.8	358.3	32.912	2.3588	4.0836
XERF	*	1813.8	296.1	.4	6250.6	17.655	4.6418
XEGYS	1129.4	318.7	4.7	215.1	39.974	1.7195	4.9501
XE	1483.2	319.5	2.2	215.5	26.676	1.1497	
XEBG	*	363.0	329.4	20.8	175.728	1.0925	
XEBG	*	362.8	329.5	20.8	175.815	1.0053	

\* - indicates an adjacent channel station.

Point: WPAD                      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
WQEW	1332.5	256.9	3.2	1622.1	23.293	7.5568	7.5568
XERF	*	1437.0	50.2	2.5	6212.7	3.1321	8.1802
KTXZ	1119.0	45.9	9.5	175.1	37.805	1.3238	
XEJPV1	1731.8	64.8	.8	360.0	17.704	1.2746	
CMDR	1695.5	338.2	1.0	308.7	19.820	1.2236	

\* - indicates an adjacent channel station.

Point: WQEW                      Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
CBE	*	768.0	99.5	8.9	1553.9	1.7068	1.7068
WSDK	*	161.3	218.2	41.4	229.4	1.5069	2.2768
WITK	*	171.6	113.4	39.6	236.8	1.5063	2.7300
CFOR	*	618.4	132.4	11.7	725.3	1.0747	2.9339
CFOR	*	618.4	132.4	11.7	725.3	1.0747	3.1245
LAVAL	*	535.3	180.7	13.8	537.4	.9726	3.2724
CFAV	*	535.3	180.7	13.8	536.3	.9707	3.4133
CJLV	*	535.3	180.7	13.8	536.2	.9705	3.5486
WISP	*	113.7	67.1	51.4	122.8	.9514	3.6739
XERF	*	2757.3	55.4	.0	6258.9	.8244	
CMDR		2091.0	18.3	.0	309.5	.8014	
CMIR		2148.1	11.1	.0	309.5	.7744	

\* - indicates an adjacent channel station.

Point: WGLB Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
WPAD	664.0	4.0	10.7	405.2	74.330	6.0241	6.0241
WPAD	664.0	4.0	10.7	389.8	74.330	5.7940	8.3583
WQEW	1194.8	287.0	4.2	1093.5	24.502	5.3585	9.9285
XERF	* 1910.0	33.8	.0	6258.9	13.830	1.7312	
CBE	* 427.6	283.6	17.6	667.1	128.496	1.7144	
WIVS	510.4	139.6	23.9	57.8	94.026	1.0866	

\* - indicates an adjacent channel station.

Point: KKAA Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
WPAD	1241.8	321.6	3.8	614.9	24.946	3.0680	3.0680
WPAD	1241.8	321.6	3.8	495.1	24.946	2.4700	3.9387
WGLB	873.4	291.4	7.4	236.9	40.548	1.9215	4.3824
XERF	* 1800.4	6.4	.5	6249.4	15.191	1.8987	4.7760
WQEW	2053.2	292.9	.0	1138.9	7.089	1.6146	5.0416
KNZR	2064.2	50.8	.0	674.3	10.547	1.4222	5.2383
KEBC	1112.4	356.0	4.9	212.7	32.417	1.3792	5.4168
XEJPV1	1676.0	21.6	1.1	359.8	16.847	1.2123	
KVAN	1590.7	85.6	1.6	283.8	12.636	.7172	
KBCV	* 1073.2	337.4	5.2	919.5	33.356	.6135	

\* - indicates an adjacent channel station.

Point: KVAN Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
KNZR	1207.6	.1	4.1	2134.0	30.855	13.1693	13.1693
KZIZ	271.5	114.7	27.3	43.5	219.761	1.9121	
NEW	* 209.8	219.8	45.4	284.8	272.129	1.5501	
KRPI	* 400.5	136.6	18.9	498.0	139.271	1.3872	

\* - indicates an adjacent channel station.

Point: WIVS Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
WGLB	510.4	322.4	14.6	303.3	94.026	5.7032	5.7032
WQEW	1596.9	300.1	1.6	1618.9	11.895	3.8511	6.8817
WPAD	1098.0	345.8	5.0	571.8	30.141	3.4467	7.6966

WPAD		1098.0	345.8	5.0	503.7	30.141	3.0363	8.2739
XERF	*	2065.9	19.6	.0	6258.9	11.135	1.3939	
KKAA		508.5	73.0	14.7	62.5	91.673	1.1451	
CBE	*	875.3	306.8	7.4	1163.2	38.827	.9033	

\* - indicates an adjacent channel station.

Point: KZIZ Frequency: 1560 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
KNZR	1352.2	349.7	3.0	2260.3	25.075	11.3354	11.3354
KVAN	271.5	297.1	27.3	192.8	219.760	8.4718	14.1514
KKOV	* 178.1	6.9	38.5	700.5	310.999	4.3571	14.8070
KRPI	* 180.8	171.1	52.5	215.1	300.864	1.2944	
KRPI	* 205.6	162.0	48.8	233.1	274.441	1.2795	
KZDG	* 1078.8	.2	5.2	1463.1	36.289	1.0619	

\* - indicates an adjacent channel station.

Point: WVOJ Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1859.5	82.6	.2	6254.6	17.019	21.2892	21.2892
	1430.1	314.2	2.5	3334.9	29.198	19.4747	28.8530
KBCV	1284.0	121.0	3.5	642.5	30.011	3.8565	
WNCA	660.1	199.5	10.8	159.1	83.789	2.6670	
WTLK	650.0	185.1	11.0	145.4	85.564	2.4879	

\* - indicates an adjacent channel station.

Point: WVOJ Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1857.4	82.4	.2	6254.4	17.042	21.3176	21.3176
	1436.4	314.4	2.5	3340.3	28.962	19.3480	28.7886
KBCV	1277.8	120.8	3.5	643.4	30.234	3.8903	
WNCA	653.2	199.8	11.0	159.0	84.998	2.7030	
WTLK	642.4	185.3	11.2	145.2	86.959	2.5246	

\* - indicates an adjacent channel station.

Point: KPRO Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1628.2	292.4	1.4	6233.2	21.495	26.7969	26.7969
XEDM	* 812.1	312.5	8.2	3109.1	65.139	4.0505	

KNZR	*	215.0	134.9	33.3	669.0	280.084	3.7476
XEDM	*	817.6	313.3	8.1	2454.6	64.609	3.1718

\* - indicates an adjacent channel station.

Point: WNCA Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	2134.8	65.0	.0	6258.9	12.347	15.4563	15.4563
	1777.8	334.6	.6	2850.6	18.553	10.5776	18.7292
WTLK	153.5	98.0	42.8	77.4	348.986	5.4047	19.4934
CFOR	986.3	180.8	6.1	645.8	38.100	4.9213	20.1050
CFOR	986.3	180.8	6.1	645.8	38.100	4.9213	
WSWV	337.8	108.3	22.3	123.9	188.261	4.6669	
WKKS	465.9	132.0	16.1	177.3	127.915	4.5358	

\* - indicates an adjacent channel station.

Point: WTLK Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1993.6	63.3	.0	6258.9	14.052	17.5897	17.5897
	1876.9	330.9	.2	3074.9	16.848	10.3615	20.4147
WNCA	153.5	279.0	42.8	100.6	348.986	7.0212	21.5884
WKKS	352.0	146.6	21.4	169.7	178.680	6.0642	22.4239
WVOJ	642.4	5.0	11.2	305.2	86.959	5.3088	
WSWV	189.8	117.4	36.7	77.9	308.917	4.8157	
CFOR	975.8	189.8	6.2	565.3	38.709	4.3761	

\* - indicates an adjacent channel station.

Point: WECU Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	2313.4	66.6	.0	6258.9	10.563	13.2221	13.2221
WVOJ	727.7	32.8	9.5	828.0	73.007	12.0899	17.9162
	1676.0	340.0	1.1	2467.0	20.562	10.1453	20.5892
WNCA	188.2	95.8	37.0	114.0	310.763	7.0861	21.7745
CFOR	1020.4	170.2	5.7	719.9	35.964	5.1780	
CFOR	1020.4	170.2	5.7	719.9	35.964	5.1780	
WVOJ	722.1	33.2	9.6	339.2	73.800	5.0072	

\* - indicates an adjacent channel station.

Point: NEW Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
-----------------	------------------	--------------------	------------------	---------------------	--------------------	--------------------	---------------

XERF	699.7	355.6	10.0	5890.5	78.330	92.2801	92.2801
KBCV	763.3	264.2	15.7	333.6	66.470	4.4348	
	3346.4	304.7	.0	2851.9	5.626	3.2091	
XEDM	* 1128.8	48.0	4.7	3201.6	38.714	2.4789	

\* - indicates an adjacent channel station.

Point: WSWV Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1862.7	59.2	.2	6254.8	15.821	19.7916	19.7916
	2047.0	328.4	.0	3197.7	14.330	9.1645	21.8105
WKKS	208.3	173.0	34.2	145.1	288.519	8.3750	23.3632
WTLK	189.8	298.6	36.7	92.3	308.917	5.7018	
WNDA	299.5	125.4	25.0	130.1	211.362	5.5004	
WNCA	337.8	290.4	22.3	143.7	188.261	5.4101	

\* - indicates an adjacent channel station.

Point: KTGE Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	2072.2	298.4	.0	6258.9	13.738	17.1968	17.1968
KCVR	161.1	190.4	41.4	182.5	337.882	12.3340	21.1627
NEW	1268.9	197.5	3.6	545.0	27.117	2.9558	
KNZR	* 270.2	304.5	27.4	621.7	234.962	2.9214	
KBLA	* 413.0	314.8	18.3	828.4	152.956	2.5342	

\* - indicates an adjacent channel station.

Point: WYTI Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	2136.1	61.1	.0	6258.9	12.113	15.1630	15.1630
	1916.9	335.8	.0	2777.8	16.085	8.9363	17.6004
WNCA	143.6	345.4	44.7	96.1	360.177	6.9237	18.9132
WKKS	350.9	119.8	21.5	169.6	178.269	6.0466	19.8563
CFOR	848.6	183.3	7.7	618.1	48.065	5.9415	20.7262
CFOR	848.6	183.3	7.7	618.1	48.065	5.9415	21.5610
WTLK	162.8	44.1	41.1	81.6	338.256	5.5174	22.2557
WSWV	281.2	83.5	26.5	111.1	225.447	5.0103	
WECU	273.7	306.5	27.1	99.8	231.781	4.6279	
WNST	398.4	228.1	19.0	146.3	152.894	4.4750	

\* - indicates an adjacent channel station.

Point: KBCV Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1087.3	40.0	5.1	6161.0	40.275	49.6271	49.6271
	2713.6	313.1	.0	3312.7	8.452	5.5997	
NEW	763.3	79.2	9.0	396.4	66.470	5.2695	
WFRL	705.5	207.3	17.1	196.3	69.273	2.7191	

\* - indicates an adjacent channel station.

Point: WKKS                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1924.0	53.1	.0	6258.9	14.519	18.1752	18.1752
	2228.7	331.2	.0	3059.6	12.016	7.3530	19.6063
WPTW	190.0	154.5	36.7	110.8	304.285	6.7425	20.7332
CHLO	494.0	203.0	24.7	291.0	111.021	6.4621	21.7170
CHLO	494.0	203.0	24.7	291.0	111.021	6.4621	22.6580
WNDA	215.9	81.4	33.2	114.6	279.808	6.4148	23.5486
WILO	329.6	123.6	22.8	133.9	187.620	5.0239	
WSWV	208.3	353.2	34.2	86.1	288.519	4.9693	
WTLK	352.0	327.9	21.4	128.1	178.680	4.5766	

\* - indicates an adjacent channel station.

Point: WNDA                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1722.4	50.6	.9	6242.3	17.966	22.4293	22.4293
WKKS	215.9	262.9	33.2	147.2	279.808	8.2390	23.8946
	2337.0	326.4	.0	3277.7	11.024	7.2267	24.9635
WILO	225.1	164.2	32.1	119.5	269.347	6.4367	25.7800
WPTW	240.0	213.4	30.4	124.5	255.526	6.3645	
WFRL	548.2	142.6	13.5	272.0	97.617	5.3099	
WSWV	299.5	307.1	25.0	115.9	211.362	4.8990	

\* - indicates an adjacent channel station.

Point: KCVR                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	2097.6	302.9	.0	6258.9	13.202	16.5263	16.5263
KNZR *	364.4	328.6	20.7	1568.3	175.804	5.5141	17.4219
NEW	1108.4	198.2	4.9	535.2	33.540	3.5904	
KTGE	161.1	10.2	50.0	46.6	337.881	3.1489	
XEDM *	1375.4	318.9	2.9	3219.3	28.217	1.8168	

\* - indicates an adjacent channel station.

Point: WNST Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
CFOR	620.0	157.3	11.7	738.3	75.896	11.2067	11.2067
CFOR	620.0	157.3	11.7	738.3	75.896	11.2067	15.8486
XERF	2498.1	56.9	.0	6258.9	8.420	10.5406	19.0338
WISP	156.1	230.1	48.9	138.2	339.844	9.3964	21.2268
WPGM	174.5	178.0	39.1	100.8	317.958	6.4112	22.1738
WQEW	* 266.9	238.1	27.7	1378.8	228.857	6.3111	23.0545
WQTW	259.1	111.4	28.5	120.3	236.201	5.6828	
	2057.7	346.7	.0	1925.2	13.802	5.3142	
WFLR	349.5	173.8	21.6	153.4	169.916	5.2137	

\* - indicates an adjacent channel station.

Point: WFTU Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
LAVAL	522.3	169.0	14.2	718.1	93.431	13.4177	13.4177
CFAV	522.3	169.0	14.2	716.6	93.431	13.3901	18.9560
CJLV	522.3	169.0	14.2	716.5	93.433	13.3890	23.2077
CFOR	682.0	124.6	10.4	701.2	62.996	8.8346	24.8324
CFOR	682.0	124.6	10.4	701.2	62.996	8.8346	26.3571
XERF	2865.2	55.7	.0	6258.9	6.001	7.5116	27.4066
WISP	221.4	72.0	46.7	136.8	267.163	7.3087	28.3644
WVTL	257.0	149.3	28.7	115.8	229.716	5.3218	
WFLR	403.0	115.3	18.7	171.8	140.210	4.8166	
WNST	370.8	62.1	20.4	142.8	160.921	4.5946	

\* - indicates an adjacent channel station.

Point: WILO Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1795.4	43.6	.5	6248.9	16.217	20.2675	20.2675
WBGX	178.3	145.4	38.5	116.7	313.122	7.3108	21.5457
WPTW	188.8	275.4	36.9	110.4	303.566	6.7020	22.5640
WNSA	225.1	344.6	32.1	116.8	269.347	6.2945	23.4255
WKKS	329.6	305.6	22.8	167.4	187.620	6.2805	24.2528
WFRL	344.3	130.0	21.9	173.0	173.962	6.0194	
	2541.8	328.7	.0	3186.5	9.135	5.8220	
WSCO	465.7	159.5	16.1	170.5	116.359	3.9670	

\* - indicates an adjacent channel station.

Point: WQTW Frequency: 1570 kHz



Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
CFOR	477.6	180.3	15.7	592.9	110.010	13.0443	13.0443
CFOR	477.6	180.3	15.7	592.9	110.010	13.0443	18.4474
XERF	2312.7	52.5	.0	6258.9	9.756	12.2128	22.1237
WPGM	243.2	252.7	30.1	116.1	247.266	5.7440	22.8572
WNST	259.1	293.2	28.5	118.9	236.201	5.6183	
	2230.4	341.4	.0	2354.5	11.748	5.5324	
WKKS	389.4	59.6	19.4	172.9	154.507	5.3424	

\* - indicates an adjacent channel station.

Point: WPGM                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
CFOR	458.5	150.2	16.4	708.3	114.887	16.2738	16.2738
CFOR	458.5	150.2	16.4	708.3	114.887	16.2738	23.0147
XERF	2554.8	53.0	.0	6258.9	7.769	9.7251	24.9851
WISP	143.8	301.2	44.7	106.8	351.651	7.5122	26.0900
WQTW	243.2	70.9	30.1	117.9	247.266	5.8306	
WNST	174.5	358.1	39.1	85.6	317.958	5.4407	
WVTL	292.3	223.8	25.6	121.1	202.336	4.9024	

\* - indicates an adjacent channel station.

Point: WISP                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
CFOR	585.5	142.8	12.5	742.2	81.350	12.0751	12.0751
CFOR	585.5	142.8	12.5	742.2	81.350	12.0751	17.0768
XERF	2643.8	55.6	.0	6258.9	7.302	9.1408	19.3693
WPGM	143.8	120.2	44.7	90.5	351.650	6.3628	20.3876
LAVAL	588.5	191.0	20.2	387.9	79.029	6.1318	21.2898
CFAV	588.5	191.0	15.2	386.5	79.029	6.1091	22.1489
CJLV	588.5	191.0	15.2	386.4	79.027	6.1080	22.9757
WNST	156.1	49.2	42.3	76.1	339.844	5.1695	
WFLR	290.1	147.6	25.7	125.2	206.218	5.1633	
WVTL	297.8	195.6	25.1	121.9	199.766	4.8697	

\* - indicates an adjacent channel station.

Point: WPTW                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1939.7	47.3	.0	6258.9	13.983	17.5041	17.5041
WKKS	190.0	335.1	36.7	139.3	304.285	8.4797	19.4499
CHLO	388.4	223.8	30.7	238.6	149.222	7.1210	20.7125
CHLO	388.4	223.8	30.7	238.6	149.222	7.1210	21.9024

WILO	188.8	93.9	36.9	110.8	303.566	6.7279	22.9124
WBGX	329.6	118.5	22.8	172.2	183.586	6.3236	23.7691
WNDA	240.0	32.4	30.4	120.2	255.526	6.1422	24.5498
	2416.0	332.0	.0	3014.5	10.105	6.0922	
WSWV	393.5	344.6	19.2	133.0	155.281	4.1305	
CFOR	639.7	220.9	11.2	276.5	71.760	3.9677	

\* - indicates an adjacent channel station.

Point: WBGX                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1817.0	37.9	.4	6250.9	15.569	19.4644	19.4644
WILO	178.3	326.2	38.5	107.7	313.122	6.7476	20.6008
WFRL	176.8	115.8	47.4	100.1	311.346	6.2313	21.5226
WSCO	296.6	168.2	25.2	154.9	198.081	6.1376	22.3806
CFOR	753.9	246.7	9.1	498.0	53.327	5.3109	
CFOR	753.9	246.7	9.1	498.0	53.327	5.3109	
WPTW	329.6	300.7	22.8	139.1	183.586	5.1061	

\* - indicates an adjacent channel station.

Point: NEW                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1697.7	328.0	1.0	6240.0	18.335	22.8821	22.8821
NEW	770.5	144.1	8.8	572.1	56.165	6.4260	23.7673
KBCV	1701.9	295.8	1.0	953.2	15.607	2.9754	
KPRO	1009.4	27.3	5.8	333.8	43.611	2.9116	
NEW	1123.8	311.3	4.8	379.0	34.770	2.6354	

\* - indicates an adjacent channel station.

Point: WFUR                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	2038.6	38.0	.0	6258.9	12.119	15.1703	15.1703
CFOR	542.0	252.5	13.6	557.3	87.561	9.7596	18.0385
CFOR	542.0	252.5	13.6	557.3	87.561	9.7596	20.5095
WBGX	221.6	46.7	32.5	131.0	262.731	6.8814	21.6331
WSCO	259.6	121.8	28.4	148.1	222.481	6.5920	22.6152
WILO	304.6	12.1	24.6	131.5	197.265	5.1889	
WPTW	334.6	339.7	22.5	139.6	178.010	4.9712	
	2741.2	333.8	.0	2905.6	7.516	4.3674	

\* - indicates an adjacent channel station.

Point: WFLR                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
CFOR	296.4	139.6	25.2	599.2	191.991	23.0072	23.0072
CFOR	296.4	139.6	25.2	599.2	191.991	23.0072	32.5371
XERF	2599.3	49.1	.0	6258.9	7.226	9.0454	33.7710
WPGM	175.9	350.2	38.9	101.2	310.188	6.2800	
WQEW *	326.5	309.5	23.1	1643.0	180.881	5.9439	
WVTL	230.3	260.8	31.5	110.8	249.442	5.5279	

\* - indicates an adjacent channel station.

Point: WFRL                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1768.4	32.4	.7	6246.5	16.264	20.3181	20.3181
WKBH	224.9	142.3	32.1	146.2	257.007	7.5124	21.6624
WSCO	232.5	204.8	31.2	141.9	248.588	7.0565	22.7828
CFOR	865.0	256.5	7.5	636.7	41.327	5.2625	
CFOR	865.0	256.5	7.5	636.7	41.327	5.2625	
WLKD	390.1	178.4	19.4	182.0	139.961	5.0950	

\* - indicates an adjacent channel station.

Point: WVTL                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
LAVAL	292.9	186.0	25.5	447.0	190.055	16.9909	16.9909
CAVAV	292.9	186.0	25.5	444.2	190.055	16.8842	23.9535
CJLV	292.9	186.0	25.5	444.1	190.052	16.8799	29.3036
CFOR	452.0	112.7	16.6	577.1	112.932	13.0350	32.0720
CFOR	452.0	112.7	16.6	577.1	112.932	13.0350	34.6197
WQEW *	245.2	354.3	29.9	2468.2	240.328	11.8634	36.5959
XERF	2822.0	50.4	.0	6258.9	5.920	7.4109	
WPGM	292.3	42.2	25.6	122.7	202.336	4.9668	
WFLR	230.3	78.9	31.5	85.5	249.442	4.2646	

\* - indicates an adjacent channel station.

Point: WKBH                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	1836.7	25.4	.3	6252.6	14.779	18.4810	18.4810
WFRL	224.9	323.4	32.1	287.5	257.008	14.7800	23.6642
WLKD	243.2	210.5	30.1	160.5	230.714	7.4038	24.7954
WSCO	230.6	262.9	31.4	141.4	246.389	6.9690	25.7561
KYCR	201.9	124.0	35.0	110.3	273.532	6.0363	
CFOR	951.8	269.7	6.5	806.7	33.130	5.3456	

CFOR            951.8        269.7        6.5            806.7        33.130        5.3456

\* - indicates an adjacent channel station.

Point: KYCR                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
-----	-----	-----	-----	-----	-----	-----	-----
XERF	1862.0	19.1	.2	6254.8	14.192	17.7541	17.7541
WFRL	422.3	315.5	17.9	330.1	128.605	8.4916	19.6804
WKBH	201.9	305.5	35.0	140.0	273.532	7.6570	21.1174
WLKD	299.3	252.7	25.0	171.5	184.842	6.3418	22.0491
KAKK	254.0	157.5	29.0	122.1	216.385	5.2832	
WSCO	400.3	283.6	18.9	166.3	133.403	4.4372	
CFOR	1105.6	277.0	4.9	892.1	24.000	4.2822	

\* - indicates an adjacent channel station.

Point: WSCO                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
-----	-----	-----	-----	-----	-----	-----	-----
XERF	1993.8	30.6	.0	6258.9	12.440	15.5723	15.5723
WBGX	296.6	348.7	25.2	263.1	198.081	10.4213	18.7376
CFOR	721.2	269.8	9.7	794.7	53.763	8.5450	20.5941
CFOR	721.2	269.8	9.7	794.7	53.763	8.5450	22.2965
WLKD	206.0	149.4	34.5	149.8	263.823	7.9019	23.6553
WKBH	230.6	80.9	31.4	147.5	246.389	7.2702	24.7473
WFRL	232.5	24.0	45.3	83.6	248.588	4.1584	
KYCR	400.3	100.2	18.9	139.3	133.403	3.7157	
	2983.2	331.9	.0	3023.1	6.145	3.7156	

\* - indicates an adjacent channel station.

Point: WLKD                      Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
-----	-----	-----	-----	-----	-----	-----	-----
XERF	2079.8	25.2	.0	6258.9	11.095	13.8886	13.8886
CFOR	824.1	283.1	8.0	934.8	40.544	7.5798	15.8223
CFOR	824.1	283.1	8.0	934.8	40.544	7.5798	17.5442
WSCO	206.0	330.3	34.5	134.4	263.823	7.0906	18.9229
WKBH	243.2	29.4	30.1	150.5	230.714	6.9426	20.1563
WFRL	390.1	358.5	19.4	216.7	139.961	6.0666	21.0494
WBGX	496.7	341.4	15.0	298.0	101.706	6.0615	21.9048
CHLO	768.0	299.7	15.5	546.8	48.921	5.3502	
CHLO	768.0	299.7	15.5	546.8	48.921	5.3502	
KYCR	299.3	70.1	25.0	129.7	184.842	4.7940	

\* - indicates an adjacent channel station.

Point: KAKK

Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	2048.1	14.0	.0	6258.9	11.285	14.1270	14.1270
CKMW	343.7	130.0	21.9	351.0	143.937	10.1051	17.3691
KYCR	254.0	338.4	29.0	122.4	216.385	5.2963	18.1586
WFRL	660.6	325.0	10.8	366.1	63.673	4.6626	18.7476
WLKD	398.1	292.3	19.0	182.6	125.506	4.5839	
WKBH	435.8	324.7	17.3	171.7	115.898	3.9800	
CFOR	1210.9	288.6	4.0	994.6	18.284	3.6371	

\* - indicates an adjacent channel station.

Point: NEW

Frequency: 1570 kHz

Station Call	Distance (km)	Bearing (degs.)	Theta (degs.)	Radiation (mV/m)	SW Mult. (uV/m)	IF Level (mV/m)	RSS (mV/m)
XERF	2465.1	330.0	.0	6258.9	8.033	10.0557	10.0557
CKTA	437.1	239.1	17.2	263.2	114.811	6.0432	11.7319
CKEG	511.6	106.3	23.9	238.6	96.559	4.6072	12.6041
NEW *	705.6	205.2	9.9	3168.2	49.101	3.1112	
NEW *	705.4	205.2	9.9	2806.2	49.121	2.7569	
NEW	770.5	327.9	8.8	179.2	56.165	2.0127	

\* - indicates an adjacent channel station.