

## EXHIBIT 31 – 73.207 (SPACING TABLE)

FM PROSPECTOR-TM		©V-Soft Communications®		Minimum Spacings			
File		Print		Settings		Class	
Channel		< Down		> Up		Find	
Views		Help		About			

# EXHIBIT 31 – 73.215 PROTECTION (NAD 83 TO NAD 27 CONVERSION OF PROPOSED FACILITY)

## Output from NADCON for station

North American Datum Conversion

NAD 83 to NAD 27

NADCON Program Version 2.11

=====

Transformation #: 1      Region: Conus

	Latitude	Longitude
NAD 27 datum values:	32 15 55.92906	99 42 24.89337
NAD 83 datum values:	32 15 56.40000	99 42 26.20000
NAD 27 - NAD 83 shift values:	-0.47094	-1.30663 (secs.)
	-14.507	-34.197 (meters)
Magnitude of total shift:		37.147 (meters)

□



[NGS HOME PAGE](#)

## EXHIBIT 31 – 73.215 PROTECTION (SPACING TABLE)

FM PROSPECTOR-TM		©V-Soft Communications®		Minimum Spacings			
File Print Settings Class Channel < Down > Up Find Views Help About							

## EXHIBIT 31 – 73.215 PROTECTION (STUDY)

