

Sorensen Pacific Broadcasting, Inc.  
Agana, Guam

REFERENCE  
13 29 21.0 N.  
-144 -49 -41.0 E.

CH# 243D - 96.5 MHz, Pwr= 0.25 kW, HAAT= 231.0 M, COR= 231 M  
Average Protected F(50-50)= 19.89 km  
Omni-directional

DISPLAY DATES  
DATA 04-16-18  
SEARCH 04-16-18

CH CITY	CALL	TYPE STATE	ANT	AZI <--	DI ST FI LE #	LAT LNG	PWR(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LI CENSEE	*IN* (Overl ap	*OUT* in km)
243D Agana	1776073	APP _C_ GU		0.0 0.0	0.00 BNPFT20180125AEO	13 29 21.0 -144 -49 -41.0	0.250	61.4	19.9	-81.2*	-81.2*
231 Sorensen Paci fi c Broadcast											

Terrain database is NGDC 30 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
In & Out distances between contours are shown at closest points. Reference zone= East Zone, Co to 3rd adjacent.  
All separation margins (if shown) include rounding.  
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
"\*"affixed to 'IN' or 'OUT' values = site inside restricted contour.