

Proposed Minor Change

In accordance with Section 73.3517(e), this application is being filed concurrently and contingent with the application of KLLR, Dripping Springs, TX, which specifies a move to a new site in order to maintain the minimum distance separation requirements of Section 73.207 between KLLR (CH 220A) and KVLR (CH 223C3) of 42 km.

This minor change application specifies an upgrade to Class C3 and a move to a new site as is indicated below:

	Licensed	Minor Change
Channel	223	223
Class	A	C3
ERP	2.8 kW (H&V, non-da)	23.0 kW (H&V, non-da)
HAAT	149 m	104 m
Geographical Coordinates	30 19 23 / 97 47 58	30 08 20 / 97 37 05
ASRN	1013180	1223054
Site AMSL	249 m	183 m
Tower AGL	375 m	81 m *
COR AGL	118 m	79 m
COR AMSL	367.3 m	262 m

* Applicant proposes to increase the height of the existing 74 meter tower by 7 meters to 81 m AGL.

The below listed pages of this exhibit contains information as indicated.

Page 2 Tabulation of HAAT / distance to 1 mV/m contour
Page 3 Existing and proposed 1 mV/m contour coverage map
Page 4 Allocation study


Tabulation of HAAT / distance to 1 mV/m contour

CH 223 30 08 20 / 97 37 05 23.0 kW ERP (H&V, non-da) 262 m COR AMSL 104 m HAAT

Azi.	AV EL	HAAT	ERP kW	dBk	Field	70-F5	60-F5
000	138.7	123.3	23.0000	13.62	1.000	25.04	41.76
010	140.2	121.8	23.0000	13.62	1.000	24.91	41.57
020	137.7	124.3	23.0000	13.62	1.000	25.12	41.89
030	133.3	128.7	23.0000	13.62	1.000	25.48	42.46
040	132.3	129.7	23.0000	13.62	1.000	25.56	42.58
045	132.5	129.5	23.0000	13.62	1.000	25.54	42.56
050	132.5	129.5	23.0000	13.62	1.000	25.54	42.56
060	128.6	133.4	23.0000	13.62	1.000	25.86	43.07
070	134.7	127.3	23.0000	13.62	1.000	25.37	42.28
080	152.5	109.5	23.0000	13.62	1.000	23.79	39.89
090	161.5	100.5	23.0000	13.62	1.000	22.85	38.50
100	151.0	111.0	23.0000	13.62	1.000	23.95	40.12
110	145.6	116.4	23.0000	13.62	1.000	24.45	40.87
120	149.3	112.7	23.0000	13.62	1.000	24.11	40.36
130	149.6	112.4	23.0000	13.62	1.000	24.08	40.32
135	152.4	109.6	23.0000	13.62	1.000	23.81	39.92
140	152.5	109.5	23.0000	13.62	1.000	23.80	39.90
150	156.8	105.2	23.0000	13.62	1.000	23.35	39.25
160	158.5	103.5	23.0000	13.62	1.000	23.18	38.98
170	161.9	100.1	23.0000	13.62	1.000	22.80	38.43
180	165.1	96.9	23.0000	13.62	1.000	22.44	37.89
190	164.1	97.9	23.0000	13.62	1.000	22.55	38.06
200	168.1	93.9	23.0000	13.62	1.000	22.10	37.38
210	175.9	86.1	23.0000	13.62	1.000	21.16	35.94
220	181.9	80.1	23.0000	13.62	1.000	20.40	34.75
225	183.5	78.5	23.0000	13.62	1.000	20.19	34.42
230	183.8	78.2	23.0000	13.62	1.000	20.15	34.36
240	182.3	79.7	23.0000	13.62	1.000	20.34	34.67
250	182.4	79.6	23.0000	13.62	1.000	20.34	34.66
260	178.0	84.0	23.0000	13.62	1.000	20.89	35.53
270	171.3	90.7	23.0000	13.62	1.000	21.71	36.79
280	169.6	92.4	23.0000	13.62	1.000	21.92	37.11
290	170.5	91.5	23.0000	13.62	1.000	21.81	36.94
300	164.3	97.7	23.0000	13.62	1.000	22.53	38.03
310	162.9	99.1	23.0000	13.62	1.000	22.70	38.27
315	156.7	105.3	23.0000	13.62	1.000	23.37	39.27
320	148.9	113.1	23.0000	13.62	1.000	24.15	40.42
330	141.3	120.7	23.0000	13.62	1.000	24.83	41.44
340	136.0	126.0	23.0000	13.62	1.000	25.26	42.11
350	130.3	131.7	23.0000	13.62	1.000	25.73	42.85

(yellow highlighted values establish average HAAT)

Licensed and Proposed 1 mV/m contour



Allocation Study

CH 223 C3 30 08 20 / 97 37 05 23.0 kW ERP (H&V, non-da) 262 m COR AMSL 104 m HAAT

Call	Channel	Location	Azi	Dist	FCC	Margin
------	---------	----------	-----	------	-----	--------

Reference station:

KVLR	LIC-N	223A	Sunset Valley	TX	319.6	26.86		
KALD	LIC-N	220C2	Caldwell	TX	61.1	106.78	55.5	51.3
KLLR	CP -N	220A	Dripping Springs	TX	277.7	44.04	41.5	2.5
KLLR	LIC-Z	220A	Dripping Springs	TX	279.9	38.55	41.5	-3.0
KLLR	PROPOSED	220A	Dripping Springs	TX	277.1	55.60	41.5	14.1
VA8855	VAC	220A	Gonzales	TX	167.3	72.21	41.5	30.7
KYLR	LIC-N	221A	Hutto	TX	4.6	43.99	41.5	2.5
KNBT	LIC-Z	221A	New Braunfels	TX	226.9	66.31	41.5	24.8
KNRG	LIC	222A	New Ulm	TX	106.0	98.30	88.5	9.8
KRNH	LIC-N	222C2	Kerrville	TX	266.8	139.44	116.5	22.9
KIIZ-FM	LIC	222A	Killeen	TX	357.7	107.53	88.5	19.0
KYKM%	LIC	223A	Yoakum	TX	154.8	96.57	141.5	-44.9
KKHA	CP -N	223C3	Markham	TX	134.1	200.55	152.5	48.1
KRPT	LIC	223C2	Devine	TX	226.1	193.13	176.5	16.6
KWUP	LIC-N	223A	Navasota	TX	76.0	155.21	141.5	13.7
KZOS-LP	LIC	223L1	San Marcos	TX	226.8	37.84	77.5	-39.7
KZPS	LIC	223C	Dallas	TX	12.6	278.55	236.5	42.1
KKHA	LIC	223A	Markham	TX	134.1	200.53	141.5	59.0
1549770	APP	224C3	Mullin	TX	328.4	172.45	98.5	74.0
KROM	LIC-N	225C1	San Antonio	TX	213.2	114.40	75.5	38.9
KDRP-LP	LIC	276L1	Dripping Springs	TX	277.6	44.04	8.5	35.5

KLLR (CP) will be surrendered concurrently with the filing of this application.
KLLR proposed site is fully spaced to the proposed C3 facility of KVLR.
KYKM has moved to CH 232.