


Table 1**K268BU Minor Change To Licensed Facility (to CH270), July 12, 2009****Channel Study**

Chan	Class	Call Letters	Type	Status	City	State	Country	Owner	Distance (km)	Bearing TO (deg)	Req. Dist. (km)	Clearance (km)
216	A	KAIZ	FM	LIC	MESQUITE	NV	US	EDUCATIONAL MEDIA FOUNDATION	37.1	266.6	10.0	27.1
217	C3	KXDS	FM	APP	SANTA CLARA	UT	US	DIXIE COLLEGE	34.6	103.0	12.0	22.6
217	C3	KXDS	FM	LIC	ST. GEORGE	UT	US	DIXIE COLLEGE	34.6	103.0	12.0	22.6
268	D	K268BU	FX	LIC	LAS VEGAS	NV	US	ONDAS DE VIDA NETWORK, INC.	9.5	237.5	2.6	6.9
268	D	K268BH	FX	LIC	MESQUITE	NV	US	CANYON MEDIA GROUP, LLC	22.2	216.9	8.0	14.2
268	D	K268BT	FX	CP	SHIVWITS	UT	US	WOODS COVE, LTD	25.7	0.5	7.1	18.6
269	D	K269AF	FX	LIC	HURRICANE	UT	US	CCR-ST. GEORGE IV, LLC	59.9	60.5	23.4	36.5
269	C0	KCLS	FM	CP	PIOCHE	NV	US	COLLEGE CREEK MEDIA, LLC	125.4	330.3	84.8	40.6
270	L1	KTIM-LP	FL	LIC	ST. GEORGE	UT	US	WASTECON ENVIRONMENTAL LLC	33.8	45.9	29.4	4.4
270	C	KWID	FM	LIC	LAS VEGAS	NV	US	TEXAS LOTUS CORP.	143.3	225.5	118.9	24.3
270	C	KWID	FM	CP	LAS VEGAS	NV	US	TEXAS LOTUS CORP.	143.4	225.5	123.1	20.3
272	D	K272AQ	FX	LIC	ST. GEORGE	UT	US	CCR-ST. GEORGE IV, LLC	31.0	58.4	8.5	22.5
273	D	K273EZ	FX	LIC	MESQUITE	NV	US	LEGACY EDUCATION FOUNDATION	22.2	216.9	8.0	14.2



K268BU LAS VEGAS, NV: MINOR CHANGE TO LICENSED FACILITY
 Minor change showing overlap of 60 dBu contours

Figure 1



Radiofrequency Electromagnetic Exposure Analysis

Source	Height AGL(m)	Antenna type	Bays	Horizontal ERP (kw)	Vertical ERP (kw)	Power Density $\mu\text{W}/\text{cm}^2$ at 2 meters AGL				
						within 10 meters distance	% controlled environment limit (1000 $\mu\text{W}/\text{cm}^2$)	Max. PD	% uncontrolled environment limit (200 $\mu\text{W}/\text{cm}^2$)	Distance to maximum PD (m)
PROPOSED	9	SHI 6812B	1	0.250	0.250	72.6	7.3%	72.6	36.3%	7.2
						72.6	7.3%	72.6	36.3%	7.2

The proposed facility is excluded from environmental processing under 47. C.F.R. Section 1.1306 (i.e., The facility will not have a significant environmental impact and complies with the maximum permissible radiofrequency electromagnetic exposure limits for controlled and uncontrolled environments).

Calculations made using Equation 10 from OET Bulletin 65 and elevation pattern provided by antenna manufacturer