

Exhibit #13

Magpie Communications of Oklahoma, LLC

Antenna Elevation Data

Ground Plane Vertically Polarized FM Antenna

Frequency = 92.1 Mhz ERP Watts = 200
Interfering Contour 102.5 dBu (50,10)

Degrees	Rel. Field	Power	Distance to Contour	Degrees	Rel. Field	Power	Distance to Contour
1	1.000	200.0	743.9008	46	0.650	84.5	483.5355
2	0.999	199.6	743.1569	47	0.637	81.2	473.8648
3	0.998	199.2	742.4130	48	0.624	77.9	464.1941
4	0.996	198.4	740.9251	49	0.610	74.4	453.7795
5	0.992	196.8	737.9495	50	0.597	71.3	444.1087
6	0.990	196.0	736.4617	51	0.583	68.0	433.6941
7	0.986	194.4	733.4861	52	0.570	65.0	424.0234
8	0.983	193.3	731.2544	53	0.555	61.6	412.8649
9	0.979	191.7	728.2788	54	0.541	58.5	402.4503
10	0.976	190.5	726.0471	55	0.527	55.5	392.0357
11	0.972	189.0	723.0715	56	0.513	52.6	381.6211
12	0.967	187.0	719.3520	57	0.499	49.8	371.2065
13	0.962	185.1	715.6325	58	0.485	47.0	360.7919
14	0.957	183.2	711.9130	59	0.470	44.2	349.6334
15	0.952	181.3	708.1935	60	0.456	41.6	339.2187
16	0.946	179.0	703.7301	61	0.441	38.9	328.0602
17	0.940	176.7	699.2667	62	0.426	36.3	316.9017
18	0.933	174.1	694.0594	63	0.411	33.8	305.7432
19	0.927	171.9	689.5960	64	0.397	31.5	295.3286
20	0.920	169.3	684.3887	65	0.382	29.2	284.1701
21	0.913	166.7	679.1814	66	0.367	26.9	273.0116
22	0.906	164.2	673.9741	67	0.352	24.8	261.8531
23	0.897	160.9	667.2790	68	0.337	22.7	250.6946
24	0.889	158.1	661.3278	69	0.322	20.7	239.5360
25	0.881	155.2	655.3766	70	0.307	18.8	228.3775
26	0.872	152.1	648.6815	71	0.291	16.9	216.4751
27	0.863	149.0	641.9863	72	0.276	15.2	205.3166
28	0.854	145.9	635.2912	73	0.261	13.6	194.1581
29	0.844	142.5	627.8522	74	0.246	12.1	182.9996
30	0.835	139.4	621.1571	75	0.231	10.7	171.8411
31	0.825	136.1	613.7181	76	0.215	9.2	159.9387
32	0.815	132.8	606.2791	77	0.200	8.0	148.7802
33	0.805	129.6	598.8401	78	0.185	6.8	137.6216
34	0.794	126.1	590.6572	79	0.169	5.7	125.7192
35	0.783	122.6	582.4743	80	0.154	4.7	114.5607
36	0.772	119.2	574.2914	81	0.139	3.9	103.4022
37	0.760	115.5	565.3646	82	0.123	3.0	91.4998
38	0.749	112.2	557.1817	83	0.108	2.3	80.3413
39	0.737	108.6	548.2549	84	0.092	1.7	68.4389
40	0.725	105.1	539.3280	85	0.077	1.2	57.2804
41	0.713	101.7	530.4012	86	0.062	0.8	46.1218
42	0.701	98.3	521.4744	87	0.046	0.4	34.2194
43	0.689	94.9	512.5476	88	0.031	0.2	23.0609
44	0.676	91.4	502.8769	89	0.015	0.0	11.1585
45	0.663	87.9	493.2062	90	0.010	0.0	0.0000