

Protected Station: KOLT, 1320 kHz - SCOTTSBLUFF, NE, US [41-51-50 N, 103-42-20 W]  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.585	100.0
KXYZ	1320	3.265	91.0
-----	50%	-----	
KFKA	1310	2.096	43.2
CHMB/A	1320	1.988	37.6
KHRT	1320	1.908	33.8
KWHN	1320	1.812	30.4
KLWN	1320	1.775	28.4
KNSS	1330	1.757	27.1
-----	25%	-----	
KSDT	1320	1.608	23.9
WJAS	1320	1.359	19.7
KSIV	1320	1.288	18.3
WGOC	1320	1.248	17.4
WJNJ	1320	1.171	16.1
WKAN	1320	1.140	15.5
KPTY	1330	1.000	13.4
WAGY	1320	0.971	12.9
WCVG	1320	0.952	12.5
WCOG	1320	0.913	11.9
KELO	1320	0.874	11.3
KXRO	1320	0.788	10.1

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.537	100.0
KXYZ	1320	3.265	92.2
-----	50%	-----	
KFKA	1310	2.096	43.5
CHMB/A	1320	1.988	37.8
KHRT	1320	1.908	33.9
KWHN	1320	1.812	30.5
KLWN	1320	1.775	28.6
KNSS	1330	1.757	27.2
-----	25%	-----	
KSDT	1320	1.608	24.0
WJAS	1320	1.359	19.7
KSIV	1320	1.288	18.3
WGOC	1320	1.248	17.5
WJNJ	1320	1.171	16.1
WKAN	1320	1.140	15.5
KPTY	1330	1.000	13.4
WAGY	1320	0.971	12.9
WCVG	1320	0.952	12.6
WCOG	1320	0.913	11.9
KELO	1320	0.874	11.4
KXRO	1320	0.788	10.2

Protected Station: KOLT (0), 1320 kHz - SCOTTSBLUFF, NE, US [41-56-48.29 N, 103-42-20 W]  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.565	100.0
KXYZ	1320	3.222	90.3
-----	50%	-----	
KFKA	1310	2.107	43.8
CHMB/A	1320	2.029	38.6
KHRT	1320	1.942	34.5
KWHN	1320	1.865	31.3
KLWN	1320	1.760	28.2
KNSS	1330	1.743	26.8
-----	25%	-----	
KSDT	1320	1.575	23.4
WJAS	1320	1.348	19.5

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.523	100.0
KXYZ	1320	3.222	91.4
-----	50%	-----	
KFKA	1310	2.107	44.1
CHMB/A	1320	2.029	38.8
KHRT	1320	1.942	34.6
KWHN	1320	1.865	31.4
KLWN	1320	1.760	28.3
KNSS	1330	1.743	26.9
-----	25%	-----	
KSDT	1320	1.575	23.5
WJAS	1320	1.348	19.6

KSIV	1320	1.281	18.2	KSIV	1320	1.281	18.2
WGOC	1320	1.240	17.3	WGOC	1320	1.240	17.4
WJNJ	1320	1.167	16.1	WJNJ	1320	1.167	16.1
WKAN	1320	1.128	15.3	WKAN	1320	1.128	15.4
KPTY	1330	1.004	13.5	KPTY	1330	1.004	13.5
WAGY	1320	0.965	12.8	WAGY	1320	0.965	12.9
WCVG	1320	0.948	12.5	WCVG	1320	0.948	12.5
WCOG	1320	0.909	11.9	WCOG	1320	0.909	11.9
KELO	1320	0.881	11.4	KELO	1320	0.881	11.5
KXRO	1320	0.800	10.3	KXRO	1320	0.800	10.3

-----

Protected Station: KOLT (5), 1320 kHz - SCOTTSBLUFF, NE, US [41-58-01.94 N, 103-41-36  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.552	100.0	*KNIT-PRO	1320	3.513	100.0
KXYZ	1320	3.213	90.4	KXYZ	1320	3.213	91.4
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.108	44.0	KFKA	1310	2.108	44.2
CHMB/A	1320	2.040	38.9	CHMB/A	1320	2.040	39.1
KHRT	1320	1.952	34.7	KHRT	1320	1.952	34.9
KWHN	1320	1.886	31.7	KWHN	1320	1.886	31.8
KLWN	1320	1.760	28.2	KLWN	1320	1.760	28.3
KNSS	1330	1.742	26.8	KNSS	1330	1.742	26.9
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.566	23.3	KSDT	1320	1.566	23.4
WJAS	1320	1.347	19.5	WJAS	1320	1.347	19.6
KSIV	1320	1.281	18.2	KSIV	1320	1.281	18.2
WGOC	1320	1.239	17.3	WGOC	1320	1.239	17.4
WJNJ	1320	1.168	16.1	WJNJ	1320	1.168	16.1
WKAN	1320	1.127	15.3	WKAN	1320	1.127	15.3
KPTY	1330	1.007	13.5	KPTY	1330	1.007	13.5
WAGY	1320	0.964	12.8	WAGY	1320	0.964	12.9
WCVG	1320	0.948	12.5	WCVG	1320	0.948	12.5
WCOG	1320	0.910	11.9	WCOG	1320	0.910	11.9
KELO	1320	0.888	11.5	KELO	1320	0.888	11.6
KXRO	1320	0.803	10.3	KXRO	1320	0.803	10.4

-----

Protected Station: KOLT (10), 1320 kHz - SCOTTSBLUFF, NE, US [41-58-59.79 N, 103-40-3  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
------	---------------	-----------------	-----	------	---------------	-----------------	-----

*KNIT	1320	3.538	100.0	*KNIT-PRO	1320	3.500	100.0
KXYZ	1320	3.205	90.6	KXYZ	1320	3.205	91.5
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.104	44.0	KFKA	1310	2.104	44.3
CHMB/A	1320	2.048	39.2	CHMB/A	1320	2.048	39.4
KHRT	1320	1.961	34.9	KHRT	1320	1.961	35.1
KWHN	1320	1.907	32.1	KWHN	1320	1.907	32.2
KLWN	1320	1.761	28.2	KLWN	1320	1.761	28.3
KNSS	1330	1.743	26.8	KNSS	1330	1.743	26.9
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.559	23.2	KSDT	1320	1.559	23.3
WJAS	1320	1.347	19.5	WJAS	1320	1.347	19.6
KSIV	1320	1.282	18.2	KSIV	1320	1.282	18.3
WGOC	1320	1.239	17.3	WGOC	1320	1.239	17.4
WJNJ	1320	1.168	16.1	WJNJ	1320	1.168	16.1
WKAN	1320	1.126	15.3	WKAN	1320	1.126	15.3
KPTY	1330	1.010	13.6	KPTY	1330	1.010	13.6
WAGY	1320	0.964	12.8	WAGY	1320	0.964	12.9
WCVG	1320	0.949	12.5	WCVG	1320	0.949	12.5
WCOG	1320	0.910	11.9	WCOG	1320	0.910	11.9
KELO	1320	0.895	11.6	KELO	1320	0.895	11.7
KXRO	1320	0.804	10.4	KXRO	1320	0.804	10.4

Protected Station: KOLT (15), 1320 kHz - SCOTTSBLUFF, NE, US [41-59-34.08 N, 103-39-3  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.528	100.0
KXYZ	1320	3.201	90.7
-----	50%	-----	
KFKA	1310	2.098	44.0
CHMB/A	1320	2.054	39.4
KHRT	1320	1.966	35.1
KWHN	1320	1.925	32.4
KLWN	1320	1.764	28.2
KNSS	1330	1.746	26.9
-----	25%	-----	
KSDT	1320	1.555	23.1
WJAS	1320	1.348	19.5
KSIV	1320	1.284	18.2
WGOC	1320	1.240	17.3
WJNJ	1320	1.169	16.1
WKAN	1320	1.127	15.3
KPTY	1330	1.013	13.6
WAGY	1320	0.965	12.8
WCVG	1320	0.950	12.5

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.487	100.0
KXYZ	1320	3.201	91.8
-----	50%	-----	
KFKA	1310	2.098	44.3
CHMB/A	1320	2.054	39.6
KHRT	1320	1.966	35.2
KWHN	1320	1.925	32.5
KLWN	1320	1.764	28.3
KNSS	1330	1.746	27.0
-----	25%	-----	
KSDT	1320	1.555	23.2
WJAS	1320	1.348	19.6
KSIV	1320	1.284	18.3
WGOC	1320	1.240	17.4
WJNJ	1320	1.169	16.1
WKAN	1320	1.127	15.4
KPTY	1330	1.013	13.6
WAGY	1320	0.965	12.9
WCVG	1320	0.950	12.6

WCOG	1320	0.911	11.9	WCOG	1320	0.911	11.9
KELO	1320	0.902	11.7	KELO	1320	0.902	11.7
KXRO	1320	0.805	10.4	KXRO	1320	0.805	10.4
				KOZY	1320	0.775	10.0

-----

Protected Station: KOLT (20), 1320 kHz - SCOTTSBLUFF, NE, US [41-59-47.07 N, 103-38-2  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.516	100.0	*KNIT-PRO	1320	3.476	100.0
KXYZ	1320	3.200	91.0	KXYZ	1320	3.200	92.0
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.091	43.9	KFKA	1310	2.091	44.2
CHMB/A	1320	2.056	39.5	CHMB/A	1320	2.056	39.7
KHRT	1320	1.969	35.2	KHRT	1320	1.969	35.4
KWHN	1320	1.941	32.7	KWHN	1320	1.941	32.8
KLWN	1320	1.769	28.3	KLWN	1320	1.769	28.4
KNSS	1330	1.751	27.0	KNSS	1330	1.751	27.1
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.554	23.1	KSDT	1320	1.554	23.2
WJAS	1320	1.350	19.5	WJAS	1320	1.350	19.6
KSIV	1320	1.286	18.3	KSIV	1320	1.286	18.3
WGOC	1320	1.242	17.3	WGOC	1320	1.242	17.4
WJNJ	1320	1.171	16.1	WJNJ	1320	1.171	16.2
WKAN	1320	1.129	15.3	WKAN	1320	1.129	15.4
KPTY	1330	1.016	13.6	KPTY	1330	1.016	13.7
WAGY	1320	0.966	12.8	WAGY	1320	0.966	12.9
WCVG	1320	0.951	12.5	WCVG	1320	0.951	12.6
WCOG	1320	0.912	11.9	WCOG	1320	0.912	12.0
KELO	1320	0.904	11.7	KELO	1320	0.904	11.8
KXRO	1320	0.805	10.4	KXRO	1320	0.805	10.4
				KOZY	1320	0.775	10.0

-----

Protected Station: KOLT (25), 1320 kHz - SCOTTSBLUFF, NE, US [41-59-41.17 N, 103-37-2  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.506	100.0	*KNIT-PRO	1320	3.466	100.0
KXYZ	1320	3.201	91.3	KXYZ	1320	3.201	92.3
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.087	43.9	KFKA	1310	2.087	44.2

CHMB/A	1320	2.055	39.6	CHMB/A	1320	2.055	39.8
KHRT	1320	1.970	35.3	KHRT	1320	1.970	35.4
KWHN	1320	1.952	32.9	KWHN	1320	1.952	33.1
KLWN	1320	1.773	28.4	KLWN	1320	1.773	28.5
KNSS	1330	1.756	27.1	KNSS	1330	1.756	27.1
----- 25% -----				----- 25% -----			
KSDT	1320	1.554	23.1	KSDT	1320	1.554	23.2
WJAS	1320	1.352	19.6	WJAS	1320	1.352	19.6
KSIV	1320	1.289	18.3	KSIV	1320	1.289	18.4
WGOC	1320	1.244	17.4	WGOC	1320	1.244	17.4
WJNJ	1320	1.172	16.1	WJNJ	1320	1.172	16.2
WKAN	1320	1.132	15.4	WKAN	1320	1.132	15.4
KPTY	1330	1.019	13.7	KPTY	1330	1.019	13.7
WAGY	1320	0.968	12.9	WAGY	1320	0.968	12.9
WCVG	1320	0.953	12.6	WCVG	1320	0.953	12.6
WCOG	1320	0.914	11.9	WCOG	1320	0.914	12.0
KELO	1320	0.904	11.7	KELO	1320	0.904	11.8
KXRO	1320	0.804	10.4	KXRO	1320	0.804	10.4

-----

Protected Station: KOLT (30), 1320 kHz - SCOTTSBLUFF, NE, US [41-59-18.74 N, 103-36-3  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
-----			
*KNIT	1320	3.498	100.0
KXYZ	1320	3.204	91.5
----- 50% -----			
KFKA	1310	2.082	43.8
CHMB/A	1320	2.052	39.6
KHRT	1320	1.968	35.3
KWHN	1320	1.959	33.1
KLWN	1320	1.778	28.5
KNSS	1330	1.759	27.1
----- 25% -----			
KSDT	1320	1.557	23.2
WJAS	1320	1.355	19.6
KSIV	1320	1.291	18.3
WGOC	1320	1.246	17.4
WJNJ	1320	1.174	16.2
WKAN	1320	1.135	15.4
KPTY	1330	1.021	13.7
WAGY	1320	0.969	12.9
WCVG	1320	0.955	12.6
WCOG	1320	0.915	12.0
KELO	1320	0.902	11.7
KXRO	1320	0.802	10.3

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
-----			
*KNIT-PRO	1320	3.458	100.0
KXYZ	1320	3.204	92.6
----- 50% -----			
KFKA	1310	2.082	44.1
CHMB/A	1320	2.052	39.8
KHRT	1320	1.968	35.4
KWHN	1320	1.959	33.2
KLWN	1320	1.778	28.6
KNSS	1330	1.759	27.2
----- 25% -----			
KSDT	1320	1.557	23.2
WJAS	1320	1.355	19.7
KSIV	1320	1.291	18.4
WGOC	1320	1.246	17.5
WJNJ	1320	1.174	16.2
WKAN	1320	1.135	15.4
KPTY	1330	1.021	13.7
WAGY	1320	0.969	12.9
WCVG	1320	0.955	12.6
WCOG	1320	0.915	12.0
KELO	1320	0.902	11.7
KXRO	1320	0.802	10.4

Protected Station: KOLT (35), 1320 kHz - SCOTTSBLUFF, NE, US [41-58-41.58 N, 103-35-5  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.498	100.0
KXYZ	1320	3.210	91.7
-----	50%	-----	
KFKA	1310	2.076	43.7
CHMB/A	1320	2.047	39.5
KHRT	1320	1.964	35.2
KWHN	1320	1.960	33.1
KLWN	1320	1.783	28.6
KNSS	1330	1.765	27.2
-----	25%	-----	
KSDT	1320	1.561	23.2
WJAS	1320	1.358	19.7
KSIV	1320	1.294	18.4
WGOC	1320	1.248	17.4
WJNJ	1320	1.175	16.2
WKAN	1320	1.138	15.4
KPTY	1330	1.021	13.7
WAGY	1320	0.971	12.9
WCVG	1320	0.956	12.6
WCOG	1320	0.916	12.0
KELO	1320	0.901	11.7
KXRO	1320	0.801	10.3

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.453	100.0
KXYZ	1320	3.210	92.9
-----	50%	-----	
KFKA	1310	2.076	44.0
CHMB/A	1320	2.047	39.7
KHRT	1320	1.964	35.4
KWHN	1320	1.960	33.3
KLWN	1320	1.783	28.7
KNSS	1330	1.765	27.3
-----	25%	-----	
KSDT	1320	1.561	23.3
WJAS	1320	1.358	19.7
KSIV	1320	1.294	18.4
WGOC	1320	1.248	17.5
WJNJ	1320	1.175	16.2
WKAN	1320	1.138	15.5
KPTY	1330	1.021	13.7
WAGY	1320	0.971	12.9
WCVG	1320	0.956	12.6
WCOG	1320	0.916	12.0
KELO	1320	0.901	11.7
KXRO	1320	0.801	10.3

Protected Station: KOLT (40), 1320 kHz - SCOTTSBLUFF, NE, US [41-57-51.06 N, 103-35-3  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.498	100.0
KXYZ	1320	3.217	91.9
-----	50%	-----	
KFKA	1310	2.071	43.5
CHMB/A	1320	2.041	39.3
KHRT	1320	1.960	35.1
KWHN	1320	1.956	33.1
KLWN	1320	1.787	28.7
KNSS	1330	1.769	27.3
-----	25%	-----	
KSDT	1320	1.566	23.3

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.452	100.0
KXYZ	1320	3.217	93.1
-----	50%	-----	
KFKA	1310	2.071	43.8
CHMB/A	1320	2.041	39.5
KHRT	1320	1.960	35.3
KWHN	1320	1.956	33.2
KLWN	1320	1.787	28.8
KNSS	1330	1.769	27.4
-----	25%	-----	
KSDT	1320	1.566	23.4

WJAS	1320	1.360	19.7	WJAS	1320	1.360	19.8
KSIV	1320	1.296	18.4	KSIV	1320	1.296	18.5
WGOC	1320	1.250	17.4	WGOC	1320	1.250	17.5
WJNJ	1320	1.177	16.2	WJNJ	1320	1.177	16.2
WKAN	1320	1.141	15.5	WKAN	1320	1.141	15.5
KPTY	1330	1.021	13.7	KPTY	1330	1.021	13.7
WAGY	1320	0.972	12.9	WAGY	1320	0.972	12.9
WCVG	1320	0.958	12.6	WCVG	1320	0.958	12.6
WCOG	1320	0.917	12.0	WCOG	1320	0.917	12.0
KELO	1320	0.899	11.7	KELO	1320	0.899	11.7
KXRO	1320	0.798	10.3	KXRO	1320	0.798	10.3

-----

Protected Station: KOLT (45), 1320 kHz - SCOTTSBLUFF, NE, US [41-56-48.94 N, 103-35-3  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
-----							
*KNIT	1320	3.499	100.0	*KNIT-PRO	1320	3.456	100.0
KXYZ	1320	3.226	92.1	KXYZ	1320	3.226	93.3
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.072	43.5	KFKA	1310	2.072	43.8
CHMB/A	1320	2.032	39.1	CHMB/A	1320	2.032	39.3
KHRT	1320	1.952	35.0	KHRT	1320	1.952	35.1
KWHN	1320	1.944	32.9	KWHN	1320	1.944	33.0
KLWN	1320	1.790	28.7	KLWN	1320	1.790	28.8
KNSS	1330	1.772	27.3	KNSS	1330	1.772	27.4
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.573	23.4	KSDT	1320	1.573	23.5
WJAS	1320	1.362	19.7	WJAS	1320	1.362	19.8
KSIV	1320	1.298	18.4	KSIV	1320	1.298	18.5
WGOC	1320	1.251	17.5	WGOC	1320	1.251	17.5
WJNJ	1320	1.177	16.2	WJNJ	1320	1.177	16.2
WKAN	1320	1.143	15.5	WKAN	1320	1.143	15.6
KPTY	1330	1.020	13.7	KPTY	1330	1.020	13.7
WAGY	1320	0.973	12.9	WAGY	1320	0.973	13.0
WCVG	1320	0.958	12.6	WCVG	1320	0.958	12.6
WCOG	1320	0.918	12.0	WCOG	1320	0.918	12.0
KELO	1320	0.897	11.6	KELO	1320	0.897	11.6
KXRO	1320	0.796	10.2	KXRO	1320	0.796	10.3

-----

Protected Station: KOLT (50), 1320 kHz - SCOTTSBLUFF, NE, US [41-55-39.09 N, 103-36-1  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Freq	Limit	Freq	Limit
------	-------	------	-------

Call	(kHz)	(mV/m)	(%)	Call	(kHz)	(mV/m)	(%)
*KNIT	1320	3.510	100.0	*KNIT-PRO	1320	3.465	100.0
KXYZ	1320	3.235	92.1	KXYZ	1320	3.235	93.3
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.073	43.4	KFKA	1310	2.073	43.7
CHMB/A	1320	2.022	38.8	CHMB/A	1320	2.022	39.0
KHRT	1320	1.942	34.7	KHRT	1320	1.942	34.9
KWHN	1320	1.925	32.5	KWHN	1320	1.925	32.7
KLWN	1320	1.791	28.7	KLWN	1320	1.791	28.9
KNSS	1330	1.774	27.4	KNSS	1330	1.774	27.5
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.581	23.5	KSDT	1320	1.581	23.6
WJAS	1320	1.364	19.7	WJAS	1320	1.364	19.8
KSIV	1320	1.298	18.4	KSIV	1320	1.298	18.5
WGOC	1320	1.252	17.5	WGOC	1320	1.252	17.5
WJNJ	1320	1.177	16.2	WJNJ	1320	1.177	16.2
WKAN	1320	1.145	15.5	WKAN	1320	1.145	15.6
KPTY	1330	1.018	13.6	KPTY	1330	1.018	13.7
WAGY	1320	0.974	12.9	WAGY	1320	0.974	13.0
WCVG	1320	0.958	12.6	WCVG	1320	0.958	12.6
WCOG	1320	0.918	12.0	WCOG	1320	0.918	12.0
KELO	1320	0.893	11.6	KELO	1320	0.893	11.6
KXRO	1320	0.794	10.2	KXRO	1320	0.794	10.2

Protected Station: KOLT (55), 1320 kHz - SCOTTSBLUFF, NE, US [41-54-36.29 N, 103-37-0  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.522	100.0
KXYZ	1320	3.244	92.0
-----	50%	-----	
KFKA	1310	2.076	43.3
CHMB/A	1320	2.013	38.5
KHRT	1320	1.935	34.5
KWHN	1320	1.905	32.1
KLWN	1320	1.790	28.7
KNSS	1330	1.773	27.4
-----	25%	-----	
KSDT	1320	1.588	23.6
WJAS	1320	1.364	19.7
KSIV	1320	1.298	18.4
WGOC	1320	1.252	17.5
WJNJ	1320	1.177	16.2
WKAN	1320	1.145	15.5
KPTY	1330	1.015	13.6
WAGY	1320	0.974	12.9

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.477	100.0
KXYZ	1320	3.244	93.3
-----	50%	-----	
KFKA	1310	2.076	43.6
CHMB/A	1320	2.013	38.7
KHRT	1320	1.935	34.7
KWHN	1320	1.905	32.3
KLWN	1320	1.790	28.9
KNSS	1330	1.773	27.5
-----	25%	-----	
KSDT	1320	1.588	23.7
WJAS	1320	1.364	19.8
KSIV	1320	1.298	18.5
WGOC	1320	1.252	17.5
WJNJ	1320	1.177	16.2
WKAN	1320	1.145	15.6
KPTY	1330	1.015	13.6
WAGY	1320	0.974	13.0



WCVG	1320	0.958	12.6	WCVG	1320	0.958	12.6
WCOG	1320	0.917	12.0	WCOG	1320	0.917	12.0
KELO	1320	0.890	11.5	KELO	1320	0.890	11.6
KXRO	1320	0.792	10.2	KXRO	1320	0.792	10.2

-----

Protected Station: KOLT (60), 1320 kHz - SCOTTSBLUFF, NE, US [41-54-15.89 N, 103-36-4  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.520	100.0	*KNIT-PRO	1320	3.474	100.0
KXYZ	1320	3.247	92.2	KXYZ	1320	3.247	93.4
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.071	43.2	KFKA	1310	2.071	43.5
CHMB/A	1320	2.010	38.5	CHMB/A	1320	2.010	38.7
KHRT	1320	1.933	34.5	KHRT	1320	1.933	34.7
KWHN	1320	1.906	32.2	KWHN	1320	1.906	32.3
KLWN	1320	1.793	28.8	KLWN	1320	1.793	28.9
KNSS	1330	1.774	27.4	KNSS	1330	1.774	27.5
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.591	23.7	KSDT	1320	1.591	23.7
WJAS	1320	1.366	19.8	WJAS	1320	1.366	19.8
KSIV	1320	1.299	18.4	KSIV	1320	1.299	18.5
WGOC	1320	1.254	17.5	WGOC	1320	1.254	17.5
WJNJ	1320	1.178	16.2	WJNJ	1320	1.178	16.2
WKAN	1320	1.147	15.6	WKAN	1320	1.147	15.6
KPTY	1330	1.016	13.6	KPTY	1330	1.016	13.6
WAGY	1320	0.975	12.9	WAGY	1320	0.975	13.0
WCVG	1320	0.959	12.6	WCVG	1320	0.959	12.7
WCOG	1320	0.918	12.0	WCOG	1320	0.918	12.0
KELO	1320	0.891	11.5	KELO	1320	0.891	11.6
KXRO	1320	0.791	10.2	KXRO	1320	0.791	10.2

-----

Protected Station: KOLT (65), 1320 kHz - SCOTTSBLUFF, NE, US [41-54-35.39 N, 103-34-2  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.500	100.0	*KNIT-PRO	1320	3.449	100.0
KXYZ	1320	3.245	92.7	KXYZ	1320	3.245	94.0
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.058	43.1	KFKA	1310	2.058	43.4
CHMB/A	1320	2.014	38.7	CHMB/A	1320	2.014	38.9

KHRT	1320	1.938	34.7	KHRT	1320	1.938	34.9
KWHN	1320	1.936	32.8	KWHN	1320	1.936	32.9
KLWN	1320	1.801	29.0	KLWN	1320	1.801	29.1
KNSS	1330	1.784	27.5	KNSS	1330	1.784	27.7
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.588	23.6	KSDT	1320	1.588	23.7
WJAS	1320	1.370	19.8	WJAS	1320	1.370	19.9
KSIV	1320	1.304	18.5	KSIV	1320	1.304	18.6
WGOC	1320	1.257	17.5	WGOC	1320	1.257	17.6
WJNJ	1320	1.181	16.2	WJNJ	1320	1.181	16.3
WKAN	1320	1.151	15.6	WKAN	1320	1.151	15.7
KPTY	1330	1.021	13.7	KPTY	1330	1.021	13.7
WAGY	1320	0.978	13.0	WAGY	1320	0.978	13.0
WCVG	1320	0.962	12.7	WCVG	1320	0.962	12.7
WCOG	1320	0.921	12.0	WCOG	1320	0.921	12.0
KELO	1320	0.897	11.6	KELO	1320	0.897	11.6
KXRO	1320	0.790	10.2	KXRO	1320	0.790	10.2

-----

Protected Station: KOLT (70), 1320 kHz - SCOTTSBLUFF, NE, US [41-54-43.34 N, 103-31-4  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
-----	-----	-----	-----	-----	-----	-----	-----
*KNIT	1320	3.471	100.0	*KNIT-PRO	1320	3.423	100.0
KXYZ	1320	3.245	93.4	KXYZ	1320	3.245	94.8
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.040	42.9	KFKA	1310	2.040	43.2
CHMB/A	1320	2.016	38.9	CHMB/A	1320	2.016	39.2
KWHN	1320	1.971	35.5	KWHN	1320	1.971	35.7
KHRT	1320	1.942	32.9	KHRT	1320	1.942	33.1
KLWN	1320	1.814	29.2	KLWN	1320	1.814	29.3
KNSS	1330	1.797	27.8	KNSS	1330	1.797	27.9
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.586	23.6	KSDT	1320	1.586	23.7
WJAS	1320	1.376	19.9	WJAS	1320	1.376	20.0
KSIV	1320	1.311	18.6	KSIV	1320	1.311	18.7
WGOC	1320	1.262	17.6	WGOC	1320	1.262	17.7
WJNJ	1320	1.185	16.3	WJNJ	1320	1.185	16.3
WKAN	1320	1.157	15.7	WKAN	1320	1.157	15.7
KPTY	1330	1.028	13.8	KPTY	1330	1.028	13.8
WAGY	1320	0.981	13.0	WAGY	1320	0.981	13.0
WCVG	1320	0.967	12.7	WCVG	1320	0.967	12.7
WCOG	1320	0.924	12.0	WCOG	1320	0.924	12.1
KELO	1320	0.905	11.7	KELO	1320	0.905	11.7
KXRO	1320	0.789	10.1	KXRO	1320	0.789	10.2

Protected Station: KOLT (75), 1320 kHz - SCOTTSBLUFF, NE, US [41-54-27.55 N, 103-29-0  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.451	100.0
KXYZ	1320	3.249	94.1
-----	50%	-----	
KFKA	1310	2.021	42.6
CHMB/A	1320	2.015	39.1
KWHN	1320	1.999	36.1
KHRT	1320	1.943	33.0
KLWN	1320	1.826	29.4
KNSS	1330	1.808	27.9
-----	25%	-----	
KSDT	1320	1.587	23.6
WJAS	1320	1.382	20.0
KSIV	1320	1.318	18.7
WGOC	1320	1.266	17.7
WJNJ	1320	1.189	16.3
WKAN	1320	1.164	15.8
KPTY	1330	1.033	13.8
WAGY	1320	0.985	13.0
WCVG	1320	0.971	12.7
WCOG	1320	0.927	12.1
KELO	1320	0.913	11.8
KXRO	1320	0.787	10.1

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.399	100.0
KXYZ	1320	3.249	95.5
-----	50%	-----	
KFKA	1310	2.021	42.9
CHMB/A	1320	2.015	39.3
KWHN	1320	1.999	36.3
KHRT	1320	1.943	33.2
KLWN	1320	1.826	29.6
KNSS	1330	1.808	28.1
-----	25%	-----	
KSDT	1320	1.587	23.7
WJAS	1320	1.382	20.1
KSIV	1320	1.318	18.8
WGOC	1320	1.266	17.7
WJNJ	1320	1.189	16.4
WKAN	1320	1.164	15.8
KPTY	1330	1.033	13.9
WAGY	1320	0.985	13.1
WCVG	1320	0.971	12.8
WCOG	1320	0.927	12.1
KELO	1320	0.913	11.8
KXRO	1320	0.787	10.1

Protected Station: KOLT (80), 1320 kHz - SCOTTSBLUFF, NE, US [41-53-50.55 N, 103-26-5  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.431	100.0
KXYZ	1320	3.255	94.8
-----	50%	-----	
KWHN	1320	2.020	42.7
CHMB/A	1320	2.010	39.0
KFKA	1310	2.002	36.2
KHRT	1320	1.942	33.0
KLWN	1320	1.838	29.7
KNSS	1330	1.819	28.1
-----	25%	-----	
KSDT	1320	1.591	23.7
WJAS	1320	1.388	20.1

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.379	100.0
KXYZ	1320	3.255	96.3
-----	50%	-----	
KWHN	1320	2.020	43.0
CHMB/A	1320	2.010	39.3
KFKA	1310	2.002	36.4
KHRT	1320	1.942	33.2
KLWN	1320	1.838	29.8
KNSS	1330	1.819	28.3
-----	25%	-----	
KSDT	1320	1.591	23.8
WJAS	1320	1.388	20.2

KSIV	1320	1.325	18.8	KSIV	1320	1.325	18.9
WGOC	1320	1.271	17.7	WGOC	1320	1.271	17.8
WJNJ	1320	1.192	16.4	WJNJ	1320	1.192	16.4
WKAN	1320	1.171	15.8	WKAN	1320	1.171	15.9
KPTY	1330	1.038	13.9	KPTY	1330	1.038	13.9
WAGY	1320	0.988	13.1	WAGY	1320	0.988	13.1
WCVG	1320	0.975	12.8	WCVG	1320	0.975	12.8
WCOG	1320	0.931	12.1	WCOG	1320	0.931	12.1
KELO	1320	0.921	11.9	KELO	1320	0.921	11.9
KXRO	1320	0.784	10.0	KXRO	1320	0.784	10.1

-----

Protected Station: KOLT (85), 1320 kHz - SCOTTSBLUFF, NE, US [41-52-56.19 N, 103-25-0  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.420	100.0
KXYZ	1320	3.263	95.4
-----	50%	-----	
KWHN	1320	2.033	43.0
CHMB/A	1320	2.003	38.9
KFKA	1310	1.983	35.9
KHRT	1320	1.938	33.0
KLWN	1320	1.849	29.9
KNSS	1330	1.831	28.3
-----	25%	-----	
KSDT	1320	1.596	23.8
WJAS	1320	1.394	20.2
KSIV	1320	1.331	18.9
WGOC	1320	1.276	17.8
WJNJ	1320	1.196	16.4
WKAN	1320	1.177	15.9
KPTY	1330	1.042	13.9
WAGY	1320	0.992	13.1
WCVG	1320	0.979	12.8
WCOG	1320	0.934	12.1
KELO	1320	0.929	12.0
KXRO	1320	0.781	10.0

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.364	100.0
KXYZ	1320	3.263	96.9
-----	50%	-----	
KWHN	1320	2.033	43.3
CHMB/A	1320	2.003	39.2
KFKA	1310	1.983	36.1
KHRT	1320	1.938	33.2
KLWN	1320	1.849	30.0
KNSS	1330	1.831	28.5
-----	25%	-----	
KSDT	1320	1.596	23.9
WJAS	1320	1.394	20.3
KSIV	1320	1.331	19.0
WGOC	1320	1.276	17.8
WJNJ	1320	1.196	16.5
WKAN	1320	1.177	16.0
KPTY	1330	1.042	14.0
WAGY	1320	0.992	13.2
WCVG	1320	0.979	12.9
WCOG	1320	0.934	12.2
KELO	1320	0.929	12.0
KXRO	1320	0.781	10.0

-----

Protected Station: KOLT (90), 1320 kHz - SCOTTSBLUFF, NE, US [41-51-48.49 N, 103-23-4  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
------	---------------	-----------------	-----

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
------	---------------	-----------------	-----

*KNIT	1320	3.410	100.0	*KNIT-PRO	1320	3.353	100.0
KXYZ	1320	3.273	95.9	KXYZ	1320	3.273	97.6
-----	50%	-----		-----	50%	-----	
KWHN	1320	2.039	43.1	KWHN	1320	2.039	43.5
CHMB/A	1320	1.995	38.7	CHMB/A	1320	1.995	39.0
KFKA	1310	1.966	35.6	KFKA	1310	1.966	35.8
KHRT	1320	1.932	32.9	KHRT	1320	1.932	33.1
KLWN	1320	1.859	30.1	KLWN	1320	1.859	30.2
KNSS	1330	1.840	28.5	KNSS	1330	1.840	28.6
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.603	23.9	KSDT	1320	1.603	24.0
WJAS	1320	1.399	20.3	WJAS	1320	1.399	20.3
KSIV	1320	1.337	19.0	KSIV	1320	1.337	19.0
WGOC	1320	1.280	17.8	WGOC	1320	1.280	17.9
WJNJ	1320	1.199	16.4	WJNJ	1320	1.199	16.5
WKAN	1320	1.183	16.0	WKAN	1320	1.183	16.1
KPTY	1330	1.044	13.9	KPTY	1330	1.044	14.0
WAGY	1320	0.995	13.2	WAGY	1320	0.995	13.2
WCVG	1320	0.982	12.9	WCVG	1320	0.982	12.9
WCOG	1320	0.936	12.2	WCOG	1320	0.936	12.2
KELO	1320	0.936	12.1	KELO	1320	0.936	12.1
				KXRO	1320	0.778	10.0

Protected Station: KOLT (95), 1320 kHz - SCOTTSBLUFF, NE, US [41-50-31.66 N, 103-22-4  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.405	100.0	*KNIT-PRO	1320	3.347	100.0
KXYZ	1320	3.285	96.4	KXYZ	1320	3.285	98.1
-----	50%	-----		-----	50%	-----	
KWHN	1320	2.037	43.0	KWHN	1320	2.037	43.4
CHMB/A	1320	1.985	38.5	CHMB/A	1320	1.985	38.8
KFKA	1310	1.951	35.3	KFKA	1310	1.951	35.5
KHRT	1320	1.924	32.8	KHRT	1320	1.924	33.0
KLWN	1320	1.867	30.2	KLWN	1320	1.867	30.4
KNSS	1330	1.850	28.7	KNSS	1330	1.850	28.8
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.611	24.0	KSDT	1320	1.611	24.1
WJAS	1320	1.404	20.3	WJAS	1320	1.404	20.4
KSIV	1320	1.341	19.0	KSIV	1320	1.341	19.1
WGOC	1320	1.284	17.9	WGOC	1320	1.284	18.0
WJNJ	1320	1.201	16.5	WJNJ	1320	1.201	16.5
WKAN	1320	1.189	16.1	WKAN	1320	1.189	16.1
KPTY	1330	1.045	13.9	KPTY	1330	1.045	14.0
WAGY	1320	0.998	13.2	WAGY	1320	0.998	13.2
WCVG	1320	0.985	12.9	WCVG	1320	0.985	12.9

KELO	1320	0.942	12.2	KELO	1320	0.942	12.3
WCOG	1320	0.938	12.1	WCOG	1320	0.938	12.1

-----

Protected Station: KOLT (100), 1320 kHz - SCOTTSBLUFF, NE, US [41-49-10.07 N, 103-22-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.406	100.0	*KNIT-PRO	1320	3.346	100.0
KXYZ	1320	3.297	96.8	KXYZ	1320	3.297	98.5
-----	50%	-----		-----	50%	-----	
KWHN	1320	2.029	42.8	KWHN	1320	2.029	43.1
CHMB/A	1320	1.974	38.2	CHMB/A	1320	1.974	38.5
KFKA	1310	1.941	35.1	KFKA	1310	1.941	35.3
KHRT	1320	1.916	32.7	KHRT	1320	1.916	32.9
KLWN	1320	1.874	30.4	KLWN	1320	1.874	30.5
KNSS	1330	1.857	28.8	KNSS	1330	1.857	28.9
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.619	24.1	KSDT	1320	1.619	24.2
WJAS	1320	1.408	20.4	WJAS	1320	1.408	20.5
KSIV	1320	1.344	19.1	KSIV	1320	1.344	19.1
WGOC	1320	1.287	17.9	WGOC	1320	1.287	18.0
WJNJ	1320	1.203	16.5	WJNJ	1320	1.203	16.5
WKAN	1320	1.194	16.1	WKAN	1320	1.194	16.2
KPTY	1330	1.045	13.9	KPTY	1330	1.045	14.0
WAGY	1320	1.000	13.2	WAGY	1320	1.000	13.3
WCVG	1320	0.987	12.9	WCVG	1320	0.987	13.0
KELO	1320	0.948	12.3	KELO	1320	0.948	12.3
WCOG	1320	0.940	12.1	WCOG	1320	0.940	12.1

-----

Protected Station: KOLT (105), 1320 kHz - SCOTTSBLUFF, NE, US [41-47-48.30 N, 103-22-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.410	100.0	*KNIT-PRO	1320	3.349	100.0
KXYZ	1320	3.309	97.0	KXYZ	1320	3.309	98.7
-----	50%	-----		-----	50%	-----	
KWHN	1320	2.014	42.3	KWHN	1320	2.014	42.7
CHMB/A	1320	1.963	38.0	CHMB/A	1320	1.963	38.3
KFKA	1310	1.933	35.0	KFKA	1310	1.933	35.2
KHRT	1320	1.906	32.5	KHRT	1320	1.906	32.7
KLWN	1320	1.878	30.5	KLWN	1320	1.878	30.6

KNSS	1330	1.860	28.9	KNSS	1330	1.860	29.0
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.628	24.3	KSDT	1320	1.628	24.4
WJAS	1320	1.411	20.4	WJAS	1320	1.411	20.5
KSIV	1320	1.347	19.1	KSIV	1320	1.347	19.2
WGOC	1320	1.289	17.9	WGOC	1320	1.289	18.0
WJNJ	1320	1.204	16.5	WJNJ	1320	1.204	16.6
WKAN	1320	1.197	16.2	WKAN	1320	1.197	16.2
KPTY	1330	1.043	13.9	KPTY	1330	1.043	14.0
WAGY	1320	1.002	13.2	WAGY	1320	1.002	13.3
WCVG	1320	0.988	12.9	WCVG	1320	0.988	13.0
KELO	1320	0.951	12.3	KELO	1320	0.951	12.4
WCOG	1320	0.940	12.1	WCOG	1320	0.940	12.2

-----

Protected Station: KOLT (110), 1320 kHz - SCOTTSBLUFF, NE, US [41-46-31.04 N, 103-22-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.420	100.0	*KNIT-PRO	1320	3.358	100.0
KXYZ	1320	3.320	97.0	KXYZ	1320	3.320	98.8
-----	50%	-----		-----	50%	-----	
KWHN	1320	1.993	41.8	KWHN	1320	1.993	42.2
CHMB/A	1320	1.953	37.8	CHMB/A	1320	1.953	38.1
KFKA	1310	1.932	34.9	KFKA	1310	1.932	35.2
KHRT	1320	1.897	32.4	KHRT	1320	1.897	32.6
KLWN	1320	1.879	30.5	KLWN	1320	1.879	30.7
KNSS	1330	1.862	28.9	KNSS	1330	1.862	29.0
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.637	24.4	KSDT	1320	1.637	24.5
WJAS	1320	1.413	20.5	WJAS	1320	1.413	20.5
KSIV	1320	1.347	19.1	KSIV	1320	1.347	19.2
WGOC	1320	1.290	18.0	WGOC	1320	1.290	18.0
WJNJ	1320	1.204	16.5	WJNJ	1320	1.204	16.6
WKAN	1320	1.199	16.2	WKAN	1320	1.199	16.3
KPTY	1330	1.040	13.9	KPTY	1330	1.040	13.9
WAGY	1320	1.003	13.2	WAGY	1320	1.003	13.3
WCVG	1320	0.988	12.9	WCVG	1320	0.988	13.0
KELO	1320	0.953	12.4	KELO	1320	0.953	12.4
WCOG	1320	0.940	12.1	WCOG	1320	0.940	12.1

-----

Protected Station: KOLT (115), 1320 kHz - SCOTTSBLUFF, NE, US [41-45-23.03 N, 103-23-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.434	100.0	*KNIT-PRO	1320	3.369	100.0
KXYZ	1320	3.329	96.9	KXYZ	1320	3.329	98.8
-----	50%	-----		-----	50%	-----	
KWHN	1320	1.967	41.1	KWHN	1320	1.967	41.5
CHMB/A	1320	1.943	37.5	CHMB/A	1320	1.943	37.8
KFKA	1310	1.933	34.9	KFKA	1310	1.933	35.2
KHRT	1320	1.888	32.2	KHRT	1320	1.888	32.4
KLWN	1320	1.878	30.5	KLWN	1320	1.878	30.7
KNSS	1330	1.861	28.9	KNSS	1330	1.861	29.0
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.645	24.5	KSDT	1320	1.645	24.6
WJAS	1320	1.413	20.5	WJAS	1320	1.413	20.6
KSIV	1320	1.346	19.1	KSIV	1320	1.346	19.2
WGOC	1320	1.290	18.0	WGOC	1320	1.290	18.0
WJNJ	1320	1.204	16.5	WJNJ	1320	1.204	16.6
WKAN	1320	1.200	16.2	WKAN	1320	1.200	16.3
KPTY	1330	1.037	13.8	KPTY	1330	1.037	13.9
WAGY	1320	1.003	13.2	WAGY	1320	1.003	13.3
WCVG	1320	0.988	12.9	WCVG	1320	0.988	13.0
KELO	1320	0.952	12.3	KELO	1320	0.952	12.4
WCOG	1320	0.940	12.1	WCOG	1320	0.940	12.1

Protected Station: KOLT (120), 1320 kHz - SCOTTSBLUFF, NE, US [41-44-29.05 N, 103-25-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.447	100.0
KXYZ	1320	3.336	96.7
-----	50%	-----	
KFKA	1310	1.939	40.4
KWHN	1320	1.938	37.4
CHMB/A	1320	1.936	35.0
KHRT	1320	1.880	32.1
KLWN	1320	1.874	30.4
KNSS	1330	1.856	28.8
-----	25%	-----	
KSDT	1320	1.651	24.6
WJAS	1320	1.412	20.4
KSIV	1320	1.344	19.1
WGOC	1320	1.289	17.9
WJNJ	1320	1.202	16.5
WKAN	1320	1.198	16.2
KPTY	1330	1.032	13.8
WAGY	1320	1.002	13.2

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.386	100.0
KXYZ	1320	3.336	98.5
-----	50%	-----	
KFKA	1310	1.939	40.7
KWHN	1320	1.938	37.7
CHMB/A	1320	1.936	35.2
KHRT	1320	1.880	32.3
KLWN	1320	1.874	30.6
KNSS	1330	1.856	29.0
-----	25%	-----	
KSDT	1320	1.651	24.7
WJAS	1320	1.412	20.5
KSIV	1320	1.344	19.1
WGOC	1320	1.289	18.0
WJNJ	1320	1.202	16.5
WKAN	1320	1.198	16.3
KPTY	1330	1.032	13.8
WAGY	1320	1.002	13.3



WCVG	1320	0.986	12.9	WCVG	1320	0.986	13.0
KELO	1320	0.949	12.3	KELO	1320	0.949	12.4
WCOG	1320	0.938	12.1	WCOG	1320	0.938	12.1

-----

Protected Station: KOLT (125), 1320 kHz - SCOTTSBLUFF, NE, US [41-43-53.78 N, 103-27-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.468	100.0	*KNIT-PRO	1320	3.406	100.0
KXYZ	1320	3.341	96.3	KXYZ	1320	3.341	98.0
-----	50%	-----		-----	50%	-----	
KFKA	1310	1.954	40.5	KFKA	1310	1.954	40.9
CHMB/A	1320	1.930	37.1	CHMB/A	1320	1.930	37.4
KWHN	1320	1.908	34.4	KWHN	1320	1.908	34.6
KHRT	1320	1.874	31.9	KHRT	1320	1.874	32.1
KLWN	1320	1.867	30.3	KLWN	1320	1.867	30.5
KNSS	1330	1.849	28.7	KNSS	1330	1.849	28.8
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.656	24.7	KSDT	1320	1.656	24.8
WJAS	1320	1.409	20.4	WJAS	1320	1.409	20.5
KSIV	1320	1.340	19.0	KSIV	1320	1.340	19.1
WGOC	1320	1.287	17.9	WGOC	1320	1.287	18.0
WJNJ	1320	1.200	16.4	WJNJ	1320	1.200	16.5
WKAN	1320	1.195	16.2	WKAN	1320	1.195	16.2
KPTY	1330	1.027	13.7	KPTY	1330	1.027	13.8
WAGY	1320	1.001	13.2	WAGY	1320	1.001	13.3
WCVG	1320	0.983	12.9	WCVG	1320	0.983	12.9
KELO	1320	0.942	12.2	KELO	1320	0.942	12.3
WCOG	1320	0.936	12.1	WCOG	1320	0.936	12.1

-----

Protected Station: KOLT (130), 1320 kHz - SCOTTSBLUFF, NE, US [41-43-42.35 N, 103-29-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.487	100.0	*KNIT-PRO	1320	3.427	100.0
KXYZ	1320	3.341	95.8	KXYZ	1320	3.341	97.4
-----	50%	-----		-----	50%	-----	
KFKA	1310	1.972	40.8	KFKA	1310	1.972	41.1
CHMB/A	1320	1.928	36.9	CHMB/A	1320	1.928	37.2
KWHN	1320	1.878	33.7	KWHN	1320	1.878	33.9
KHRT	1320	1.870	31.8	KHRT	1320	1.870	32.0

KLWN	1320	1.857	30.1	KLWN	1320	1.857	30.3
KNSS	1330	1.840	28.6	KNSS	1330	1.840	28.7
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.658	24.7	KSDT	1320	1.658	24.8
WJAS	1320	1.405	20.3	WJAS	1320	1.405	20.4
KSIV	1320	1.334	18.9	KSIV	1320	1.334	19.0
WGOC	1320	1.283	17.9	WGOC	1320	1.283	17.9
WJNJ	1320	1.197	16.4	WJNJ	1320	1.197	16.5
WKAN	1320	1.191	16.1	WKAN	1320	1.191	16.2
KPTY	1330	1.022	13.6	KPTY	1330	1.022	13.7
WAGY	1320	0.998	13.2	WAGY	1320	0.998	13.2
WCVG	1320	0.980	12.8	WCVG	1320	0.980	12.9
KELO	1320	0.934	12.1	KELO	1320	0.934	12.2
WCOG	1320	0.934	12.0	WCOG	1320	0.934	12.1

-----

Protected Station: KOLT (135), 1320 kHz - SCOTTSBLUFF, NE, US [41-44-00.38 N, 103-31-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.511	100.0	*KNIT-PRO	1320	3.451	100.0
KXYZ	1320	3.337	95.0	KXYZ	1320	3.337	96.7
-----	50%	-----		-----	50%	-----	
KFKA	1310	1.990	41.0	KFKA	1310	1.990	41.4
CHMB/A	1320	1.929	36.8	CHMB/A	1320	1.929	37.1
KHRT	1320	1.869	33.4	KHRT	1320	1.869	33.7
KWHN	1320	1.850	31.4	KWHN	1320	1.850	31.6
KLWN	1320	1.845	29.8	KLWN	1320	1.845	30.0
KNSS	1330	1.827	28.3	KNSS	1330	1.827	28.5
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.657	24.7	KSDT	1320	1.657	24.8
WJAS	1320	1.399	20.2	WJAS	1320	1.399	20.3
KSIV	1320	1.327	18.8	KSIV	1320	1.327	18.9
WGOC	1320	1.278	17.8	WGOC	1320	1.278	17.9
WJNJ	1320	1.193	16.3	WJNJ	1320	1.193	16.4
WKAN	1320	1.184	16.0	WKAN	1320	1.184	16.1
KPTY	1330	1.016	13.6	KPTY	1330	1.016	13.6
WAGY	1320	0.994	13.1	WAGY	1320	0.994	13.2
WCVG	1320	0.976	12.8	WCVG	1320	0.976	12.8
WCOG	1320	0.930	12.1	WCOG	1320	0.930	12.1
KELO	1320	0.923	11.9	KELO	1320	0.923	12.0

-----

Protected Station: KOLT (140), 1320 kHz - SCOTTSBLUFF, NE, US [41-44-55.37 N, 103-34-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.532	100.0
KXYZ	1320	3.328	94.2
-----	50%	-----	
KFKA	1310	2.016	41.5
CHMB/A	1320	1.935	36.8
KHRT	1320	1.872	33.4
KLWN	1320	1.829	30.9
KWHN	1320	1.827	29.5
KNSS	1330	1.812	28.1
-----	25%	-----	
KSDT	1320	1.652	24.6
WJAS	1320	1.391	20.1
KSIV	1320	1.319	18.7
WGOC	1320	1.272	17.7
WJNJ	1320	1.188	16.3
WKAN	1320	1.175	15.9
KPTY	1330	1.011	13.5
WAGY	1320	0.990	13.1
WCVG	1320	0.971	12.7
WCOG	1320	0.926	12.1
KELO	1320	0.910	11.8

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.476	100.0
KXYZ	1320	3.328	95.7
-----	50%	-----	
KFKA	1310	2.016	41.8
CHMB/A	1320	1.935	37.0
KHRT	1320	1.872	33.6
KLWN	1320	1.829	31.1
KWHN	1320	1.827	29.7
KNSS	1330	1.812	28.2
-----	25%	-----	
KSDT	1320	1.652	24.7
WJAS	1320	1.391	20.2
KSIV	1320	1.319	18.8
WGOC	1320	1.272	17.8
WJNJ	1320	1.188	16.4
WKAN	1320	1.175	16.0
KPTY	1330	1.011	13.6
WAGY	1320	0.990	13.1
WCVG	1320	0.971	12.8
WCOG	1320	0.926	12.1
KELO	1320	0.910	11.8

Protected Station: KOLT (145), 1320 kHz - SCOTTSBLUFF, NE, US [41-46-35 N, 103-37-25.  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.557	100.0
KXYZ	1320	3.312	93.1
-----	50%	-----	
KFKA	1310	2.045	42.0
CHMB/A	1320	1.947	36.9
KHRT	1320	1.879	33.4
KWHN	1320	1.812	30.5
KLWN	1320	1.811	29.2
KNSS	1330	1.794	27.7
-----	25%	-----	
KSDT	1320	1.642	24.5
WJAS	1320	1.381	20.0
KSIV	1320	1.309	18.6
WGOC	1320	1.264	17.6
WJNJ	1320	1.183	16.2
WKAN	1320	1.164	15.8
KPTY	1330	1.006	13.4

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.501	100.0
KXYZ	1320	3.312	94.6
-----	50%	-----	
KFKA	1310	2.045	42.4
CHMB/A	1320	1.947	37.2
KHRT	1320	1.879	33.6
KWHN	1320	1.812	30.7
KLWN	1320	1.811	29.3
KNSS	1330	1.794	27.9
-----	25%	-----	
KSDT	1320	1.642	24.6
WJAS	1320	1.381	20.1
KSIV	1320	1.309	18.6
WGOC	1320	1.264	17.7
WJNJ	1320	1.183	16.3
WKAN	1320	1.164	15.8
KPTY	1330	1.006	13.5

WAGY	1320	0.984	13.0	WAGY	1320	0.984	13.1
WCVG	1320	0.965	12.7	WCVG	1320	0.965	12.7
WCOG	1320	0.922	12.0	WCOG	1320	0.922	12.0
KELO	1320	0.896	11.6	KELO	1320	0.896	11.6
				KXRO	1320	0.773	10.0

-----

Protected Station: KOLT (150), 1320 kHz - SCOTTSBLUFF, NE, US [41-47-44.63 N, 103-39-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.567	100.0	*KNIT-PRO	1320	3.516	100.0
KXYZ	1320	3.301	92.5	KXYZ	1320	3.301	93.8
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.062	42.4	KFKA	1310	2.062	42.7
CHMB/A	1320	1.956	37.0	CHMB/A	1320	1.956	37.2
KHRT	1320	1.885	33.4	KHRT	1320	1.885	33.6
KWHN	1320	1.803	30.3	KWHN	1320	1.803	30.5
KLWN	1320	1.800	29.0	KLWN	1320	1.800	29.1
KNSS	1330	1.784	27.6	KNSS	1330	1.784	27.7
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.635	24.3	KSDT	1320	1.635	24.4
WJAS	1320	1.375	19.9	WJAS	1320	1.375	20.0
KSIV	1320	1.302	18.5	KSIV	1320	1.302	18.5
WGOC	1320	1.259	17.6	WGOC	1320	1.259	17.6
WJNJ	1320	1.179	16.2	WJNJ	1320	1.179	16.2
WKAN	1320	1.157	15.7	WKAN	1320	1.157	15.7
KPTY	1330	1.003	13.4	KPTY	1330	1.003	13.5
WAGY	1320	0.980	13.0	WAGY	1320	0.980	13.0
WCVG	1320	0.961	12.6	WCVG	1320	0.961	12.7
WCOG	1320	0.919	12.0	WCOG	1320	0.919	12.0
KELO	1320	0.887	11.5	KELO	1320	0.887	11.5
KXRO	1320	0.777	10.0	KXRO	1320	0.777	10.0

-----

Protected Station: KOLT (155), 1320 kHz - SCOTTSBLUFF, NE, US [41-45-53.44 N, 103-38-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.568	100.0	*KNIT-PRO	1320	3.515	100.0
KXYZ	1320	3.317	92.9	KXYZ	1320	3.317	94.3
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.050	42.0	KFKA	1310	2.050	42.4

CHMB/A	1320	1.941	36.7	CHMB/A	1320	1.941	36.9
KHRT	1320	1.873	33.2	KHRT	1320	1.873	33.4
KLWN	1320	1.808	30.4	KLWN	1320	1.808	30.6
KNSS	1330	1.790	28.8	KNSS	1330	1.790	29.0
KWHN	1320	1.789	27.7	KWHN	1320	1.789	27.8
----- 25% -----				----- 25% -----			
KSDT	1320	1.647	24.5	KSDT	1320	1.647	24.6
WJAS	1320	1.380	20.0	WJAS	1320	1.380	20.0
KSIV	1320	1.307	18.5	KSIV	1320	1.307	18.6
WGOC	1320	1.263	17.6	WGOC	1320	1.263	17.7
WJNJ	1320	1.181	16.2	WJNJ	1320	1.181	16.3
WKAN	1320	1.163	15.8	WKAN	1320	1.163	15.8
KPTY	1330	1.002	13.4	KPTY	1330	1.002	13.4
WAGY	1320	0.983	13.0	WAGY	1320	0.983	13.1
WCVG	1320	0.963	12.7	WCVG	1320	0.963	12.7
WCOG	1320	0.921	12.0	WCOG	1320	0.921	12.0
KELO	1320	0.893	11.5	KELO	1320	0.893	11.6

-----

Protected Station: KOLT (160), 1320 kHz - SCOTTSBLUFF, NE, US [41-43-35.33 N, 103-38-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
-----							
*KNIT	1320	3.572	100.0	*KNIT-PRO	1320	3.518	100.0
KXYZ	1320	3.337	93.4	KXYZ	1320	3.337	94.8
----- 50% -----				----- 50% -----			
KFKA	1310	2.036	41.6	KFKA	1310	2.036	41.9
CHMB/A	1320	1.923	36.3	CHMB/A	1320	1.923	36.5
KHRT	1320	1.858	32.9	KHRT	1320	1.858	33.1
KLWN	1320	1.816	30.6	KLWN	1320	1.816	30.7
KNSS	1330	1.799	28.9	KNSS	1330	1.799	29.1
KWHN	1320	1.765	27.3	KWHN	1320	1.765	27.4
----- 25% -----				----- 25% -----			
KSDT	1320	1.663	24.8	KSDT	1320	1.663	24.9
WJAS	1320	1.386	20.0	WJAS	1320	1.386	20.1
KSIV	1320	1.311	18.6	KSIV	1320	1.311	18.7
WGOC	1320	1.267	17.7	WGOC	1320	1.267	17.7
WJNJ	1320	1.183	16.2	WJNJ	1320	1.183	16.3
WKAN	1320	1.170	15.8	WKAN	1320	1.170	15.9
KPTY	1330	1.001	13.4	KPTY	1330	1.001	13.4
WAGY	1320	0.987	13.1	WAGY	1320	0.987	13.1
WCVG	1320	0.966	12.7	WCVG	1320	0.966	12.7
WCOG	1320	0.922	12.0	WCOG	1320	0.922	12.0
KELO	1320	0.899	11.6	KELO	1320	0.899	11.7

-----

Protected Station: KOLT (165), 1320 kHz - SCOTTSBLUFF, NE, US [41-41-46.87 N, 103-38-

Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.582	100.0
KXYZ	1320	3.353	93.6
-----	50%	-----	
KFKA	1310	2.028	41.3
CHMB/A	1320	1.908	35.9
KHRT	1320	1.846	32.7
KLWN	1320	1.819	30.6
KNSS	1330	1.801	29.0
KWHN	1320	1.738	26.8
KSDT	1320	1.675	25.0
-----	25%	-----	
WJAS	1320	1.389	20.1
KSIV	1320	1.313	18.6
WGOC	1320	1.269	17.7
WJNJ	1320	1.184	16.2
WKAN	1320	1.173	15.9
KPTY	1330	0.998	13.3
WAGY	1320	0.988	13.1
WCVG	1320	0.967	12.7
WCOG	1320	0.923	12.0
KELO	1320	0.902	11.7

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.526	100.0
KXYZ	1320	3.353	95.0
-----	50%	-----	
KFKA	1310	2.028	41.6
CHMB/A	1320	1.908	36.2
KHRT	1320	1.846	32.9
KLWN	1320	1.819	30.8
KNSS	1330	1.801	29.1
KWHN	1320	1.738	27.0
KSDT	1320	1.675	25.1
-----	25%	-----	
WJAS	1320	1.389	20.2
KSIV	1320	1.313	18.7
WGOC	1320	1.269	17.7
WJNJ	1320	1.184	16.3
WKAN	1320	1.173	15.9
KPTY	1330	0.998	13.4
WAGY	1320	0.988	13.1
WCVG	1320	0.967	12.7
WCOG	1320	0.923	12.1
KELO	1320	0.902	11.7

Protected Station: KOLT (170), 1320 kHz - SCOTTSBLUFF, NE, US [41-40-24.38 N, 103-39-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.596	100.0
KXYZ	1320	3.365	93.5
-----	50%	-----	
KFKA	1310	2.022	41.0
CHMB/A	1320	1.897	35.6
KHRT	1320	1.836	32.4
KLWN	1320	1.818	30.5
KNSS	1330	1.800	28.9
KWHN	1320	1.710	26.4
KSDT	1320	1.685	25.1
-----	25%	-----	
WJAS	1320	1.390	20.1
KSIV	1320	1.312	18.6
WGOC	1320	1.270	17.7

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.538	100.0
KXYZ	1320	3.365	95.1
-----	50%	-----	
KFKA	1310	2.022	41.4
CHMB/A	1320	1.897	35.8
KHRT	1320	1.836	32.6
KLWN	1320	1.818	30.7
KNSS	1330	1.800	29.1
KWHN	1320	1.710	26.5
KSDT	1320	1.685	25.3
-----	25%	-----	
WJAS	1320	1.390	20.2
KSIV	1320	1.312	18.7
WGOC	1320	1.270	17.8

WJNJ	1320	1.184	16.2	WJNJ	1320	1.184	16.3
WKAN	1320	1.175	15.9	WKAN	1320	1.175	16.0
KPTY	1330	0.995	13.3	KPTY	1330	0.995	13.3
WAGY	1320	0.989	13.1	WAGY	1320	0.989	13.1
WCVG	1320	0.966	12.7	WCVG	1320	0.966	12.7
WCOG	1320	0.923	12.0	WCOG	1320	0.923	12.0
KELO	1320	0.903	11.7	KELO	1320	0.903	11.7

-----

Protected Station: KOLT (175), 1320 kHz - SCOTTSBLUFF, NE, US [41-39-23.36 N, 103-40-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.609	100.0	*KNIT-PRO	1320	3.553	100.0
KXYZ	1320	3.373	93.4	KXYZ	1320	3.373	94.9
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.023	40.9	KFKA	1310	2.023	41.2
CHMB/A	1320	1.888	35.3	CHMB/A	1320	1.888	35.6
KHRT	1320	1.828	32.2	KHRT	1320	1.828	32.4
KLWN	1320	1.815	30.5	KLWN	1320	1.815	30.6
KNSS	1330	1.797	28.8	KNSS	1330	1.797	29.0
KSDT	1320	1.693	26.1	KSDT	1320	1.693	26.2
KWHN	1320	1.681	25.1	KWHN	1320	1.681	25.2
-----	25%	-----		-----	25%	-----	
WJAS	1320	1.389	20.1	WJAS	1320	1.389	20.2
KSIV	1320	1.310	18.6	KSIV	1320	1.310	18.6
WGOC	1320	1.269	17.7	WGOC	1320	1.269	17.7
WJNJ	1320	1.183	16.2	WJNJ	1320	1.183	16.3
WKAN	1320	1.174	15.9	WKAN	1320	1.174	15.9
KPTY	1330	0.990	13.2	KPTY	1330	0.990	13.3
WAGY	1320	0.988	13.1	WAGY	1320	0.988	13.1
WCVG	1320	0.965	12.7	WCVG	1320	0.965	12.7
WCOG	1320	0.922	12.0	WCOG	1320	0.922	12.0
KELO	1320	0.900	11.6	KELO	1320	0.900	11.7

-----

Protected Station: KOLT (180), 1320 kHz - SCOTTSBLUFF, NE, US [41-38-41.20 N, 103-42-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.627	100.0	*KNIT-PRO	1320	3.571	100.0
KXYZ	1320	3.378	93.1	KXYZ	1320	3.378	94.6
-----	50%	-----		-----	50%	-----	

KFKA	1310	2.025	40.8	KFKA	1310	2.025	41.1
CHMB/A	1320	1.882	35.1	CHMB/A	1320	1.882	35.4
KHRT	1320	1.822	32.1	KHRT	1320	1.822	32.3
KLWN	1320	1.810	30.3	KLWN	1320	1.810	30.5
KNSS	1330	1.792	28.7	KNSS	1330	1.792	28.9
KSDT	1320	1.698	26.1	KSDT	1320	1.698	26.3
-----	25%	-----		-----	25%	-----	
KWHN	1320	1.655	24.6	KWHN	1320	1.655	24.8
WJAS	1320	1.388	20.1	WJAS	1320	1.388	20.1
KSIV	1320	1.308	18.5	KSIV	1320	1.308	18.6
WGOC	1320	1.268	17.7	WGOC	1320	1.268	17.7
WJNJ	1320	1.181	16.2	WJNJ	1320	1.181	16.3
WKAN	1320	1.172	15.9	WKAN	1320	1.172	15.9
WAGY	1320	0.987	13.2	WAGY	1320	0.987	13.2
KPTY	1330	0.986	13.1	KPTY	1330	0.986	13.1
WCVG	1320	0.964	12.6	WCVG	1320	0.964	12.7
WCOG	1320	0.920	12.0	WCOG	1320	0.920	12.0
KELO	1320	0.897	11.6	KELO	1320	0.897	11.6

-----

Protected Station: KOLT (185), 1320 kHz - SCOTTSBLUFF, NE, US [41-38-15.56 N, 103-43-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
-----	-----	-----	-----
*KNIT	1320	3.645	100.0
KXYZ	1320	3.381	92.7
-----	50%	-----	
KFKA	1310	2.031	40.8
CHMB/A	1320	1.878	34.9
KHRT	1320	1.817	31.9
KLWN	1320	1.804	30.2
KNSS	1330	1.787	28.6
KSDT	1320	1.701	26.2
-----	25%	-----	
KWHN	1320	1.630	24.2
WJAS	1320	1.385	20.0
KSIV	1320	1.304	18.5
WGOC	1320	1.265	17.6
WJNJ	1320	1.179	16.2
WKAN	1320	1.170	15.8
WAGY	1320	0.986	13.2
KPTY	1330	0.982	13.0
WCVG	1320	0.962	12.6
WCOG	1320	0.918	12.0
KELO	1320	0.891	11.5

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
-----	-----	-----	-----
*KNIT-PRO	1320	3.587	100.0
KXYZ	1320	3.381	94.2
-----	50%	-----	
KFKA	1310	2.031	41.1
CHMB/A	1320	1.878	35.2
KHRT	1320	1.817	32.1
KLWN	1320	1.804	30.3
KNSS	1330	1.787	28.7
KSDT	1320	1.701	26.3
-----	25%	-----	
KWHN	1320	1.630	24.4
WJAS	1320	1.385	20.1
KSIV	1320	1.304	18.5
WGOC	1320	1.265	17.7
WJNJ	1320	1.179	16.2
WKAN	1320	1.170	15.9
WAGY	1320	0.986	13.2
KPTY	1330	0.982	13.1
WCVG	1320	0.962	12.7
WCOG	1320	0.918	12.0
KELO	1320	0.891	11.6



Protected Station: KOLT (190), 1320 kHz - SCOTTSBLUFF, NE, US [41-38-04.68 N, 103-45-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.659	100.0
KXYZ	1320	3.381	92.4
-----	50%	-----	
KFKA	1310	2.036	40.8
CHMB/A	1320	1.875	34.8
KHRT	1320	1.814	31.8
KLWN	1320	1.797	30.0
KNSS	1330	1.779	28.4
KSDT	1320	1.704	26.2
-----	25%	-----	
KWHN	1320	1.607	23.9
WJAS	1320	1.382	20.0
KSIV	1320	1.300	18.4
WGOC	1320	1.263	17.6
WJNJ	1320	1.177	16.1
WKAN	1320	1.166	15.8
WAGY	1320	0.984	13.1
KPTY	1330	0.979	13.0
WCVG	1320	0.959	12.6
WCOG	1320	0.916	11.9
KELO	1320	0.886	11.5

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.606	100.0
KXYZ	1320	3.381	93.7
-----	50%	-----	
KFKA	1310	2.036	41.1
CHMB/A	1320	1.875	35.0
KHRT	1320	1.814	32.0
KLWN	1320	1.797	30.2
KNSS	1330	1.779	28.6
KSDT	1320	1.704	26.3
-----	25%	-----	
KWHN	1320	1.607	24.0
WJAS	1320	1.382	20.1
KSIV	1320	1.300	18.5
WGOC	1320	1.263	17.7
WJNJ	1320	1.177	16.2
WKAN	1320	1.166	15.8
WAGY	1320	0.984	13.2
KPTY	1330	0.979	13.0
WCVG	1320	0.959	12.6
WCOG	1320	0.916	12.0
KELO	1320	0.886	11.5

Protected Station: KOLT (195), 1320 kHz - SCOTTSBLUFF, NE, US [41-38-07.24 N, 103-47-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.678	100.0
KXYZ	1320	3.380	91.8
-----	50%	-----	
KFKA	1310	2.043	40.9
CHMB/A	1320	1.875	34.7
KHRT	1320	1.812	31.7
KLWN	1320	1.790	29.8
KNSS	1330	1.770	28.2
KSDT	1320	1.704	26.2
-----	25%	-----	
KWHN	1320	1.588	23.6
WJAS	1320	1.378	19.9
KSIV	1320	1.296	18.4

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.623	100.0
KXYZ	1320	3.380	93.2
-----	50%	-----	
KFKA	1310	2.043	41.2
CHMB/A	1320	1.875	34.9
KHRT	1320	1.812	31.9
KLWN	1320	1.790	30.0
KNSS	1330	1.770	28.4
KSDT	1320	1.704	26.3
-----	25%	-----	
KWHN	1320	1.588	23.7
WJAS	1320	1.378	20.0
KSIV	1320	1.296	18.4

WGOC	1320	1.260	17.5	WGOC	1320	1.260	17.6
WJNJ	1320	1.174	16.1	WJNJ	1320	1.174	16.2
WKAN	1320	1.162	15.7	WKAN	1320	1.162	15.8
WAGY	1320	0.982	13.1	WAGY	1320	0.982	13.2
KPTY	1330	0.975	12.9	KPTY	1330	0.975	13.0
WCVG	1320	0.956	12.6	WCVG	1320	0.956	12.6
WCOG	1320	0.914	11.9	WCOG	1320	0.914	12.0
KELO	1320	0.879	11.4	KELO	1320	0.879	11.4

-----

Protected Station: KOLT (200), 1320 kHz - SCOTTSBLUFF, NE, US [41-38-21.66 N, 103-48-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.691	100.0	*KNIT-PRO	1320	3.640	100.0
KXYZ	1320	3.377	91.4	KXYZ	1320	3.377	92.7
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.053	41.0	KFKA	1310	2.053	41.3
CHMB/A	1320	1.876	34.6	CHMB/A	1320	1.876	34.9
KHRT	1320	1.811	31.6	KHRT	1320	1.811	31.8
KLWN	1320	1.781	29.6	KLWN	1320	1.781	29.8
KNSS	1330	1.763	28.1	KNSS	1330	1.763	28.2
KSDT	1320	1.703	26.1	KSDT	1320	1.703	26.2
-----	25%	-----		-----	25%	-----	
KWHN	1320	1.571	23.3	KWHN	1320	1.571	23.4
WJAS	1320	1.374	19.9	WJAS	1320	1.374	19.9
KSIV	1320	1.291	18.3	KSIV	1320	1.291	18.4
WGOC	1320	1.257	17.5	WGOC	1320	1.257	17.6
WJNJ	1320	1.171	16.1	WJNJ	1320	1.171	16.1
WKAN	1320	1.158	15.7	WKAN	1320	1.158	15.7
WAGY	1320	0.979	13.1	WAGY	1320	0.979	13.1
KPTY	1330	0.971	12.9	KPTY	1330	0.971	12.9
WCVG	1320	0.954	12.5	WCVG	1320	0.954	12.6
WCOG	1320	0.912	11.9	WCOG	1320	0.912	11.9
KELO	1320	0.873	11.3	KELO	1320	0.873	11.3

-----

Protected Station: KOLT (205), 1320 kHz - SCOTTSBLUFF, NE, US [41-38-46.87 N, 103-50-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.707	100.0	*KNIT-PRO	1320	3.657	100.0
KXYZ	1320	3.372	90.9	KXYZ	1320	3.372	92.2

-----	50%	-----		-----	50%	-----	
KFKA	1310	2.060	41.1	KFKA	1310	2.060	41.4
CHMB/A	1320	1.878	34.6	CHMB/A	1320	1.878	34.8
KHRT	1320	1.812	31.5	KHRT	1320	1.812	31.7
KLWN	1320	1.773	29.4	KLWN	1320	1.773	29.6
KNSS	1330	1.754	27.9	KNSS	1330	1.754	28.1
KSDT	1320	1.701	26.1	KSDT	1320	1.701	26.2
-----	25%	-----		-----	25%	-----	
KWHN	1320	1.557	23.1	KWHN	1320	1.557	23.2
WJAS	1320	1.370	19.8	WJAS	1320	1.370	19.9
KSIV	1320	1.287	18.2	KSIV	1320	1.287	18.3
WGOC	1320	1.253	17.5	WGOC	1320	1.253	17.5
WJNJ	1320	1.169	16.0	WJNJ	1320	1.169	16.1
WKAN	1320	1.153	15.6	WKAN	1320	1.153	15.7
WAGY	1320	0.977	13.1	WAGY	1320	0.977	13.1
KPTY	1330	0.968	12.8	KPTY	1330	0.968	12.9
WCVG	1320	0.951	12.5	WCVG	1320	0.951	12.5
WCOG	1320	0.910	11.9	WCOG	1320	0.910	11.9
KELO	1320	0.866	11.2	KELO	1320	0.866	11.2

-----

Protected Station: KOLT (210), 1320 kHz - SCOTTSBLUFF, NE, US [41-39-21.99 N, 103-51-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.722	100.0
KXYZ	1320	3.366	90.4
-----	50%	-----	
KFKA	1310	2.069	41.2
CHMB/A	1320	1.882	34.6
KHRT	1320	1.814	31.5
KLWN	1320	1.765	29.2
KNSS	1330	1.745	27.7
KSDT	1320	1.697	26.0
-----	25%	-----	
KWHN	1320	1.547	22.9
WJAS	1320	1.366	19.7
KSIV	1320	1.282	18.2
WGOC	1320	1.250	17.4
WJNJ	1320	1.166	16.0
WKAN	1320	1.149	15.6
WAGY	1320	0.974	13.0
KPTY	1330	0.966	12.8
WCVG	1320	0.948	12.5
WCOG	1320	0.908	11.8
KELO	1320	0.859	11.1

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.671	100.0
KXYZ	1320	3.366	91.6
-----	50%	-----	
KFKA	1310	2.069	41.5
CHMB/A	1320	1.882	34.8
KHRT	1320	1.814	31.7
KLWN	1320	1.765	29.4
KNSS	1330	1.745	27.9
KSDT	1320	1.697	26.1
-----	25%	-----	
KWHN	1320	1.547	23.0
WJAS	1320	1.366	19.8
KSIV	1320	1.282	18.2
WGOC	1320	1.250	17.5
WJNJ	1320	1.166	16.1
WKAN	1320	1.149	15.6
WAGY	1320	0.974	13.1
KPTY	1330	0.966	12.8
WCVG	1320	0.948	12.5
WCOG	1320	0.908	11.9
KELO	1320	0.859	11.2

Protected Station: KOLT (215), 1320 kHz - SCOTTSBLUFF, NE, US [41-40-06.27 N, 103-53-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.731	100.0
KXYZ	1320	3.358	90.0
-----	50%	-----	
KFKA	1310	2.080	41.4
CHMB/A	1320	1.887	34.7
KHRT	1320	1.817	31.5
KLWN	1320	1.758	29.1
KNSS	1330	1.738	27.6
KSDT	1320	1.692	25.9
-----	25%	-----	
KWHN	1320	1.540	22.8
WJAS	1320	1.361	19.7
KSIV	1320	1.278	18.1
WGOC	1320	1.246	17.4
WJNJ	1320	1.164	16.0
WKAN	1320	1.144	15.5
WAGY	1320	0.972	13.0
KPTY	1330	0.964	12.8
WCVG	1320	0.945	12.4
WCOG	1320	0.906	11.8
KELO	1320	0.853	11.1

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.684	100.0
KXYZ	1320	3.358	91.1
-----	50%	-----	
KFKA	1310	2.080	41.7
CHMB/A	1320	1.887	34.9
KHRT	1320	1.817	31.7
KLWN	1320	1.758	29.2
KNSS	1330	1.738	27.7
KSDT	1320	1.692	26.0
-----	25%	-----	
KWHN	1320	1.540	22.9
WJAS	1320	1.361	19.7
KSIV	1320	1.278	18.2
WGOC	1320	1.246	17.4
WJNJ	1320	1.164	16.0
WKAN	1320	1.144	15.5
WAGY	1320	0.972	13.0
KPTY	1330	0.964	12.8
WCVG	1320	0.945	12.5
WCOG	1320	0.906	11.9
KELO	1320	0.853	11.1

Protected Station: KOLT (220), 1320 kHz - SCOTTSBLUFF, NE, US [41-40-59.05 N, 103-54-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.741	100.0
KXYZ	1320	3.350	89.5
-----	50%	-----	
KFKA	1310	2.087	41.5
CHMB/A	1320	1.893	34.8
KHRT	1320	1.821	31.6
KLWN	1320	1.750	28.9
KNSS	1330	1.730	27.5
KSDT	1320	1.686	25.8
-----	25%	-----	
KWHN	1320	1.538	22.8
WJAS	1320	1.357	19.6

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.696	100.0
KXYZ	1320	3.350	90.6
-----	50%	-----	
KFKA	1310	2.087	41.8
CHMB/A	1320	1.893	35.0
KHRT	1320	1.821	31.7
KLWN	1320	1.750	29.1
KNSS	1330	1.730	27.6
KSDT	1320	1.686	25.9
-----	25%	-----	
KWHN	1320	1.538	22.9
WJAS	1320	1.357	19.7

KSIV	1320	1.274	18.0	KSIV	1320	1.274	18.1
WGOC	1320	1.243	17.3	WGOC	1320	1.243	17.4
WJNJ	1320	1.161	15.9	WJNJ	1320	1.161	16.0
WKAN	1320	1.139	15.4	WKAN	1320	1.139	15.5
WAGY	1320	0.969	13.0	WAGY	1320	0.969	13.0
KPTY	1330	0.962	12.8	KPTY	1330	0.962	12.8
WCVG	1320	0.943	12.4	WCVG	1320	0.943	12.4
WCOG	1320	0.904	11.8	WCOG	1320	0.904	11.8
KELO	1320	0.847	11.0	KELO	1320	0.847	11.0

-----

Protected Station: KOLT (225), 1320 kHz - SCOTTSBLUFF, NE, US [41-41-59.65 N, 103-55-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.749	100.0
KXYZ	1320	3.341	89.1
-----	50%	-----	
KFKA	1310	2.096	41.7
CHMB/A	1320	1.901	34.9
KHRT	1320	1.826	31.6
KLWN	1320	1.743	28.8
KNSS	1330	1.724	27.3
KSDT	1320	1.680	25.7
-----	25%	-----	
KWHN	1320	1.540	22.8
WJAS	1320	1.353	19.5
KSIV	1320	1.270	18.0
WGOC	1320	1.240	17.3
WJNJ	1320	1.159	15.9
WKAN	1320	1.134	15.4
WAGY	1320	0.967	12.9
KPTY	1330	0.961	12.8
WCVG	1320	0.940	12.4
WCOG	1320	0.902	11.8
KELO	1320	0.842	10.9

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.703	100.0
KXYZ	1320	3.341	90.2
-----	50%	-----	
KFKA	1310	2.096	42.0
CHMB/A	1320	1.901	35.1
KHRT	1320	1.826	31.8
KLWN	1320	1.743	28.9
KNSS	1330	1.724	27.5
KSDT	1320	1.680	25.8
-----	25%	-----	
KWHN	1320	1.540	22.9
WJAS	1320	1.353	19.6
KSIV	1320	1.270	18.0
WGOC	1320	1.240	17.3
WJNJ	1320	1.159	16.0
WKAN	1320	1.134	15.4
WAGY	1320	0.967	13.0
KPTY	1330	0.961	12.8
WCVG	1320	0.940	12.4
WCOG	1320	0.902	11.8
KELO	1320	0.842	10.9
KXRO	1320	0.772	10.0

-----

Protected Station: KOLT (230), 1320 kHz - SCOTTSBLUFF, NE, US [41-43-07.58 N, 103-56-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
-----			

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
-----			

*KNIT	1320	3.753	100.0	*KNIT-PRO	1320	3.708	100.0
KXYZ	1320	3.331	88.7	KXYZ	1320	3.331	89.8
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.105	41.9	KFKA	1310	2.105	42.2
CHMB/A	1320	1.910	35.0	CHMB/A	1320	1.910	35.2
KHRT	1320	1.832	31.7	KHRT	1320	1.832	31.9
KLWN	1320	1.737	28.7	KLWN	1320	1.737	28.8
KNSS	1330	1.717	27.2	KNSS	1330	1.717	27.3
KSDT	1320	1.672	25.6	KSDT	1320	1.672	25.7
-----	25%	-----		-----	25%	-----	
KWHN	1320	1.546	22.9	KWHN	1320	1.546	23.0
WJAS	1320	1.349	19.5	WJAS	1320	1.349	19.5
KSIV	1320	1.266	17.9	KSIV	1320	1.266	18.0
WGOC	1320	1.237	17.2	WGOC	1320	1.237	17.3
WJNJ	1320	1.157	15.9	WJNJ	1320	1.157	15.9
WKAN	1320	1.130	15.3	WKAN	1320	1.130	15.4
WAGY	1320	0.964	12.9	WAGY	1320	0.964	13.0
KPTY	1330	0.961	12.8	KPTY	1330	0.961	12.8
WCVG	1320	0.938	12.4	WCVG	1320	0.938	12.4
WCOG	1320	0.900	11.8	WCOG	1320	0.900	11.8
KELO	1320	0.838	10.9	KELO	1320	0.838	10.9
KXRO	1320	0.775	10.0	KXRO	1320	0.775	10.0

-----

Protected Station: KOLT (235), 1320 kHz - SCOTTSBLUFF, NE, US [41-44-21.46 N, 103-56-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
-----	-----	-----	-----	-----	-----	-----	-----
*KNIT	1320	3.753	100.0	*KNIT-PRO	1320	3.709	100.0
KXYZ	1320	3.320	88.4	KXYZ	1320	3.320	89.5
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.111	42.1	KFKA	1310	2.111	42.4
CHMB/A	1320	1.919	35.3	CHMB/A	1320	1.919	35.4
KHRT	1320	1.839	31.8	KHRT	1320	1.839	32.0
KLWN	1320	1.732	28.6	KLWN	1320	1.732	28.7
KNSS	1330	1.712	27.1	KNSS	1330	1.712	27.3
KSDT	1320	1.663	25.4	KSDT	1320	1.663	25.5
-----	25%	-----		-----	25%	-----	
KWHN	1320	1.556	23.1	KWHN	1320	1.556	23.1
WJAS	1320	1.346	19.4	WJAS	1320	1.346	19.5
KSIV	1320	1.264	17.9	KSIV	1320	1.264	18.0
WGOC	1320	1.234	17.2	WGOC	1320	1.234	17.3
WJNJ	1320	1.156	15.9	WJNJ	1320	1.156	15.9
WKAN	1320	1.126	15.3	WKAN	1320	1.126	15.3
WAGY	1320	0.962	12.9	WAGY	1320	0.962	12.9
KPTY	1330	0.961	12.8	KPTY	1330	0.961	12.8
WCVG	1320	0.937	12.3	WCVG	1320	0.937	12.4
WCOG	1320	0.899	11.8	WCOG	1320	0.899	11.8

KELO	1320	0.835	10.8	KELO	1320	0.835	10.9
KXRO	1320	0.778	10.0	KXRO	1320	0.778	10.1

-----

Protected Station: KOLT (240), 1320 kHz - SCOTTSBLUFF, NE, US [41-45-40.06 N, 103-56-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.748	100.0	*KNIT-PRO	1320	3.705	100.0
KXYZ	1320	3.308	88.2	KXYZ	1320	3.308	89.2
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.119	42.3	KFKA	1310	2.119	42.6
CHMB/A	1320	1.930	35.5	CHMB/A	1320	1.930	35.7
KHRT	1320	1.848	32.0	KHRT	1320	1.848	32.2
KLWN	1320	1.729	28.5	KLWN	1320	1.729	28.6
KNSS	1330	1.710	27.1	KNSS	1330	1.710	27.2
KSDT	1320	1.654	25.3	KSDT	1320	1.654	25.4
-----	25%	-----		-----	25%	-----	
KWHN	1320	1.572	23.3	KWHN	1320	1.572	23.4
WJAS	1320	1.343	19.4	WJAS	1320	1.343	19.4
KSIV	1320	1.262	17.9	KSIV	1320	1.262	17.9
WGOC	1320	1.232	17.2	WGOC	1320	1.232	17.2
WJNJ	1320	1.155	15.9	WJNJ	1320	1.155	15.9
WKAN	1320	1.123	15.2	WKAN	1320	1.123	15.3
KPTY	1330	0.962	12.9	KPTY	1330	0.962	12.9
WAGY	1320	0.961	12.8	WAGY	1320	0.961	12.8
WCVG	1320	0.936	12.3	WCVG	1320	0.936	12.4
WCOG	1320	0.899	11.8	WCOG	1320	0.899	11.8
KELO	1320	0.834	10.8	KELO	1320	0.834	10.9
KXRO	1320	0.782	10.1	KXRO	1320	0.782	10.1

-----

Protected Station: KOLT (245), 1320 kHz - SCOTTSBLUFF, NE, US [41-47-01.43 N, 103-56-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.737	100.0	*KNIT-PRO	1320	3.696	100.0
KXYZ	1320	3.297	88.2	KXYZ	1320	3.297	89.2
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.122	42.5	KFKA	1310	2.122	42.8
CHMB/A	1320	1.942	35.8	CHMB/A	1320	1.942	36.0
KHRT	1320	1.857	32.2	KHRT	1320	1.857	32.4
KLWN	1320	1.727	28.5	KLWN	1320	1.727	28.6

KNSS	1330	1.709	27.1	KNSS	1330	1.709	27.2
KSDT	1320	1.644	25.2	KSDT	1320	1.644	25.3
-----	25%	-----		-----	25%	-----	
KWHN	1320	1.595	23.7	KWHN	1320	1.595	23.8
WJAS	1320	1.341	19.4	WJAS	1320	1.341	19.4
KSIV	1320	1.261	17.9	KSIV	1320	1.261	17.9
WGOC	1320	1.231	17.2	WGOC	1320	1.231	17.2
WJNJ	1320	1.155	15.9	WJNJ	1320	1.155	15.9
WKAN	1320	1.121	15.2	WKAN	1320	1.121	15.3
KPTY	1330	0.965	12.9	KPTY	1330	0.965	13.0
WAGY	1320	0.960	12.8	WAGY	1320	0.960	12.8
WCVG	1320	0.935	12.3	WCVG	1320	0.935	12.4
WCOG	1320	0.898	11.8	WCOG	1320	0.898	11.8
KELO	1320	0.835	10.8	KELO	1320	0.835	10.9
KXRO	1320	0.785	10.1	KXRO	1320	0.785	10.2

-----

Protected Station: KOLT (250), 1320 kHz - SCOTTSBLUFF, NE, US [41-48-22.93 N, 103-54-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.720	100.0	*KNIT-PRO	1320	3.681	100.0
KXYZ	1320	3.286	88.3	KXYZ	1320	3.286	89.2
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.126	42.8	KFKA	1310	2.126	43.0
CHMB/A	1320	1.953	36.1	CHMB/A	1320	1.953	36.3
KHRT	1320	1.868	32.5	KHRT	1320	1.868	32.6
KLWN	1320	1.729	28.6	KLWN	1320	1.729	28.7
KNSS	1330	1.710	27.2	KNSS	1330	1.710	27.3
KSDT	1320	1.634	25.1	KSDT	1320	1.634	25.1
-----	25%	-----		-----	25%	-----	
KWHN	1320	1.624	24.1	KWHN	1320	1.624	24.2
WJAS	1320	1.340	19.4	WJAS	1320	1.340	19.4
KSIV	1320	1.262	17.9	KSIV	1320	1.262	17.9
WGOC	1320	1.231	17.2	WGOC	1320	1.231	17.2
WJNJ	1320	1.155	15.9	WJNJ	1320	1.155	15.9
WKAN	1320	1.120	15.2	WKAN	1320	1.120	15.2
KPTY	1330	0.968	13.0	KPTY	1330	0.968	13.0
WAGY	1320	0.960	12.8	WAGY	1320	0.960	12.8
WCVG	1320	0.936	12.3	WCVG	1320	0.936	12.4
WCOG	1320	0.899	11.8	WCOG	1320	0.899	11.8
KELO	1320	0.838	10.9	KELO	1320	0.838	10.9
KXRO	1320	0.787	10.2	KXRO	1320	0.787	10.2

-----

Protected Station: KOLT (255), 1320 kHz - SCOTTSBLUFF, NE, US [41-49-40.63 N, 103-53-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]



Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.697	100.0
KXYZ	1320	3.276	88.6
-----	50%	-----	
KFKA	1310	2.131	43.1
CHMB/A	1320	1.965	36.5
KHRT	1320	1.879	32.7
KLWN	1320	1.733	28.7
KNSS	1330	1.716	27.3
KWHN	1320	1.661	25.5
-----	25%	-----	
KSDT	1320	1.625	24.2
WJAS	1320	1.342	19.4
KSIV	1320	1.265	17.9
WGOC	1320	1.232	17.2
WJNJ	1320	1.157	15.9
WKAN	1320	1.122	15.2
KPTY	1330	0.974	13.1
WAGY	1320	0.960	12.8
WCVG	1320	0.938	12.4
WCOG	1320	0.901	11.8
KELO	1320	0.843	10.9
KXRO	1320	0.789	10.2

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.656	100.0
KXYZ	1320	3.276	89.6
-----	50%	-----	
KFKA	1310	2.131	43.4
CHMB/A	1320	1.965	36.7
KHRT	1320	1.879	32.9
KLWN	1320	1.733	28.8
KNSS	1330	1.716	27.4
KWHN	1320	1.661	25.6
-----	25%	-----	
KSDT	1320	1.625	24.2
WJAS	1320	1.342	19.4
KSIV	1320	1.265	18.0
WGOC	1320	1.232	17.2
WJNJ	1320	1.157	16.0
WKAN	1320	1.122	15.3
KPTY	1330	0.974	13.1
WAGY	1320	0.960	12.8
WCVG	1320	0.938	12.4
WCOG	1320	0.901	11.8
KELO	1320	0.843	11.0
KXRO	1320	0.789	10.2

Protected Station: KOLT (260), 1320 kHz - SCOTTSBLUFF, NE, US [41-50-47.87 N, 103-50-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.665	100.0
KXYZ	1320	3.269	89.1
-----	50%	-----	
KFKA	1310	2.124	43.2
CHMB/A	1320	1.976	36.9
KHRT	1320	1.891	33.1
KLWN	1320	1.743	29.0
KNSS	1330	1.724	27.5
KWHN	1320	1.708	26.3
-----	25%	-----	
KSDT	1320	1.617	24.0
WJAS	1320	1.345	19.4
KSIV	1320	1.270	18.0
WGOC	1320	1.236	17.2

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.622	100.0
KXYZ	1320	3.269	90.2
-----	50%	-----	
KFKA	1310	2.124	43.5
CHMB/A	1320	1.976	37.1
KHRT	1320	1.891	33.3
KLWN	1320	1.743	29.1
KNSS	1330	1.724	27.6
KWHN	1320	1.708	26.4
-----	25%	-----	
KSDT	1320	1.617	24.1
WJAS	1320	1.345	19.5
KSIV	1320	1.270	18.1
WGOC	1320	1.236	17.3

WJNJ	1320	1.161	16.0	WJNJ	1320	1.161	16.0
WKAN	1320	1.125	15.3	WKAN	1320	1.125	15.3
KPTY	1330	0.981	13.2	KPTY	1330	0.981	13.2
WAGY	1320	0.963	12.8	WAGY	1320	0.963	12.8
WCVG	1320	0.941	12.4	WCVG	1320	0.941	12.4
WCOG	1320	0.903	11.8	WCOG	1320	0.903	11.8
KELO	1320	0.851	11.1	KELO	1320	0.851	11.1
KXRO	1320	0.790	10.2	KXRO	1320	0.790	10.2

-----

Protected Station: KOLT (265), 1320 kHz - SCOTTSBLUFF, NE, US [41-51-25.85 N, 103-48-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.644	100.0	*KNIT-PRO	1320	3.603	100.0
KXYZ	1320	3.264	89.5	KXYZ	1320	3.264	90.6
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.119	43.3	KFKA	1310	2.119	43.5
CHMB/A	1320	1.982	37.1	CHMB/A	1320	1.982	37.3
KHRT	1320	1.897	33.3	KHRT	1320	1.897	33.4
KLWN	1320	1.749	29.1	KLWN	1320	1.749	29.2
KWHN	1320	1.735	27.7	KWHN	1320	1.735	27.8
KNSS	1330	1.731	26.6	KNSS	1330	1.731	26.7
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.612	24.0	KSDT	1320	1.612	24.1
WJAS	1320	1.347	19.5	WJAS	1320	1.347	19.5
KSIV	1320	1.274	18.1	KSIV	1320	1.274	18.1
WGOC	1320	1.238	17.3	WGOC	1320	1.238	17.3
WJNJ	1320	1.163	16.0	WJNJ	1320	1.163	16.0
WKAN	1320	1.127	15.3	WKAN	1320	1.127	15.3
KPTY	1330	0.986	13.2	KPTY	1330	0.986	13.3
WAGY	1320	0.964	12.8	WAGY	1320	0.964	12.8
WCVG	1320	0.943	12.4	WCVG	1320	0.943	12.5
WCOG	1320	0.905	11.8	WCOG	1320	0.905	11.9
KELO	1320	0.857	11.1	KELO	1320	0.857	11.1
KXRO	1320	0.791	10.2	KXRO	1320	0.791	10.2

-----

Protected Station: KOLT (270), 1320 kHz - SCOTTSBLUFF, NE, US [41-51-49.61 N, 103-51-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.675	100.0	*KNIT-PRO	1320	3.637	100.0

KXYZ	1320	3.259	88.6	KXYZ	1320	3.259	89.6
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.130	43.3	KFKA	1310	2.130	43.6
CHMB/A	1320	1.984	37.0	CHMB/A	1320	1.984	37.2
KHRT	1320	1.895	33.1	KHRT	1320	1.895	33.3
KLWN	1320	1.733	28.8	KLWN	1320	1.733	28.9
KNSS	1330	1.715	27.4	KNSS	1330	1.715	27.4
KWHN	1320	1.700	26.1	KWHN	1320	1.700	26.2
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.610	23.9	KSDT	1320	1.610	24.0
WJAS	1320	1.340	19.4	WJAS	1320	1.340	19.4
KSIV	1320	1.265	17.9	KSIV	1320	1.265	18.0
WGOC	1320	1.231	17.2	WGOC	1320	1.231	17.2
WJNJ	1320	1.158	15.9	WJNJ	1320	1.158	16.0
WKAN	1320	1.119	15.2	WKAN	1320	1.119	15.2
KPTY	1330	0.978	13.1	KPTY	1330	0.978	13.2
WAGY	1320	0.959	12.8	WAGY	1320	0.959	12.8
WCVG	1320	0.938	12.4	WCVG	1320	0.938	12.4
WCOG	1320	0.901	11.8	WCOG	1320	0.901	11.8
KELO	1320	0.849	11.0	KELO	1320	0.849	11.1
KXRO	1320	0.794	10.2	KXRO	1320	0.794	10.3

-----

Protected Station: KOLT (275), 1320 kHz - SCOTTSBLUFF, NE, US [41-52-46.48 N, 103-56-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.724	100.0	*KNIT-PRO	1320	3.689	100.0
KXYZ	1320	3.248	87.2	KXYZ	1320	3.248	88.0
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.145	43.3	KFKA	1310	2.145	43.6
CHMB/A	1320	1.989	36.9	CHMB/A	1320	1.989	37.0
KHRT	1320	1.894	32.9	KHRT	1320	1.894	33.1
KLWN	1320	1.708	28.2	KLWN	1320	1.708	28.3
KNSS	1330	1.690	26.9	KNSS	1330	1.690	26.9
KWHN	1320	1.652	25.3	KWHN	1320	1.652	25.4
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.603	23.8	KSDT	1320	1.603	23.9
WJAS	1320	1.327	19.2	WJAS	1320	1.327	19.2
KSIV	1320	1.251	17.7	KSIV	1320	1.251	17.8
WGOC	1320	1.221	17.1	WGOC	1320	1.221	17.1
WJNJ	1320	1.149	15.8	WJNJ	1320	1.149	15.9
WKAN	1320	1.106	15.0	WKAN	1320	1.106	15.1
KPTY	1330	0.968	13.0	KPTY	1330	0.968	13.0
WAGY	1320	0.952	12.7	WAGY	1320	0.952	12.7
WCVG	1320	0.929	12.3	WCVG	1320	0.929	12.3
WCOG	1320	0.894	11.7	WCOG	1320	0.894	11.7
KELO	1320	0.839	10.9	KELO	1320	0.839	10.9

KXRO	1320	0.799	10.3	KXRO	1320	0.799	10.4
------	------	-------	------	------	------	-------	------

-----

Protected Station: KOLT (280), 1320 kHz - SCOTTSBLUFF, NE, US [41-54-08.43 N, 104-00-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.748	100.0	*KNIT-PRO	1320	3.720	100.0
KXYZ	1320	3.235	86.3	KXYZ	1320	3.235	86.9
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.146	43.3	KFKA	1310	2.146	43.5
CHMB/A	1320	1.999	37.0	CHMB/A	1320	1.999	37.1
KHRT	1320	1.898	32.9	KHRT	1320	1.898	33.0
KLWN	1320	1.692	27.9	KLWN	1320	1.692	28.0
KNSS	1330	1.674	26.6	KNSS	1330	1.674	26.6
KWHN	1320	1.632	25.0	KWHN	1320	1.632	25.1
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.594	23.7	KSDT	1320	1.594	23.8
WJAS	1320	1.318	19.1	WJAS	1320	1.318	19.1
KSIV	1320	1.241	17.6	KSIV	1320	1.241	17.7
WGOC	1320	1.214	17.0	WGOC	1320	1.214	17.0
WJNJ	1320	1.144	15.8	WJNJ	1320	1.144	15.8
WKAN	1320	1.096	14.9	WKAN	1320	1.096	14.9
KPTY	1330	0.962	12.9	KPTY	1330	0.962	13.0
WAGY	1320	0.947	12.6	WAGY	1320	0.947	12.6
WCVG	1320	0.923	12.2	WCVG	1320	0.923	12.2
WCOG	1320	0.889	11.7	WCOG	1320	0.889	11.7
KELO	1320	0.842	11.0	KELO	1320	0.842	11.0
KXRO	1320	0.804	10.4	KXRO	1320	0.804	10.4
				KOZY	1320	0.771	10.0

-----

Protected Station: KOLT (285), 1320 kHz - SCOTTSBLUFF, NE, US [41-55-20.85 N, 104-00-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.743	100.0	*KNIT-PRO	1320	3.716	100.0
KXYZ	1320	3.225	86.1	KXYZ	1320	3.225	86.7
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.146	43.4	KFKA	1310	2.146	43.6
CHMB/A	1320	2.009	37.3	CHMB/A	1320	2.009	37.4
KHRT	1320	1.906	33.1	KHRT	1320	1.906	33.2
KLWN	1320	1.689	27.8	KLWN	1320	1.689	27.9

KNSS	1330	1.671	26.5	KNSS	1330	1.671	26.6
KWHN	1320	1.646	25.3	KWHN	1320	1.646	25.3
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.585	23.6	KSDT	1320	1.585	23.6
WJAS	1320	1.315	19.0	WJAS	1320	1.315	19.1
KSIV	1320	1.240	17.6	KSIV	1320	1.240	17.6
WGOC	1320	1.212	17.0	WGOC	1320	1.212	17.0
WJNJ	1320	1.143	15.8	WJNJ	1320	1.143	15.8
WKAN	1320	1.093	14.9	WKAN	1320	1.093	14.9
KPTY	1330	0.963	13.0	KPTY	1330	0.963	13.0
WAGY	1320	0.945	12.6	WAGY	1320	0.945	12.6
WCVG	1320	0.922	12.2	WCVG	1320	0.922	12.2
WCOG	1320	0.889	11.7	WCOG	1320	0.889	11.7
KELO	1320	0.855	11.1	KELO	1320	0.855	11.2
KXRO	1320	0.807	10.5	KXRO	1320	0.807	10.5
KOZY	1320	0.779	10.0	KOZY	1320	0.779	10.1

-----

Protected Station: KOLT (290), 1320 kHz - SCOTTSBLUFF, NE, US [41-56-36.77 N, 104-00-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
-----	-----	-----	-----	-----	-----	-----	-----
*KNIT	1320	3.737	100.0	*KNIT-PRO	1320	3.712	100.0
KXYZ	1320	3.214	86.0	KXYZ	1320	3.214	86.6
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.150	43.6	KFKA	1310	2.150	43.7
CHMB/A	1320	2.020	37.5	CHMB/A	1320	2.020	37.6
KHRT	1320	1.915	33.3	KHRT	1320	1.915	33.4
KLWN	1320	1.685	27.8	KLWN	1320	1.685	27.9
KNSS	1330	1.667	26.5	KNSS	1330	1.667	26.5
KWHN	1320	1.660	25.5	KWHN	1320	1.660	25.5
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.576	23.4	KSDT	1320	1.576	23.5
WJAS	1320	1.313	19.0	WJAS	1320	1.313	19.0
KSIV	1320	1.238	17.6	KSIV	1320	1.238	17.6
WGOC	1320	1.210	16.9	WGOC	1320	1.210	17.0
WJNJ	1320	1.142	15.8	WJNJ	1320	1.142	15.8
WKAN	1320	1.090	14.8	WKAN	1320	1.090	14.9
KPTY	1330	0.964	13.0	KPTY	1330	0.964	13.0
WAGY	1320	0.944	12.6	WAGY	1320	0.944	12.6
WCVG	1320	0.921	12.2	WCVG	1320	0.921	12.2
WCOG	1320	0.888	11.7	WCOG	1320	0.888	11.7
KELO	1320	0.874	11.4	KELO	1320	0.874	11.4
KXRO	1320	0.810	10.5	KXRO	1320	0.810	10.5
KOZY	1320	0.787	10.1	KOZY	1320	0.787	10.2

Protected Station: KOLT (295), 1320 kHz - SCOTTSBLUFF, NE, US [41-58-04.26 N, 104-00-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.734	100.0
KXYZ	1320	3.202	85.7
-----	50%	-----	
KFKA	1310	2.147	43.6
CHMB/A	1320	2.033	37.8
KHRT	1320	1.924	33.5
KLWN	1320	1.681	27.7
KWHN	1320	1.673	26.6
KNSS	1330	1.663	25.5
-----	25%	-----	
KSDT	1320	1.566	23.3
WJAS	1320	1.309	18.9
KSIV	1320	1.235	17.6
WGOC	1320	1.208	16.9
WJNJ	1320	1.141	15.7
WKAN	1320	1.086	14.8
KPTY	1330	0.965	13.0
WAGY	1320	0.941	12.6
WCVG	1320	0.920	12.2
KELO	1320	0.905	11.9
WCOG	1320	0.887	11.6
KXRO	1320	0.814	10.6
KOZY	1320	0.797	10.3

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.710	100.0
KXYZ	1320	3.202	86.2
-----	50%	-----	
KFKA	1310	2.147	43.8
CHMB/A	1320	2.033	37.9
KHRT	1320	1.924	33.6
KLWN	1320	1.681	27.8
KWHN	1320	1.673	26.6
KNSS	1330	1.663	25.6
-----	25%	-----	
KSDT	1320	1.566	23.3
WJAS	1320	1.309	19.0
KSIV	1320	1.235	17.6
WGOC	1320	1.208	16.9
WJNJ	1320	1.141	15.8
WKAN	1320	1.086	14.8
KPTY	1330	0.965	13.0
WAGY	1320	0.941	12.6
WCVG	1320	0.920	12.2
KELO	1320	0.905	11.9
WCOG	1320	0.887	11.6
KXRO	1320	0.814	10.6
KOZY	1320	0.797	10.3

Protected Station: KOLT (300), 1320 kHz - SCOTTSBLUFF, NE, US [41-59-27.33 N, 104-00-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.725	100.0
KXYZ	1320	3.191	85.6
-----	50%	-----	
KFKA	1310	2.148	43.8
CHMB/A	1320	2.045	38.1
KHRT	1320	1.934	33.7
KWHN	1320	1.690	27.9
KLWN	1320	1.678	26.7
KNSS	1330	1.660	25.5
-----	25%	-----	
KSDT	1320	1.556	23.1

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.703	100.0
KXYZ	1320	3.191	86.1
-----	50%	-----	
KFKA	1310	2.148	43.9
CHMB/A	1320	2.045	38.2
KHRT	1320	1.934	33.8
KWHN	1320	1.690	28.0
KLWN	1320	1.678	26.7
KNSS	1330	1.660	25.5
-----	25%	-----	
KSDT	1320	1.556	23.2

WJAS	1320	1.306	18.9	WJAS	1320	1.306	18.9
KSIV	1320	1.234	17.5	KSIV	1320	1.234	17.6
WGOC	1320	1.206	16.9	WGOC	1320	1.206	16.9
WJNJ	1320	1.140	15.7	WJNJ	1320	1.140	15.8
WKAN	1320	1.083	14.8	WKAN	1320	1.083	14.8
KPTY	1330	0.966	13.0	KPTY	1330	0.966	13.0
WAGY	1320	0.940	12.6	WAGY	1320	0.940	12.6
KELO	1320	0.939	12.5	KELO	1320	0.939	12.5
WCVG	1320	0.919	12.1	WCVG	1320	0.919	12.1
WCOG	1320	0.886	11.6	WCOG	1320	0.886	11.6
KXRO	1320	0.817	10.6	KXRO	1320	0.817	10.6
KOZY	1320	0.806	10.4	KOZY	1320	0.806	10.4

-----

Protected Station: KOLT (305), 1320 kHz - SCOTTSBLUFF, NE, US [42-00-41.63 N, 103-59-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
-----			
*KNIT	1320	3.715	100.0
KXYZ	1320	3.181	85.6
-----	50%	-----	
KFKA	1310	2.150	43.9
CHMB/A	1320	2.056	38.4
KHRT	1320	1.944	33.9
KWHN	1320	1.711	28.3
KLWN	1320	1.678	26.7
KNSS	1330	1.660	25.5
-----	25%	-----	
KSDT	1320	1.548	23.0
WJAS	1320	1.305	18.9
KSIV	1320	1.234	17.5
WGOC	1320	1.205	16.9
WJNJ	1320	1.140	15.7
WKAN	1320	1.082	14.7
KELO	1320	0.972	13.1
KPTY	1330	0.969	13.0
WAGY	1320	0.939	12.5
WCVG	1320	0.919	12.1
WCOG	1320	0.886	11.6
KXRO	1320	0.820	10.6
KOZY	1320	0.813	10.5

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
-----			
*KNIT-PRO	1320	3.690	100.0
KXYZ	1320	3.181	86.2
-----	50%	-----	
KFKA	1310	2.150	44.1
CHMB/A	1320	2.056	38.6
KHRT	1320	1.944	34.0
KWHN	1320	1.711	28.3
KLWN	1320	1.678	26.7
KNSS	1330	1.660	25.5
-----	25%	-----	
KSDT	1320	1.548	23.1
WJAS	1320	1.305	18.9
KSIV	1320	1.234	17.6
WGOC	1320	1.205	16.9
WJNJ	1320	1.140	15.8
WKAN	1320	1.082	14.8
KELO	1320	0.972	13.1
KPTY	1330	0.969	13.0
WAGY	1320	0.939	12.5
WCVG	1320	0.919	12.1
WCOG	1320	0.886	11.6
KXRO	1320	0.820	10.6
KOZY	1320	0.813	10.5

-----

Protected Station: KOLT (310), 1320 kHz - SCOTTSBLUFF, NE, US [42-01-43.26 N, 103-58-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.697	100.0
KXYZ	1320	3.174	85.8
-----	50%	-----	
KFKA	1310	2.147	44.0
CHMB/A	1320	2.065	38.7
KHRT	1320	1.953	34.1
KWHN	1320	1.735	28.7
KLWN	1320	1.680	26.7
KNSS	1330	1.662	25.5
-----	25%	-----	
KSDT	1320	1.540	22.9
WJAS	1320	1.305	18.9
KSIV	1320	1.235	17.6
WGOC	1320	1.206	16.9
WJNJ	1320	1.141	15.8
WKAN	1320	1.082	14.8
KELO	1320	0.998	13.5
KPTY	1330	0.972	13.0
WAGY	1320	0.940	12.5
WCVG	1320	0.920	12.1
WCOG	1320	0.887	11.6
KXRO	1320	0.822	10.6
KOZY	1320	0.818	10.5

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.675	100.0
KXYZ	1320	3.174	86.3
-----	50%	-----	
KFKA	1310	2.147	44.2
CHMB/A	1320	2.065	38.8
KHRT	1320	1.953	34.2
KWHN	1320	1.735	28.8
KLWN	1320	1.680	26.8
KNSS	1330	1.662	25.6
-----	25%	-----	
KSDT	1320	1.540	22.9
WJAS	1320	1.305	18.9
KSIV	1320	1.235	17.6
WGOC	1320	1.206	16.9
WJNJ	1320	1.141	15.8
WKAN	1320	1.082	14.8
KELO	1320	0.998	13.5
KPTY	1330	0.972	13.0
WAGY	1320	0.940	12.5
WCVG	1320	0.920	12.1
WCOG	1320	0.887	11.6
KXRO	1320	0.822	10.7
KOZY	1320	0.818	10.6

Protected Station: KOLT (315), 1320 kHz - SCOTTSBLUFF, NE, US [42-02-28.96 N, 103-56-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.681	100.0
KXYZ	1320	3.168	86.0
-----	50%	-----	
KFKA	1310	2.146	44.1
CHMB/A	1320	2.072	39.0
KHRT	1320	1.961	34.4
KWHN	1320	1.760	29.1
KLWN	1320	1.683	26.8
KNSS	1330	1.667	25.6
-----	25%	-----	
KSDT	1320	1.535	22.8
WJAS	1320	1.307	18.9
KSIV	1320	1.238	17.6
WGOC	1320	1.207	16.9
WJNJ	1320	1.143	15.8

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.656	100.0
KXYZ	1320	3.168	86.6
-----	50%	-----	
KFKA	1310	2.146	44.3
CHMB/A	1320	2.072	39.1
KHRT	1320	1.961	34.5
KWHN	1320	1.760	29.2
KLWN	1320	1.683	26.8
KNSS	1330	1.667	25.6
-----	25%	-----	
KSDT	1320	1.535	22.9
WJAS	1320	1.307	19.0
KSIV	1320	1.238	17.6
WGOC	1320	1.207	16.9
WJNJ	1320	1.143	15.8



WKAN	1320	1.083	14.8	WKAN	1320	1.083	14.8
KELO	1320	1.017	13.7	KELO	1320	1.017	13.7
KPTY	1330	0.976	13.0	KPTY	1330	0.976	13.1
WAGY	1320	0.941	12.5	WAGY	1320	0.941	12.5
WCVG	1320	0.921	12.1	WCVG	1320	0.921	12.1
WCOG	1320	0.888	11.6	WCOG	1320	0.888	11.6
KXRO	1320	0.823	10.7	KXRO	1320	0.823	10.7
KOZY	1320	0.821	10.6	KOZY	1320	0.821	10.6

-----

Protected Station: KOLT (320), 1320 kHz - SCOTTSBLUFF, NE, US [42-02-55.81 N, 103-54-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:				Proposed:			
Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.659	100.0	*KNIT-PRO	1320	3.636	100.0
KXYZ	1320	3.166	86.5	KXYZ	1320	3.166	87.0
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.143	44.2	KFKA	1310	2.143	44.4
CHMB/A	1320	2.077	39.2	CHMB/A	1320	2.077	39.3
KHRT	1320	1.966	34.5	KHRT	1320	1.966	34.6
KWHN	1320	1.784	29.6	KWHN	1320	1.784	29.7
KLWN	1320	1.690	26.9	KLWN	1320	1.690	26.9
KNSS	1330	1.671	25.7	KNSS	1330	1.671	25.7
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.532	22.8	KSDT	1320	1.532	22.8
WJAS	1320	1.309	19.0	WJAS	1320	1.309	19.0
KSIV	1320	1.241	17.7	KSIV	1320	1.241	17.7
WGOC	1320	1.209	16.9	WGOC	1320	1.209	17.0
WJNJ	1320	1.145	15.8	WJNJ	1320	1.145	15.8
WKAN	1320	1.086	14.8	WKAN	1320	1.086	14.8
KELO	1320	1.023	13.8	KELO	1320	1.023	13.8
KPTY	1330	0.980	13.1	KPTY	1330	0.980	13.1
WAGY	1320	0.942	12.5	WAGY	1320	0.942	12.5
WCVG	1320	0.923	12.1	WCVG	1320	0.923	12.1
WCOG	1320	0.890	11.6	WCOG	1320	0.890	11.6
KXRO	1320	0.823	10.6	KXRO	1320	0.823	10.7
KOZY	1320	0.821	10.6	KOZY	1320	0.821	10.6

-----

Protected Station: KOLT (325), 1320 kHz - SCOTTSBLUFF, NE, US [42-03-02.02 N, 103-52-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:				Proposed:			
Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
-----				-----			

*KNIT	1320	3.641	100.0	*KNIT-PRO	1320	3.614	100.0
KXYZ	1320	3.166	86.9	KXYZ	1320	3.166	87.6
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.143	44.4	KFKA	1310	2.143	44.5
CHMB/A	1320	2.079	39.3	CHMB/A	1320	2.079	39.5
KHRT	1320	1.970	34.7	KHRT	1320	1.970	34.8
KWHN	1320	1.807	30.0	KWHN	1320	1.807	30.1
KLWN	1320	1.698	27.0	KLWN	1320	1.698	27.1
KNSS	1330	1.680	25.8	KNSS	1330	1.680	25.9
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.532	22.8	KSDT	1320	1.532	22.8
WJAS	1320	1.313	19.0	WJAS	1320	1.313	19.1
KSIV	1320	1.246	17.7	KSIV	1320	1.246	17.8
WGOC	1320	1.212	17.0	WGOC	1320	1.212	17.0
WJNJ	1320	1.148	15.8	WJNJ	1320	1.148	15.9
WKAN	1320	1.090	14.9	WKAN	1320	1.090	14.9
KELO	1320	1.018	13.7	KELO	1320	1.018	13.7
KPTY	1330	0.985	13.2	KPTY	1330	0.985	13.2
WAGY	1320	0.944	12.5	WAGY	1320	0.944	12.5
WCVG	1320	0.926	12.2	WCVG	1320	0.926	12.2
WCOG	1320	0.893	11.6	WCOG	1320	0.893	11.7
KXRO	1320	0.822	10.6	KXRO	1320	0.822	10.6
KOZY	1320	0.819	10.5	KOZY	1320	0.819	10.5

Protected Station: KOLT (330), 1320 kHz - SCOTTSBLUFF, NE, US [42-02-45.90 N, 103-50-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.620	100.0	*KNIT-PRO	1320	3.594	100.0
KXYZ	1320	3.169	87.5	KXYZ	1320	3.169	88.1
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.135	44.3	KFKA	1310	2.135	44.5
CHMB/A	1320	2.077	39.4	CHMB/A	1320	2.077	39.5
KHRT	1320	1.972	34.8	KHRT	1320	1.972	34.9
KWHN	1320	1.828	30.4	KWHN	1320	1.828	30.5
KLWN	1320	1.707	27.2	KLWN	1320	1.707	27.3
KNSS	1330	1.690	26.0	KNSS	1330	1.690	26.0
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.534	22.8	KSDT	1320	1.534	22.9
WJAS	1320	1.318	19.1	WJAS	1320	1.318	19.1
KSIV	1320	1.251	17.8	KSIV	1320	1.251	17.8
WGOC	1320	1.216	17.0	WGOC	1320	1.216	17.1
WJNJ	1320	1.151	15.9	WJNJ	1320	1.151	15.9
WKAN	1320	1.095	14.9	WKAN	1320	1.095	15.0
KELO	1320	1.000	13.5	KELO	1320	1.000	13.5
KPTY	1330	0.990	13.2	KPTY	1330	0.990	13.2
WAGY	1320	0.947	12.5	WAGY	1320	0.947	12.6

WCVG	1320	0.930	12.2	WCVG	1320	0.930	12.2
WCOG	1320	0.895	11.7	WCOG	1320	0.895	11.7
KXRO	1320	0.820	10.6	KXRO	1320	0.820	10.6
KOZY	1320	0.813	10.5	KOZY	1320	0.813	10.5

-----

Protected Station: KOLT (335), 1320 kHz - SCOTTSBLUFF, NE, US [42-02-06.37 N, 103-48-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.605	100.0	*KNIT-PRO	1320	3.574	100.0
KXYZ	1320	3.175	88.0	KXYZ	1320	3.175	88.8
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.131	44.3	KFKA	1310	2.131	44.5
CHMB/A	1320	2.072	39.4	CHMB/A	1320	2.072	39.5
KHRT	1320	1.970	34.8	KHRT	1320	1.970	34.9
KWHN	1320	1.845	30.8	KWHN	1320	1.845	30.9
KLWN	1320	1.718	27.4	KLWN	1320	1.718	27.5
KNSS	1330	1.699	26.1	KNSS	1330	1.699	26.2
-----	25%	-----		-----	25%	-----	
KSDT	1320	1.538	22.9	KSDT	1320	1.538	22.9
WJAS	1320	1.323	19.2	WJAS	1320	1.323	19.2
KSIV	1320	1.257	17.9	KSIV	1320	1.257	17.9
WGOC	1320	1.221	17.1	WGOC	1320	1.221	17.1
WJNJ	1320	1.154	15.9	WJNJ	1320	1.154	16.0
WKAN	1320	1.101	15.0	WKAN	1320	1.101	15.0
KPTY	1330	0.994	13.4	KPTY	1330	0.994	13.4
KELO	1320	0.971	13.0	KELO	1320	0.971	13.0
WAGY	1320	0.950	12.6	WAGY	1320	0.950	12.6
WCVG	1320	0.933	12.2	WCVG	1320	0.933	12.3
WCOG	1320	0.898	11.7	WCOG	1320	0.898	11.7
KXRO	1320	0.817	10.6	KXRO	1320	0.817	10.6
KOZY	1320	0.805	10.4	KOZY	1320	0.805	10.4

-----

Protected Station: KOLT (340), 1320 kHz - SCOTTSBLUFF, NE, US [42-01-02.63 N, 103-46-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)	Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.590	100.0	*KNIT-PRO	1320	3.558	100.0
KXYZ	1320	3.185	88.7	KXYZ	1320	3.185	89.5
-----	50%	-----		-----	50%	-----	
KFKA	1310	2.126	44.3	KFKA	1310	2.126	44.5

CHMB/A	1320	2.064	39.3	CHMB/A	1320	2.064	39.4
KHRT	1320	1.965	34.8	KHRT	1320	1.965	34.9
KWHN	1320	1.856	31.0	KWHN	1320	1.856	31.1
KLWN	1320	1.728	27.6	KLWN	1320	1.728	27.7
KNSS	1330	1.712	26.3	KNSS	1330	1.712	26.4
----- 25% -----				----- 25% -----			
KSDT	1320	1.546	23.0	KSDT	1320	1.546	23.0
WJAS	1320	1.330	19.3	WJAS	1320	1.330	19.3
KSIV	1320	1.263	18.0	KSIV	1320	1.263	18.0
WGOC	1320	1.225	17.1	WGOC	1320	1.225	17.2
WJNJ	1320	1.158	16.0	WJNJ	1320	1.158	16.0
WKAN	1320	1.108	15.1	WKAN	1320	1.108	15.1
KPTY	1330	0.998	13.4	KPTY	1330	0.998	13.4
WAGY	1320	0.954	12.7	WAGY	1320	0.954	12.7
WCVG	1320	0.937	12.4	WCVG	1320	0.937	12.4
KELO	1320	0.937	12.3	KELO	1320	0.937	12.3
WCOG	1320	0.901	11.7	WCOG	1320	0.901	11.8
KXRO	1320	0.813	10.5	KXRO	1320	0.813	10.5
KOZY	1320	0.795	10.2	KOZY	1320	0.795	10.2

-----

Protected Station: KOLT (345), 1320 kHz - SCOTTSBLUFF, NE, US [41-59-34.79 N, 103-45-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Call	Freq (kHz)	Limit (mV/m)	(%)
-----			
*KNIT	1320	3.578	100.0
KXYZ	1320	3.198	89.3
----- 50% -----			
KFKA	1310	2.121	44.1
CHMB/A	1320	2.052	39.1
KHRT	1320	1.958	34.7
KWHN	1320	1.861	31.2
KLWN	1320	1.740	27.8
KNSS	1330	1.722	26.5
----- 25% -----			
KSDT	1320	1.556	23.1
WJAS	1320	1.337	19.4
KSIV	1320	1.270	18.0
WGOC	1320	1.231	17.2
WJNJ	1320	1.161	16.0
WKAN	1320	1.115	15.2
KPTY	1330	1.000	13.4
WAGY	1320	0.958	12.8
WCVG	1320	0.941	12.4
KELO	1320	0.904	11.9
WCOG	1320	0.904	11.8
KXRO	1320	0.808	10.4
KOZY	1320	0.783	10.1

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
-----			
*KNIT-PRO	1320	3.544	100.0
KXYZ	1320	3.198	90.2
----- 50% -----			
KFKA	1310	2.121	44.4
CHMB/A	1320	2.052	39.2
KHRT	1320	1.958	34.8
KWHN	1320	1.861	31.3
KLWN	1320	1.740	27.9
KNSS	1330	1.722	26.6
----- 25% -----			
KSDT	1320	1.556	23.2
WJAS	1320	1.337	19.4
KSIV	1320	1.270	18.1
WGOC	1320	1.231	17.2
WJNJ	1320	1.161	16.0
WKAN	1320	1.115	15.2
KPTY	1330	1.000	13.5
WAGY	1320	0.958	12.8
WCVG	1320	0.941	12.5
KELO	1320	0.904	11.9
WCOG	1320	0.904	11.8
KXRO	1320	0.808	10.5
KOZY	1320	0.783	10.1

-----

Protected Station: KOLT (350), 1320 kHz - SCOTTSBLUFF, NE, US [41-57-48.20 N, 103-43-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.575	100.0
KXYZ	1320	3.214	89.8
-----	50%	-----	
KFKA	1310	2.114	43.9
CHMB/A	1320	2.037	38.7
KHRT	1320	1.947	34.5
KWHN	1320	1.859	31.1
KLWN	1320	1.751	28.0
KNSS	1330	1.733	26.7
-----	25%	-----	
KSDT	1320	1.568	23.3
WJAS	1320	1.343	19.4
KSIV	1320	1.276	18.1
WGOC	1320	1.236	17.3
WJNJ	1320	1.165	16.0
WKAN	1320	1.122	15.3
KPTY	1330	1.002	13.5
WAGY	1320	0.962	12.8
WCVG	1320	0.945	12.5
WCOG	1320	0.907	11.9
KELO	1320	0.883	11.5
KXRO	1320	0.803	10.4

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.535	100.0
KXYZ	1320	3.214	90.9
-----	50%	-----	
KFKA	1310	2.114	44.2
CHMB/A	1320	2.037	38.9
KHRT	1320	1.947	34.7
KWHN	1320	1.859	31.3
KLWN	1320	1.751	28.1
KNSS	1330	1.733	26.8
-----	25%	-----	
KSDT	1320	1.568	23.4
WJAS	1320	1.343	19.5
KSIV	1320	1.276	18.2
WGOC	1320	1.236	17.3
WJNJ	1320	1.165	16.1
WKAN	1320	1.122	15.3
KPTY	1330	1.002	13.5
WAGY	1320	0.962	12.8
WCVG	1320	0.945	12.5
WCOG	1320	0.907	11.9
KELO	1320	0.883	11.5
KXRO	1320	0.803	10.4

-----

Protected Station: KOLT (355), 1320 kHz - SCOTTSBLUFF, NE, US [41-56-23.46 N, 103-42-  
Standard: FCC Rules (1992 Skywave Propagation Model) [ 10% ]

Current:

Proposed:

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT	1320	3.572	100.0
KXYZ	1320	3.226	90.2
-----	50%	-----	
KFKA	1310	2.111	43.8
CHMB/A	1320	2.026	38.5
KHRT	1320	1.939	34.4
KWHN	1320	1.854	31.1
KLWN	1320	1.759	28.1
KNSS	1330	1.741	26.8

Call	Freq (kHz)	Limit (mV/m)	(%)
*KNIT-PRO	1320	3.530	100.0
KXYZ	1320	3.226	91.3
-----	50%	-----	
KFKA	1310	2.111	44.1
CHMB/A	1320	2.026	38.7
KHRT	1320	1.939	34.5
KWHN	1320	1.854	31.2
KLWN	1320	1.759	28.3
KNSS	1330	1.741	26.9

-----	25%	-----	
KSDT	1320	1.577	23.4
WJAS	1320	1.348	19.5
KSIV	1320	1.280	18.2
WGOC	1320	1.240	17.3
WJNJ	1320	1.167	16.1
WKAN	1320	1.128	15.3
KPTY	1330	1.003	13.5
WAGY	1320	0.965	12.8
WCVG	1320	0.947	12.5
WCOG	1320	0.909	11.9
KELO	1320	0.879	11.4
KXRO	1320	0.799	10.3

-----	25%	-----	
KSDT	1320	1.577	23.5
WJAS	1320	1.348	19.6
KSIV	1320	1.280	18.2
WGOC	1320	1.240	17.4
WJNJ	1320	1.167	16.1
WKAN	1320	1.128	15.4
KPTY	1330	1.003	13.5
WAGY	1320	0.965	12.9
WCVG	1320	0.947	12.5
WCOG	1320	0.909	11.9
KELO	1320	0.879	11.4
KXRO	1320	0.799	10.3