

Exhibit 15-H-19

Tabulation of Distance to WDNC Daytime Allocation Contours

WDNC	620 kHz	Lic	DA2U	BL030131KI	20060522
NC	DURHAM			5.000 kW	3 Towers
N. Lat:	36 02 03	W. Lon:	78 57 47		6 Augmentations
					18 Measured Cond

Conductivities are from M-3 map unless supplemented by measurements.
All distances are in kilometers (US metric curves)
All radiations are in mV/m at one kilometer

'M*' bearing is supplemented by measurements.
'+-' 10 deg. variance from measured bearing.

Bearing	Radiation	Distance to Contours	
		0.500	0.250
0.0-	309.7	33.58	46.62
1.0M*	298.0	32.97	45.79
5.0+	257.2	30.74	42.71
10.0-	241.4	29.82	41.45
11.0M*	245.2	30.04	41.76
15.0+	287.0	32.38	44.98
19.0+	366.7	36.39	50.48
20.0+	390.7	37.50	52.00
21.0-	415.6	38.62	53.53
25.0-	521.5	42.99	59.51
29.0M*	630.8	47.02	65.00
30.0+	657.8	47.96	66.27
35.0+	787.1	52.18	71.99
39.0+	879.8	54.96	75.75
40.0	901.0	106.21	138.44
45.0	993.6	109.33	142.77
50.0-	1061.9	113.88	148.14
55.0-	1104.8	115.61	150.36
60.0M*	1123.5	116.35	151.31
65.0+	1120.9	116.25	151.18
70.0+	1100.8	115.45	150.16
75.0	1068.0	109.39	143.71
80.0	1027.0	107.53	141.37
85.0	982.6	105.55	138.85
90.0	938.6	103.58	136.32
95.0	898.4	101.73	133.93
100.0	864.9	100.15	131.90
104.5-	842.0	98.12	129.55
105.0-	839.9	98.03	129.42
110.0-	824.8	97.31	128.49
114.5M*	820.4	97.10	128.22
115.0+	820.5	97.11	128.22
120.0+	827.0	97.42	128.63
124.5+	842.0	98.12	129.55
125.0	844.1	99.84	132.14
130.0	871.0	110.51	151.81

WDNC	620 kHz	Lic	DA2U	BL030131KI	20060522
NC	DURHAM			5.000 kW	3 Towers
N. Lat:	36 02 03	W. Lon:	78 57 47		6 Augmentations
					18 Measured Cond

Page 2 of 3

WDNC	620 kHz	Lic	DA2U	BL030131KI	20060522
NC	DURHAM			5.000 kW	3 Towers
N. Lat:	36 02 03	W. Lon:	78 57 47		6 Augmentations
					18 Measured Cond

Page 3 of 3