

06-15-2007

30 Arc-Sec. Terrain Data

FMOver Analysis

WWGV.A

Channel = 201A

Max ERP = 5.4 kW

RCAMSL = 327 M

N. Lat = 39 43 16.0

W. Lng = 83 08 36.0

Protected

60 dBu

WUFM

BLED19970602KA

Channel = 204B

Max ERP = 5 kW

RCAMSL = 473 M

N. Lat = 39 56 16.0

W. Lng = 83 01 16.0

Interfering

100 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
323.0	005.4000	0056.7	021.4	253.3	000.3455	0213.7	024.3	58.21
324.0	005.4000	0057.3	021.5	253.8	000.3498	0213.6	024.0	58.48
325.0	005.4000	0057.8	021.5	254.3	000.3538	0213.6	023.7	58.77
326.0	005.4000	0058.3	021.6	254.8	000.3577	0213.5	023.4	59.06
327.0	005.4000	0058.7	021.7	255.3	000.3615	0213.5	023.0	59.36
328.0	005.4000	0059.1	021.8	255.7	000.3652	0213.4	022.7	59.66
329.0	005.4000	0059.6	021.8	256.2	000.3689	0213.4	022.3	59.96
330.0	005.4000	0060.0	021.9	256.7	000.3727	0213.3	022.0	60.27
331.0	005.4000	0060.5	022.0	257.2	000.3767	0213.3	021.7	60.58
332.0	005.4000	0061.1	022.1	257.6	000.3807	0213.2	021.3	60.89
333.0	005.4000	0061.6	022.2	258.1	000.3848	0213.2	021.0	61.22
334.0	005.4000	0062.2	022.2	258.6	000.3890	0213.1	020.6	61.54
335.0	005.4000	0062.8	022.3	259.2	000.3934	0213.1	020.2	61.87
336.0	005.4000	0063.5	022.4	259.7	000.3982	0212.9	019.9	62.20
337.0	005.4000	0064.5	022.6	260.4	000.4042	0212.9	019.6	62.54
338.0	005.4000	0066.0	022.8	261.3	000.4118	0212.6	019.2	62.89
339.0	005.4000	0067.7	023.1	262.4	000.4209	0212.4	018.9	63.24
340.0	005.4000	0069.8	023.4	263.6	000.4314	0211.9	018.6	63.59
341.0	005.4000	0072.0	023.7	264.9	000.4429	0211.7	018.2	63.96
342.0	005.4000	0074.1	024.0	266.2	000.4547	0211.4	017.9	64.33
343.0	005.4000	0076.3	024.3	267.5	000.4668	0211.2	017.6	64.71
344.0	005.4000	0078.4	024.6	268.8	000.4791	0211.1	017.2	65.10
345.0	005.4000	0080.0	024.9	270.0	000.4896	0211.0	016.9	65.49
346.0	005.4000	0081.3	025.1	271.0	000.5138	0210.9	016.5	66.01
347.0	005.4000	0082.0	025.2	271.7	000.5336	0210.8	016.1	66.50
348.0	005.4000	0082.4	025.2	272.3	000.5484	0210.8	015.7	66.97
349.0	005.4000	0082.4	025.2	272.7	000.5596	0210.8	015.3	67.42
350.0	005.4000	0082.3	025.2	273.0	000.5678	0210.8	014.8	67.62
351.0	005.4000	0082.0	025.2	273.2	000.5729	0210.8	014.4	68.18
352.0	005.4000	0081.6	025.1	273.4	000.5775	0210.8	014.0	68.76
353.0	005.4000	0081.5	025.1	273.7	000.5848	0210.7	013.5	69.37
354.0	005.4000	0081.5	025.1	274.0	000.5935	0210.7	013.1	70.03
355.0	005.4000	0081.5	025.1	274.3	000.6019	0210.7	012.7	70.70
356.0	005.4000	0081.4	025.1	274.6	000.6101	0210.8	012.2	71.40
357.0	005.4000	0081.4	025.1	274.9	000.6181	0210.8	011.8	72.11
358.0	005.4000	0081.3	025.1	275.1	000.6235	0210.8	011.4	72.84
359.0	005.4000	0081.0	025.0	275.1	000.6232	0210.8	010.9	73.55

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
000.0	005.4000	0080.6	025.0	275.0	000.6218	0210.8	010.5	74.28
001.0	005.4000	0080.5	024.9	275.1	000.6241	0210.8	010.0	75.04
002.0	005.4000	0080.6	025.0	275.4	000.6323	0210.8	009.6	75.87
003.0	005.4000	0080.8	025.0	275.7	000.6402	0210.8	009.2	76.71
004.0	005.4000	0081.1	025.0	276.1	000.6514	0210.8	008.7	77.59
005.0	005.4000	0081.5	025.1	276.5	000.6644	0210.8	008.3	78.50
006.0	005.4000	0081.8	025.1	276.9	000.6761	0210.8	007.9	79.43
007.0	005.4000	0082.0	025.2	277.2	000.6843	0210.8	007.4	80.39
008.0	005.4000	0082.2	025.2	277.4	000.6898	0210.8	007.0	81.41
009.0	005.4000	0082.4	025.2	277.6	000.6948	0210.9	006.6	82.48
010.0	005.4000	0082.5	025.2	277.5	000.6938	0210.9	006.1	83.56
011.0	005.4000	0082.5	025.2	277.4	000.6889	0210.8	005.7	84.67
012.0	005.4000	0082.5	025.2	277.0	000.6787	0210.8	005.2	85.80
013.0	005.4000	0082.6	025.2	276.5	000.6647	0210.8	004.8	86.93
014.0	005.4000	0082.6	025.3	276.0	000.6482	0210.8	004.4	88.15
015.0	005.4000	0082.8	025.3	275.3	000.6307	0210.8	003.9	89.50
016.0	005.4000	0082.9	025.3	274.4	000.6040	0210.7	003.5	90.89
017.0	005.4000	0083.0	025.3	272.8	000.5607	0210.8	003.1	92.22
018.0	005.4000	0083.0	025.3	270.3	000.4975	0211.0	002.6	93.55
019.0	005.4000	0083.0	025.3	266.7	000.4594	0211.3	002.2	95.20
020.0	005.4000	0083.0	025.3	261.3	000.4113	0212.6	001.8	96.80
021.0	005.4000	0083.0	025.3	252.7	000.3405	0213.7	001.4	99.06
022.0	005.4000	0083.0	025.3	238.5	000.2519	0221.9	001.1	99.85
023.0	005.4000	0083.0	025.3	216.2	000.1693	0232.3	000.9	99.72
024.0	005.4000	0083.0	025.3	189.3	000.1693	0256.0	000.9	99.67
025.0	005.4000	0083.1	025.3	167.2	000.1693	0256.8	001.1	98.08
026.0	005.4000	0083.3	025.4	152.3	000.1693	0258.1	001.4	96.08
027.0	005.4000	0083.7	025.4	142.4	000.1693	0258.4	001.8	93.32
028.0	005.4000	0084.3	025.5	135.7	000.1862	0258.3	002.2	91.83
029.0	005.4000	0084.9	025.6	130.8	000.2066	0257.8	002.6	90.41
030.0	005.4000	0085.7	025.7	127.0	000.2244	0257.1	003.0	89.02
031.0	005.4000	0086.6	025.8	124.1	000.2387	0256.6	003.4	87.68
032.0	005.4000	0087.4	025.9	122.2	000.2483	0256.2	003.9	86.33
033.0	005.4000	0088.0	026.0	121.2	000.2537	0255.9	004.3	85.01
034.0	005.4000	0088.4	026.1	120.7	000.2563	0255.9	004.8	83.79
035.0	005.4000	0088.8	026.1	120.4	000.2580	0255.7	005.3	82.64
036.0	005.4000	0089.3	026.2	120.1	000.2592	0255.7	005.7	81.53
037.0	005.4000	0089.8	026.3	120.0	000.2600	0255.7	006.2	80.45
038.0	005.4000	0090.3	026.3	119.9	000.2602	0255.7	006.6	79.41
039.0	005.4000	0090.8	026.4	120.0	000.2602	0255.7	007.1	78.41
040.0	005.4000	0091.3	026.5	120.0	000.2600	0255.7	007.6	77.44
041.0	005.4000	0091.9	026.5	120.1	000.2596	0255.7	008.0	76.52
042.0	005.4000	0092.4	026.6	120.2	000.2591	0255.7	008.5	75.64
043.0	005.4000	0093.0	026.7	120.3	000.2583	0255.7	009.0	74.76
044.0	005.4000	0093.6	026.8	120.5	000.2575	0255.7	009.5	73.90
045.0	005.4000	0094.3	026.9	120.6	000.2566	0255.9	009.9	73.06
046.0	005.4000	0094.8	026.9	120.9	000.2552	0255.9	010.4	72.23
047.0	005.4000	0095.3	027.0	121.3	000.2532	0255.9	010.9	71.41
048.0	005.4000	0095.6	027.1	121.7	000.2509	0256.2	011.3	70.63
049.0	005.4000	0095.9	027.1	122.2	000.2486	0256.2	011.8	69.85
050.0	005.4000	0096.4	027.2	122.6	000.2466	0256.4	012.3	69.11

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
051.0	005.4000	0097.1	027.3	122.8	000.2452	0256.4	012.8	68.38
052.0	005.4000	0097.8	027.3	123.1	000.2439	0256.4	013.2	67.68
053.0	005.4000	0098.4	027.4	123.5	000.2421	0256.4	013.7	67.01
054.0	005.4000	0098.8	027.5	123.9	000.2398	0256.6	014.2	66.37
055.0	005.4000	0099.2	027.5	124.4	000.2372	0256.6	014.7	65.75
056.0	005.4000	0099.4	027.6	124.9	000.2346	0256.8	015.1	65.45
057.0	005.4000	0099.7	027.6	125.5	000.2320	0256.8	015.6	65.00
058.0	005.4000	0100.0	027.6	126.0	000.2293	0256.9	016.0	64.57
059.0	005.4000	0100.2	027.7	126.6	000.2266	0257.1	016.5	64.14
060.0	005.4000	0100.4	027.7	127.1	000.2239	0257.1	016.9	63.70
061.0	005.4000	0100.6	027.7	127.7	000.2212	0257.3	017.4	63.27
062.0	005.4000	0100.8	027.7	128.2	000.2186	0257.3	017.9	62.84
063.0	005.4000	0101.0	027.8	128.8	000.2160	0257.5	018.3	62.42
064.0	005.4000	0101.3	027.8	129.3	000.2134	0257.5	018.8	62.00
065.0	005.4000	0101.5	027.8	129.8	000.2109	0257.7	019.2	61.58
066.0	005.4000	0101.8	027.9	130.4	000.2086	0257.7	019.7	61.16
067.0	005.4000	0102.1	027.9	130.9	000.2063	0257.8	020.1	60.76
068.0	005.4000	0102.2	027.9	131.5	000.2039	0257.8	020.6	60.35
069.0	005.4000	0102.1	027.9	132.1	000.2013	0257.9	021.0	59.95
070.0	005.4000	0102.0	027.9	132.7	000.1986	0258.0	021.4	59.56
071.0	005.4000	0102.0	027.9	133.3	000.1961	0258.0	021.9	59.17
072.0	005.4000	0102.2	027.9	133.8	000.1939	0258.1	022.3	58.78
073.0	005.4000	0102.6	028.0	134.3	000.1919	0258.1	022.7	58.39
074.0	005.4000	0102.9	028.0	134.8	000.1898	0258.2	023.2	58.01
075.0	005.4000	0103.2	028.0	135.3	000.1878	0258.2	023.6	57.63
076.0	005.4000	0103.2	028.0	135.9	000.1854	0258.3	024.1	57.26
077.0	005.4000	0102.9	028.0	136.6	000.1828	0258.4	024.5	56.91
078.0	005.4000	0102.6	028.0	137.2	000.1801	0258.4	024.9	56.56
079.0	005.4000	0102.3	027.9	137.9	000.1775	0258.5	025.3	56.21
080.0	005.4000	0102.3	027.9	138.5	000.1752	0258.5	025.7	55.87
081.0	005.4000	0102.7	028.0	138.9	000.1734	0258.5	026.1	55.52
082.0	005.4000	0103.1	028.0	139.4	000.1715	0258.5	026.6	55.17
083.0	005.4000	0103.5	028.1	139.9	000.1697	0258.5	027.0	54.83

06-15-2007 30 Arc-Sec. Sec. Terrain Data

WUFM BLED19970602KA
 Channel = 204B
 Max ERP = 5 kW
 RCAMSL = 473 M
 N. Lat = 39 56 16.0
 W. Lng = 83 01 16.0
 Protected
 60 dBu

WWGV.A
 Channel = 201A
 Max ERP = 5.4 kW
 RCAMSL = 327 M
 N. Lat = 39 43 16.0
 W. Lng = 83 08 36.0
 Interfering
 100 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
143.0	000.1693	0258.4	019.1	067.9	005.4000	0102.2	023.7	64.08
144.0	000.1693	0258.3	019.1	068.1	005.4000	0102.2	023.3	64.32
145.0	000.1693	0258.3	019.1	068.3	005.4000	0102.2	023.0	64.56
146.0	000.1693	0258.3	019.1	068.5	005.4000	0102.1	022.7	64.80
147.0	000.1693	0258.2	019.1	068.7	005.4000	0102.1	022.4	65.05
148.0	000.1693	0258.2	019.1	068.9	005.4000	0102.1	022.0	65.30
149.0	000.1693	0258.2	019.1	069.0	005.4000	0102.1	021.7	65.55
150.0	000.1693	0258.1	019.1	069.2	005.4000	0102.1	021.4	65.80
151.0	000.1693	0258.1	019.1	069.3	005.4000	0102.1	021.1	66.06
152.0	000.1693	0258.1	019.1	069.4	005.4000	0102.1	020.7	66.31
153.0	000.1693	0258.2	019.1	069.6	005.4000	0102.0	020.4	66.57
154.0	000.1693	0258.3	019.1	069.7	005.4000	0102.0	020.1	66.83
155.0	000.1693	0258.4	019.1	069.8	005.4000	0102.0	019.7	67.09
156.0	000.1693	0258.6	019.1	069.9	005.4000	0102.0	019.4	67.36
157.0	000.1693	0258.7	019.1	070.0	005.4000	0102.0	019.1	67.63
158.0	000.1693	0258.7	019.1	070.0	005.4000	0102.0	018.7	67.90
159.0	000.1693	0258.8	019.1	070.1	005.4000	0102.0	018.4	68.17
160.0	000.1693	0258.9	019.1	070.1	005.4000	0102.0	018.1	68.44
161.0	000.1693	0258.9	019.1	070.1	005.4000	0102.0	017.7	68.72
162.0	000.1693	0258.9	019.1	070.0	005.4000	0102.0	017.4	68.99
163.0	000.1693	0258.6	019.1	070.0	005.4000	0102.0	017.1	69.27
164.0	000.1693	0258.3	019.1	069.9	005.4000	0102.0	016.7	69.55
165.0	000.1693	0257.7	019.0	069.7	005.4000	0102.0	016.4	69.82
166.0	000.1693	0257.2	019.0	069.5	005.4000	0102.0	016.1	70.10
167.0	000.1693	0256.8	019.0	069.3	005.4000	0102.1	015.8	70.39
168.0	000.1693	0256.4	019.0	069.1	005.4000	0102.1	015.4	70.66
169.0	000.1693	0256.4	019.0	068.9	005.4000	0102.1	015.1	70.94
170.0	000.1693	0256.8	019.0	068.7	005.4000	0102.1	014.8	71.14
171.0	000.1693	0257.8	019.0	068.6	005.4000	0102.1	014.4	71.52
172.0	000.1693	0259.3	019.1	068.5	005.4000	0102.1	014.1	71.92
173.0	000.1693	0261.1	019.2	068.5	005.4000	0102.2	013.8	72.34
174.0	000.1693	0262.0	019.2	068.2	005.4000	0102.2	013.4	72.76
175.0	000.1693	0262.3	019.2	067.9	005.4000	0102.2	013.1	73.20
176.0	000.1693	0262.1	019.2	067.4	005.4000	0102.1	012.8	73.62

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
177.0	000.1693	0261.4	019.2	066.8	005.4000	0102.1	012.5	74.06
178.0	000.1693	0260.8	019.2	066.1	005.4000	0101.8	012.2	74.48
179.0	000.1693	0260.3	019.1	065.4	005.4000	0101.5	011.9	74.91
180.0	000.1693	0260.2	019.1	064.7	005.4000	0101.5	011.6	75.38
181.0	000.1693	0260.1	019.1	064.0	005.4000	0101.3	011.3	75.83
182.0	000.1693	0260.0	019.1	063.2	005.4000	0101.0	011.0	76.29
183.0	000.1693	0260.0	019.1	062.3	005.4000	0100.8	010.7	76.75
184.0	000.1693	0260.0	019.1	061.3	005.4000	0100.6	010.4	77.22
185.0	000.1693	0259.5	019.1	060.2	005.4000	0100.4	010.1	77.67
186.0	000.1693	0258.8	019.1	059.0	005.4000	0100.2	009.9	78.10
187.0	000.1693	0258.1	019.1	057.7	005.4000	0100.0	009.6	78.53
188.0	000.1693	0257.1	019.0	056.2	005.4000	0099.4	009.4	78.91
189.0	000.1693	0256.0	019.0	054.6	005.4000	0099.2	009.2	79.28
190.0	000.1693	0254.8	018.9	052.9	005.4000	0098.4	009.0	79.59
191.0	000.1693	0253.5	018.9	051.1	005.4000	0097.1	008.8	79.83
192.0	000.1693	0251.9	018.8	049.2	005.4000	0095.9	008.6	80.03
193.0	000.1693	0250.2	018.8	047.2	005.4000	0095.3	008.5	80.24
194.0	000.1693	0248.3	018.7	045.0	005.4000	0094.3	008.4	80.38
195.0	000.1693	0246.6	018.6	042.9	005.4000	0093.0	008.3	80.46
196.0	000.1693	0245.0	018.6	040.7	005.4000	0091.9	008.2	80.52
197.0	000.1693	0243.6	018.5	038.4	005.4000	0090.3	008.1	80.52
198.0	000.1693	0242.4	018.5	036.2	005.4000	0089.3	008.1	80.55
199.0	000.1693	0241.2	018.4	033.9	005.4000	0088.4	008.0	80.56
200.0	000.1693	0240.2	018.4	031.6	005.4000	0087.4	008.0	80.52
201.0	000.1693	0239.2	018.3	029.3	005.4000	0084.9	008.0	80.30
202.0	000.1693	0238.2	018.3	026.9	005.4000	0083.7	008.0	80.18
203.0	000.1693	0237.5	018.3	024.6	005.4000	0083.1	008.0	80.08
204.0	000.1693	0236.8	018.2	022.4	005.4000	0083.0	008.0	80.02
205.0	000.1693	0236.2	018.2	020.1	005.4000	0083.0	008.0	79.94
206.0	000.1693	0235.7	018.2	017.9	005.4000	0083.0	008.1	79.84
207.0	000.1693	0235.3	018.2	015.7	005.4000	0082.9	008.2	79.69
208.0	000.1693	0234.8	018.2	013.6	005.4000	0082.6	008.2	79.49
209.0	000.1693	0234.5	018.2	011.5	005.4000	0082.5	008.3	79.29
210.0	000.1693	0234.1	018.1	009.5	005.4000	0082.4	008.5	79.05
211.0	000.1693	0233.9	018.1	007.6	005.4000	0082.2	008.6	78.78
212.0	000.1693	0233.6	018.1	005.7	005.4000	0081.8	008.7	78.47
213.0	000.1693	0233.4	018.1	003.9	005.4000	0081.1	008.9	78.10
214.0	000.1693	0233.1	018.1	002.2	005.4000	0080.6	009.1	77.74
215.0	000.1693	0232.7	018.1	000.6	005.4000	0080.5	009.2	77.38
216.0	000.1693	0232.3	018.1	359.1	005.4000	0081.0	009.4	77.07
217.0	000.1693	0231.8	018.1	357.7	005.4000	0081.3	009.6	76.73
218.0	000.1693	0231.4	018.0	356.4	005.4000	0081.4	009.9	76.36
219.0	000.1693	0231.0	018.0	355.1	005.4000	0081.5	010.1	75.96
220.0	000.1693	0230.5	018.0	353.9	005.4000	0081.5	010.3	75.55
221.0	000.1732	0229.9	018.1	352.4	005.4000	0081.6	010.5	75.27
222.0	000.1771	0229.4	018.2	351.0	005.4000	0082.0	010.7	74.99
223.0	000.1811	0229.0	018.3	349.6	005.4000	0082.3	010.9	74.69
224.0	000.1851	0228.6	018.3	348.3	005.4000	0082.4	011.1	74.35
225.0	000.1892	0228.2	018.4	347.0	005.4000	0082.0	011.3	73.96
226.0	000.1933	0227.7	018.5	345.8	005.4000	0081.3	011.6	73.50
227.0	000.1974	0227.1	018.6	344.7	005.4000	0080.0	011.8	72.99

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
228.0	000.2016	0226.6	018.7	343.7	005.4000	0078.4	012.1	72.42
229.0	000.2058	0226.1	018.7	342.7	005.4000	0076.3	012.3	71.80
230.0	000.2101	0225.5	018.8	341.8	005.4000	0074.1	012.6	71.15
231.0	000.2149	0224.9	018.9	341.0	005.4000	0072.0	012.9	70.50
232.0	000.2197	0224.4	019.0	340.2	005.4000	0069.8	013.2	69.85
233.0	000.2245	0224.0	019.1	339.4	005.4000	0067.7	013.4	69.21
234.0	000.2294	0223.6	019.2	338.6	005.4000	0067.7	013.7	68.81
235.0	000.2344	0223.3	019.2	338.0	005.4000	0066.0	014.1	68.20
236.0	000.2394	0222.9	019.3	337.3	005.4000	0064.5	014.4	67.64
237.0	000.2444	0222.4	019.4	336.8	005.4000	0064.5	014.7	67.26
238.0	000.2495	0221.9	019.5	336.3	005.4000	0063.5	015.0	67.00
239.0	000.2547	0221.3	019.6	335.9	005.4000	0063.5	015.3	66.70
240.0	000.2599	0220.6	019.6	335.5	005.4000	0062.8	015.7	66.32
241.0	000.2657	0219.9	019.7	335.1	005.4000	0062.8	016.0	66.03
242.0	000.2714	0219.0	019.8	334.8	005.4000	0062.8	016.3	65.73
243.0	000.2773	0218.1	019.8	334.5	005.4000	0062.8	016.7	65.43
244.0	000.2832	0217.3	019.9	334.3	005.4000	0062.2	017.0	65.06
245.0	000.2892	0216.7	020.0	334.0	005.4000	0062.2	017.4	64.76
246.0	000.2952	0216.1	020.1	333.8	005.4000	0062.2	017.7	64.46
247.0	000.3014	0215.6	020.1	333.6	005.4000	0062.2	018.1	64.15
248.0	000.3075	0215.0	020.2	333.5	005.4000	0061.6	018.4	63.78
249.0	000.3138	0214.6	020.3	333.4	005.4000	0061.6	018.8	63.48
250.0	000.3200	0214.2	020.4	333.2	005.4000	0061.6	019.2	63.17
251.0	000.3277	0214.0	020.5	333.0	005.4000	0061.6	019.5	62.86
252.0	000.3354	0213.9	020.6	332.9	005.4000	0061.6	019.9	62.56
253.0	000.3432	0213.7	020.7	332.8	005.4000	0061.6	020.3	62.25
254.0	000.3511	0213.6	020.8	332.7	005.4000	0061.6	020.7	61.94
255.0	000.3591	0213.5	020.9	332.6	005.4000	0061.6	021.0	61.64
256.0	000.3672	0213.4	021.0	332.5	005.4000	0061.6	021.4	61.33
257.0	000.3754	0213.3	021.1	332.5	005.4000	0061.1	021.8	60.96
258.0	000.3836	0213.2	021.2	332.5	005.4000	0061.1	022.2	60.66
259.0	000.3920	0213.1	021.3	332.5	005.4000	0061.1	022.6	60.36
260.0	000.4004	0212.9	021.4	332.5	005.4000	0061.6	022.9	60.13
261.0	000.4090	0212.6	021.5	332.6	005.4000	0061.6	023.3	59.83
262.0	000.4176	0212.4	021.6	332.7	005.4000	0061.6	023.7	59.54
263.0	000.4263	0212.1	021.7	332.8	005.4000	0061.6	024.1	59.26