

The following data sets are to demonstrate compliance with 73.317(b) through 73.317(d) for the combined antenna system for stations KMXR, KASB, and KRYSFM.

### IM Measurements




Fig. 1) IM - 100.7 max hold




Fig. 2) IM - 100.7 max hold w/marker @ 100.3 mHz




Fig. 3) IM – 100.7 max hold w/marker

T




Fig. 4) IM – 104.3 max hold




Fig. 5) IM – 104.3 max hold w/marker @104.5 mHz




Fig. 6) IM – 105.9 max hold




Fig. 7) IM – 105.9 w/marker @ 105.7 mHz




Fig. 8) IM – 105.9 max hold w/marker @ 106.1 mHz

T




Fig. 9) IM – 87.9 max hold




Fig. 10) IM – 87.9 max hold w/marker @ 87.7 mHz




Fig. 11) IM – 88.7 max hold

T




Fig. 12) IM – 98.3 max hold

T




Fig. 13) IM - 98.3 max hold Span = 800 kHz






Fig. 14) 93.9 peak no audio




Fig. 14) 93.9 peak search no audio




Fig. 16) 99.1 peak no audio




Fig. 17) peak search no audio




Fig. 18) 99.9 peak no audio




Fig. 19) 99.9 peak search no audio