


EXHIBIT 12
Waiver Request of Section 74.1204
W274AM Louisville, KY - Minor Modification of CP
40 Watts ERP
Calvary Chapel of Twin Falls, Inc. 9/06

The proposed site is contained entirely inside the service contour of second-adjacent stations WXMA, Louisville, KY and WRKA, St. Matthews, KY


WXMA

The proposed site is contained entirely inside the service contour of second-adjacent FM Station WXMA, Channel 272, Class A, 6 kW, Louisville, KY. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 79.4-dBu. Using the Undesired-to-Desired method for calculating proposed interference, the interfering contour with respect to WXMA is 119.4-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial extend 48 meters from the center of radiation, which is proposed at 55 meters AGL, leaving 7 meters or 22.9 feet between the ground and the interference contour. This interference contour does not touch the ground. The ERP has been reduced because there is a warehouse located close by the tower. A small portion of the interference contour does intersect a portion of the east wall of this warehouse, which is 25 feet in height and 22 feet from the closest leg of the tower. This leaves around 2.1 feet of the adjacent wall, roof and ceiling area, located towards the top of the east side of the building, within the interference contour. There are no other buildings or structures located within the 48 meter interference contour, which are more than 7 meters, or 22.9 feet in height. Because the area of interference is located at such a height that it will not affect any population, Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel WXMA.



WRKA

The proposed site is contained entirely inside the service contour of second-adjacent FM Station WRKA, Channel 276, Class A, 6 kW, St. Matthews, KY. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 81.8-dBu. Using the Undesired-to-Desired method for calculating proposed interference, the interfering contour with respect to WRKA is 121.8-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial extend 37 meters from the center of radiation, which is proposed at 55 meters AGL. This interference contour does not touch the ground and does not intersect and buildings located near the tower. Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel WRKA.



38° 11' 45"N, 85° 41' 04"W (NAD27)
USGS Louisville East (KY) Quadrangle
Projection is UTM Zone 16 NAD83 Datum

