

Exhibit E-12

The proposed facility would comply with the contour overlap provisions of Section 74.1204 of the Commission's Rules. The first map attached to this exhibit depicts the predicted interference contours from the proposed facility along with the protected service contour (60 dBu) of other appropriate proposed and existing facilities in the region. As this map demonstrates, the proposed facility would not have prohibited contour overlap with any other pertinent proposed or existing facility.

The proposed facility is located at a distance greater than 320 kilometers from the common border between the United States and Canada. The second map attached to this exhibit demonstrates this fact. As a result, the proposed facility would not be limited to a maximum effective radiated power of 50 Watts and may utilize the proposed 250 Watt ERP.

K269EC.PRO
PROPOSED
Latitude: 44-10-01.30 N
Longitude: 094-00-10.40 W
ERP: 0.006 kW
Channel: 269
Frequency: 101.7 MHz
AMSL Height: 263.0 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: FCC Method

D.L. Markley & Associates, Inc.

- 60 dBu F(50,50) Service Contour
- 40 dBu F(50,10) Interference Contour
- 54 dBu F(50,10) Interference Contour
- 100 dBu F(50,10) Interference Contour




Exhibit E-12
Contour Overlap Study
K269EC - Mankato, Minnesota
Three Eagles of Luverne, Inc.
November, 2007

Scale 1:1,000,000

0 10 20 30 km

K269EC.PRO

Latitude: 44-10-02 N
Longitude: 094-00-11 W
ERP: 0.25 kW
Channel: 269
Frequency: 101.7 MHz
AMSL Height: 261.7 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: FCC Method

D.L. Markley & Associates, Inc.

K269EC.PRO

320 km Radius Centered
on Proposed K269EC Site

Exhibit E-12
International Agreement Compliance
K269EC - Mankato, Minnesota
Three Eagles of Luverne, Inc.
November, 2007

Scale 1:5,000,000

0 70 140 210 km