

0 3 Kilometers

Figure 1



**K267BH, PAHRUMP, NV : MINOR CHANGE TO LICENSED FACILITY**  
 Minor change showing, and contour protection


[www.radiodataservices.com](http://www.radiodataservices.com)

Table 1

**K267BH Minor Change to Licensed Facility August 2, 2009**  
**Channel Study**

Chan	Class	Call Letters	Type	Status	City	State	Country	Owner	Distance (km)	Bearing TO (deg)	Req. Dist. (km)	Clearance (km)
213	C	KSOS	FM	LIC	LAS VEGAS	NV	US	FAITH COMMUNICATIONS CORPORA	43.8	121.2	29.0	14.8
265	D	NEW	FX	APP	MOAPA	NV	US	CALVARY CHAPEL OF TWIN FALLS, II	38.4	95.6	14.6	23.8
265	D	NEW	FX	APP	SOUTH LAS VEGAS	NV	US	BROADCAST TOWERS, INC.	43.8	121.3	12.7	31.2
265	D	NEW	FX	APP	HENDERSON	SC	US	EDUCATIONAL MEDIA FOUNDATION	43.8	121.3	12.6	31.3
266	D	NEW	FX	APP	BOULDER CITY	NV	US	ADVANCE MINISTRIES, INC. D/B/A NE	55.7	115.6	21.9	33.8
266	C	KPKK	FM	APP	AMARGOSA VALLEY	NV	US	SKY MEDIA, L.L.C.	65.2	317.0	97.1	-31.9 (see note)
<b>267</b>	<b>D</b>	<b>K267BH</b>	<b>FX</b>	<b>CP</b>	<b>PAHRUMP</b>	<b>NV</b>	<b>US</b>	<b>ONDAS DE VIDA NETWORK, INC.</b>	<b>10.3</b>	<b>206.5</b>	<b>22.1</b>	<b>-11.8 (same as applicant)</b>
<b>267</b>	<b>D</b>	<b>K267BH</b>	<b>FX</b>	<b>LIC</b>	<b>PAHRUMP</b>	<b>NV</b>	<b>US</b>	<b>ONDAS DE VIDA NETWORK, INC.</b>	<b>28.4</b>	<b>194.3</b>	<b>43.6</b>	<b>-15.1 (same as applicant)</b>
268	D	NEW	FX	APP	HENDERSON	NV	US	LOTUS BROADCASTING CORP.	43.8	121.2	43.1	0.7
268	D	NEW	FX	APP	LAS VEGAS	NV	US	SOUTHERN NEVADA EDUCATIONAL I	55.8	115.4	22.3	33.5
268	B	KIXF	FM	LIC	BAKER	CA	US	KHWY, INC.	97.5	207.8	63.2	34.3
270	C	KWID	FM	LIC	LAS VEGAS	NV	US	TEXAS LOTUS CORP.	43.8	121.2	83.7	-39.9 (see figure 2)
270	C	KWID	FM	CP	LAS VEGAS	NV	US	TEXAS LOTUS CORP.	43.8	121.3	88.5	-44.6 (see figure 2)

Note: The current licensed facility for K267BH is short-spaced to the recent KPKK application. Therefore, this proposal does not increase interference to any existing facility.



0 300 Meters

Figure 2



**K267BH, PAHRUMP, NV : MINOR CHANGE TO LICENSED FACILITY**  
**With respect to KWID**

[www.radiodataservices.com](http://www.radiodataservices.com)

## Radiofrequency Electromagnetic Exposure Analysis

Source	Height AGL(m)	Antenna type	Bays	Horizontal ERP (kw)	Vertical ERP (kw)	Power Density $\mu\text{W}/\text{cm}^2$ at 2 meters AGL				
						within 10 meters distance	% controlled environment limit (1000 $\mu\text{W}/\text{cm}^2$ )	Max. PD	% uncontrolled environment limit (200 $\mu\text{W}/\text{cm}^2$ )	Distance to maximum PD (m)
PROPOSED	9	SCALA YA7FML-1	1	0.000	0.010	0.7	0.1%	0.7	0.4%	12
						0.7	<b>0.1%</b>	0.7	<b>0.4%</b>	12

The proposed facility is excluded from environmental processing under 47. C.F.R. Section 1.1306 (i.e., The facility will not have a significant environmental impact and complies with the maximum permissible radiofrequency electromagnetic exposure limits for controlled and uncontrolled environments).

Calculations made using Equation 10 from OET Bulletin 65 and elevation pattern provided by antenna manufacturer