

REGISTERED MAIL-RETURN RECEIPT REQUESTED

Mr. Paul Bacán, Director  
Broadcast Applications Engineering  
Broadcasting Regulatory Branch  
Industry Canada  
Jean Edmons Tower North  
300 Slater Street  
Ottawa, Ontario, Canada KIA OC8

Dear Mr. Vaccani:

The Commission is in receipt of a proposal to install a LPTV/Translator station as follows:

1. Applicant: THREE ANGELS BROADCASTING NETWORK, INC.
2. File Number: BMPDTL-20120306ABY                      Call Sign: K51IN
3. Channel Number: 40 (DIGITAL)
4. Principal Community to be Served: BONNERS FERRY, ID.
5. Proposed Transmitter Location:                      48      36      37      NL  
   116    15      24      WL
6. Effective Radiated Power: 0.23 kW
7. Transmitting Antenna: JAM/JA/LS-QB-8                      (DIRECTIONAL)  
    Orientation: 305 DEGREES  
    Overall Height Above Ground: 29.5 meters  
    Overall Height Above Mean Sea Level: 1874 meters
8. Average HAAT: 840.9 meters
9. Digital Emission Mask: STRINGENT

In view of the proximity of this proposed site to the Canadian-U.S.A. border, your comments are requested.

Sincerely,

Ron Graser  
Media Bureau, Video Division  
(202) 418-1665

azimuth	field_value	ant_make	ant_model_num	antenna_id
0	1	JAM	JA/LS-QB-8	19595
10	0.97	JAM	JA/LS-QB-8	19595
20	0.95	JAM	JA/LS-QB-8	19595
30	0.9	JAM	JA/LS-QB-8	19595
40	0.9	JAM	JA/LS-QB-8	19595
50	0.92	JAM	JA/LS-QB-8	19595
60	0.96	JAM	JA/LS-QB-8	19595
70	1	JAM	JA/LS-QB-8	19595
80	0.97	JAM	JA/LS-QB-8	19595
90	0.91	JAM	JA/LS-QB-8	19595
100	0.8	JAM	JA/LS-QB-8	19595
110	0.65	JAM	JA/LS-QB-8	19595
120	0.4	JAM	JA/LS-QB-8	19595
130	0.2	JAM	JA/LS-QB-8	19595
140	0.05	JAM	JA/LS-QB-8	19595
150	0.05	JAM	JA/LS-QB-8	19595
160	0.05	JAM	JA/LS-QB-8	19595
170	0.05	JAM	JA/LS-QB-8	19595
180	0.05	JAM	JA/LS-QB-8	19595
190	0.05	JAM	JA/LS-QB-8	19595
200	0.05	JAM	JA/LS-QB-8	19595
210	0.05	JAM	JA/LS-QB-8	19595
220	0.05	JAM	JA/LS-QB-8	19595
230	0.2	JAM	JA/LS-QB-8	19595
240	0.4	JAM	JA/LS-QB-8	19595
250	0.65	JAM	JA/LS-QB-8	19595
260	0.8	JAM	JA/LS-QB-8	19595
270	0.91	JAM	JA/LS-QB-8	19595
280	0.97	JAM	JA/LS-QB-8	19595
290	1	JAM	JA/LS-QB-8	19595
300	0.96	JAM	JA/LS-QB-8	19595
310	0.92	JAM	JA/LS-QB-8	19595
320	0.9	JAM	JA/LS-QB-8	19595
330	0.9	JAM	JA/LS-QB-8	19595
340	0.95	JAM	JA/LS-QB-8	19595
350	0.97	JAM	JA/LS-QB-8	19595