

K203AT move to 298
Dura 0.25 kW UAA7

Pwr= 0.25 kW, HAAT= 0.0 M,
ge Protected E(50,50)= 7.09 km

Standard Directional

Standard Directional

REFERENCE
38 02 31.0 N.
105 11 10.0 W.

CH# 298D - 107.5 MHz, Pwr= 0.25 kW, HAAT= 0.0 M, COR= 3526 M

DI SPLAY DATES

DATA 03-31-10

SEARCH 03-31-10

CH CITY	CALL	TYPE	ANT STATE	AZI ---	DI ST FI LE #	LAT LNG	PWR(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LI CENSEE	*IN* (Over lap i n km)	*OUT*
300C0	KDZA-FM	LI C	ZCX	19. 7	83. 0	38 44 41. 0	32. 000	9. 6	82. 4	68. 5	0. 5
Puebl o		CO		199. 9	BLH20080122APH	104 51 46. 0	674	2928	Capstar	Tx Lic	
298C	KQKS	LI C	_C_	0. 6	183. 6	39 41 45. 0	100. 000	165. 9	67. 1	12. 0	87. 7
Lakewood		CO		180. 6	BLH19991214ABI	105 09 54. 0	365	2081	Lin col n	Financi al	Medi a Co
295C1	KIQN	CP	NHX	89. 5	40. 0	38 02 39. 0	51. 000	2. 7	26. 6	32. 3	13. 3
Puebl o		CO		269. 8	BPH20070730ADP	104 43 50. 0	33	1710	Exodus	Broadcasti ng,	Lic
One Step Applicati on											
295C2	KIQN	LI C	_CX	83. 1	61. 6	38 06 22. 0	27. 500	5. 0	46. 1	51. 8	15. 4
Puebl o		CO		263. 6	BLH20050107AAQ	104 29 18. 0	203	1710	Exodus	Broadcasti ng,	Lic
298C1	KQBA	LI C	_C_	199. 2	229. 3	36 05 21. 0	100. 000	167. 0	68. 0	32. 5	72. 6
Los Al amos		NM		18. 7	BLH20000410ABB	106 01 41. 0	243	2140	Hutton	Broadcasti ng,	Lic

Terrain database is NGDC 30 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM
 Contour distances are on direct line to and from reference station. Reference zone = 2, Co to 3rd adjacent.
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
 "<" = Contour Overlap