

Exhibit E-29 Amendment

This portion of Exhibit E-29 serves as an amendment to the original exhibit contained in the amendment to the application for construction permit. The information contained in this amendment seeks to provide additional information to the Commission's Staff concerning apparent contour overlap and discrepancies between the allocation study submitted by the applicant and one generated by the Commission's Staff.

By way of telephone, the engineering representative of the applicant was notified that a discrepancy between the submitted allocation study and the one created by the Staff had been identified. Specifically, the study generated by the Staff indicated that the facility proposed by the applicant was predicted to receive interference from the licensed facility of KOKO-FM at Kernan, California. The predicted 54 dBu F(50,10) contour of KOKO-FM had been predicted to overlap the predicted 60 dBu F(50,50) contour of BNPH-20050103AIK by almost 2 kilometers along certain azimuths.

It was determined that both the applicant and the Staff had utilized identical technical parameters in the creation of the respective studies. The only significant difference between the two studies was the maps submitted by the applicant were based on the usage of a 3 second terrain database, while the Commission's maps utilized a 30 second database.

As the two maps attached to this exhibit amendment demonstrate, when the contours are studied under a 3 second database, they pertinent contours are tangential to each other, as originally demonstrated in Exhibit E-29. When generated using a 30 second database however, the contour overlap in contravention of Section 73.215 of the Commission's Rules identified by the Staff becomes evident.

To further illustrate the discrepancies between the two databases, a tabulation of the average terrain values and height above average terrain values in meters along pertinent azimuths from both facilities follows the two maps in this exhibit amendment. As this tabulation indicates, there are minor differences in the terrain elevations between the two databases for the Coarsegold facility. In the case of KOKO-FM, however, the terrain elevations between the two databases vary by 10 meters or greater. It would therefore be respectfully requested that the Commission permit the use of the 3 second data, as it would seem to be more accurate than the 30 second data.

BNPH-20050103AIK
Contours

Contour Color Key:
Blue - 60 dBu F(50,50)
Red - 54 dBu F(50,10)

Lighter colored contours
determined with 3 second
terrain database. Darker
colored contours determined
with 30 second database.

KOKOFM
BLH19990909AAA
Latitude: 36-44-29 N
Longitude: 120-05-08 W
ERP: 6.00 kW
Channel: 232
Frequency: 94.3 MHz
AMSL Height: 161.0 m
HAAT: 100 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: FCC Method

KOKO-FM Licensed
Contours





Exhibit E-29
Allocation Study
BNPH-20050103AIK
Coarsegold, California
College Creek Broadcasting, Inc.
March, 2005



Contour Color Key:
Blue - 60 dBu F(50,50)
Red - 54 dBu F(50,10)

Lighter colored contours determined with 3 second terrain database. Darker colored contours determined with 30 second database.

KOKOFM
BLH19990909AAA
Latitude: 36-44-29 N
Longitude: 120-05-08 W
ERP: 6.00 kW
Channel: 232
Frequency: 94.3 MHz
AMSL Height: 161.0 m
HAAT: 100 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: FCC Method



Proposed 60 dBu Contour
by 30 Second Database

Proposed 60 dBu Contour
by 3 Second Database

KOKO-FM 54 dBu Contour
by 30 Second Database

KOKO-FM 54 dBu Contour
by 3 Second Database

Exhibit E-29
Allocation Study
BNPH-20050103AIK
Coarsegold, California
College Creek Broadcasting, Inc.
March, 2005



Comparison of Terrain Elevations Across Pertinent Azimuths

Station: KOKO-FM (Kernan, CA)

Latitude: 36-44-29

COR: 161 m AMSL

Longitude: 120-05-08

Azimuth	30 Second Database		3 Second Database	
	Avg. Terrain	HAAT	Avg. Terrain	HAAT
005	63.0	98.0	70.8	90.2
006	63.0	98.0	70.9	90.1
007	63.0	98.0	71.0	90.0
008	63.0	98.0	71.2	89.8
009	63.0	98.0	71.5	89.5
010	63.0	98.0	71.7	89.3
011	63.0	98.0	71.9	89.1
012	63.2	97.8	72.1	88.9
013	63.5	97.5	72.3	88.7
014	63.8	97.2	72.6	88.4
015	64.0	97.0	72.7	88.3
016	64.1	96.9	72.9	88.1
017	64.1	96.9	73.2	87.8
018	64.1	96.9	73.3	87.7
019	64.1	96.9	73.5	87.5
020	64.1	96.9	73.6	87.4
021	64.0	97.0	73.8	87.2
022	64.0	97.0	74.0	87.0
023	64.0	97.0	74.2	86.8
024	64.0	97.0	74.4	86.6
025	64.2	96.8	74.5	86.5
026	64.3	96.7	74.7	86.3
027	64.2	96.8	74.9	86.1
028	64.2	96.8	75.0	86.0
029	64.0	97.0	75.0	86.0
030	63.8	97.2	74.3	86.7
031	63.5	97.5	73.5	87.5
032	63.4	97.6	72.4	88.6
033	63.5	97.5	70.9	90.1
034	63.8	97.2	70.4	90.6
035	63.9	97.1	70.5	90.5
036	63.9	97.1	70.6	90.4
037	63.8	97.2	70.4	90.6
038	63.6	97.4	70.4	90.6
039	63.4	97.6	70.6	90.4
040	63.4	97.6	70.6	90.4
041	63.4	97.6	70.2	90.8
042	63.4	97.6	69.9	91.1
043	63.4	97.6	69.6	91.4
044	63.4	97.6	69.3	91.7
045	63.3	97.7	69.0	92.0

Comparison of Terrain Elevations Across Pertinent Azimuths

Station: BNPH-20050103AIK (Coarsegold, CA)

Latitude: 37-15-56

COR: 758.3 m AMSL

Longitude: 119-41-11

Azimuth	30 Second Database		3 Second Database	
	Avg. Terrain	HAAT	Avg. Terrain	HAAT
190	561.5	196.8	566.2	192.1
191	555.2	203.1	557.9	200.4
192	550.1	208.2	549.5	208.8
193	544.4	213.9	541.1	217.2
194	538.1	220.2	534.7	223.6
195	531.7	226.6	530.4	227.9
196	525.7	232.6	526.1	232.2
197	518.9	239.4	520.5	237.8
198	511.4	246.9	514.9	243.4
199	504.5	253.8	505.7	252.6
200	498.0	260.3	496.0	262.3
201	491.9	266.4	488.2	270.1
202	486.4	271.9	483.4	274.9
203	482.6	275.7	479.4	278.9
204	480.4	277.9	476.6	281.7
205	480.2	278.1	474.6	283.7
206	481.4	276.9	475.0	283.3
207	483.4	274.9	476.7	281.6
208	485.7	272.6	480.7	277.6
209	488.0	270.3	485.6	272.7
210	490.1	268.2	490.4	267.9
211	491.5	266.8	492.2	266.1
212	492.5	265.8	493.7	264.6
213	492.6	265.7	493.0	265.3
214	490.8	267.5	491.2	267.1
215	487.1	271.2	486.3	272.0
216	483.6	274.7	479.1	279.2
217	482.4	275.9	477.7	280.6
218	483.3	275.0	479.0	279.3
219	485.6	272.7	480.0	278.3
220	488.5	269.8	482.9	275.4
221	491.2	267.1	486.2	272.1
222	494.1	264.2	489.9	268.4
223	497.7	260.6	496.4	261.9
224	501.7	256.6	501.8	256.5
225	505.0	253.3	505.1	253.2
226	506.0	252.3	508.7	249.6
227	503.4	254.9	508.2	250.1
228	496.5	261.8	499.4	258.9
229	486.1	272.2	489.3	269.0
230	474.1	284.2	477.9	280.4
231	462.0	296.3	464.6	293.7
232	451.0	307.3	452.3	306.0

Comparison of Terrain Elevations Across Pertinent Azimuths

Station: BNPH-20050103AIK (Coarsegold, CA)

Latitude: 37-15-56

COR: 758.3 m AMSL

Longitude: 119-41-11

Azimuth	30 Second Database		3 Second Database	
	Avg. Terrain	HAAT	Avg. Terrain	HAAT
233	442.5	315.8	440.9	317.4
234	437.3	321.0	434.5	323.8
235	435.8	322.5	430.7	327.6
236	438.2	320.1	430.3	328.0
237	443.7	314.6	433.8	324.5
238	451.2	307.1	442.5	315.8
239	459.5	298.8	453.5	304.8
240	468.3	290.0	468.5	289.8
241	477.7	280.6	481.3	277.0
242	488.0	270.3	490.8	267.5
243	498.0	260.3	499.7	258.6
244	506.8	251.5	508.6	249.7
245	514.2	244.1	516.8	241.5